



# **Endpoints available for GitHub App installation access tokens**

#### In this article

actions

activity

announcement-banners

apps

billing

branches

checks

code-scanning

codes-of-conduct

codespaces

collaborators

commits

copilot

dependabot

dependency-graph

deploy-keys

deployments

emojis

enterprise-admin

git

gitignore

interactions

issues

licenses

markdown

meta

metrics

orgs

packages

pages

projects

pulls

reactions

releases

repos

scim

search

secret-scanning

security-advisories

teams

users

Your GitHub App can make requests to the following REST endpoints with an installation access token.

#### Who can use this feature

You can use an installation access token to access these endpoints using your GitHub App. For more information, see "Authenticating as a GitHub App installation."

## actions &

- GET /enterprises/{enterprise}/actions/cache/usage
- PUT /enterprises/{enterprise}/actions/oidc/customization/issuer
- GET /orgs/{org}/actions/cache/usage
- GET /orgs/{org}/actions/cache/usage-by-repository
- GET /orgs/{org}/actions/oidc/customization/sub
- PUT /orgs/{org}/actions/oidc/customization/sub
- GET /orgs/{org}/actions/permissions
- PUT /orgs/{org}/actions/permissions
- GET /orgs/{org}/actions/permissions/repositories
- PUT /orgs/{org}/actions/permissions/repositories
- PUT /orgs/{org}/actions/permissions/repositories/{repository id}
- DELETE /orgs/{org}/actions/permissions/repositories/{repository\_id}
- GET /orgs/{org}/actions/permissions/selected-actions
- PUT /orgs/{org}/actions/permissions/selected-actions
- GET /orgs/{org}/actions/permissions/workflow
- PUT /orgs/{org}/actions/permissions/workflow
- GET /orgs/{org}/actions/runner-groups
- POST /orgs/{org}/actions/runner-groups
- GET /orgs/{org}/actions/runner-groups/{runner\_group\_id}
- PATCH /orgs/{org}/actions/runner-groups/{runner group id}
- DELETE /orgs/{org}/actions/runner-groups/{runner group id}
- GET /orgs/{org}/actions/runner-groups/{runner\_group\_id}/repositories
- PUT /orgs/{org}/actions/runner-groups/{runner group id}/repositories
- PUT /orgs/{org}/actions/runner
  - groups/{runner group id}/repositories/{repository id}
- DELETE /orgs/{org}/actions/runner
  - groups/{runner\_group\_id}/repositories/{repository\_id}
- GET /orgs/{org}/actions/runner-groups/{runner group id}/runners
- PUT /orgs/{org}/actions/runner-groups/{runner group id}/runners
- PUT /orgs/{org}/actions/runner-groups/{runner group id}/runners/{runner id}
- DELETE /orgs/{org}/actions/runner-groups/{runner\_group\_id}/runners/{runner\_id}
- GET /orgs/{org}/actions/runners
- GET /orgs/{org}/actions/runners/downloads
- POST /orgs/{org}/actions/runners/generate-jitconfig
- <u>POST /orgs/{org}/actions/runners/registration-token</u>
- <a href="POST /orgs/{org}/actions/runners/remove-token">POST /orgs/{org}/actions/runners/remove-token</a>
- GET /orgs/{org}/actions/runners/{runner\_id}
- DELETE /orgs/{org}/actions/runners/{runner id}
- GET /orgs/{org}/actions/runners/{runner\_id}/labels

- POST /orgs/{org}/actions/runners/{runner id}/labels
- PUT /orgs/{org}/actions/runners/{runner id}/labels
- DELETE /orgs/{org}/actions/runners/{runner\_id}/labels
- DELETE /orgs/{org}/actions/runners/{runner id}/labels/{name}
- GET /orgs/{org}/actions/secrets
- GET /orgs/{org}/actions/secrets/public-key
- GET /orgs/{org}/actions/secrets/{secret name}
- PUT /orgs/{org}/actions/secrets/{secret\_name}
- DELETE /orgs/{org}/actions/secrets/{secret name}
- GET /orgs/{org}/actions/secrets/{secret name}/repositories
- PUT /orgs/{org}/actions/secrets/{secret\_name}/repositories
- PUT /orgs/{org}/actions/secrets/{secret name}/repositories/{repository id}
- DELETE /orgs/{org}/actions/secrets/{secret name}/repositories/{repository id}
- GET /orgs/{org}/actions/variables
- POST /orgs/{org}/actions/variables
- GET /orgs/{org}/actions/variables/{name}
- PATCH /orgs/{org}/actions/variables/{name}
- DELETE /orgs/{org}/actions/variables/{name}
- GET /orgs/{org}/actions/variables/{name}/repositories
- PUT /orgs/{org}/actions/variables/{name}/repositories
- PUT /orgs/{org}/actions/variables/{name}/repositories/{repository\_id}
- GET /repos/{owner}/{repo}/actions/artifacts
- GET /repos/{owner}/{repo}/actions/artifacts/{artifact id}
- DELETE /repos/{owner}/{repo}/actions/artifacts/{artifact\_id}
- GET /repos/{owner}/{repo}/actions/artifacts/{artifact id}/{archive format}
- GET /repos/{owner}/{repo}/actions/cache/usage
- GET /repos/{owner}/{repo}/actions/caches
- DELETE /repos/{owner}/{repo}/actions/caches
- DELETE /repos/{owner}/{repo}/actions/caches/{cache id}
- GET /repos/{owner}/{repo}/actions/jobs/{job id}
- GET /repos/{owner}/{repo}/actions/jobs/{job\_id}/logs
- POST /repos/{owner}/{repo}/actions/jobs/{job id}/rerun
- GET /repos/{owner}/{repo}/actions/oidc/customization/sub
- PUT /repos/{owner}/{repo}/actions/oidc/customization/sub
- GET /repos/{owner}/{repo}/actions/organization-secrets
- GET /repos/{owner}/{repo}/actions/organization-variables
- GET /repos/{owner}/{repo}/actions/permissions
- PUT /repos/{owner}/{repo}/actions/permissions
- GET /repos/{owner}/{repo}/actions/permissions/access
- PUT /repos/{owner}/{repo}/actions/permissions/access
- GET /repos/{owner}/{repo}/actions/permissions/selected-actions
- PUT /repos/{owner}/{repo}/actions/permissions/selected-actions
- GET /repos/{owner}/{repo}/actions/permissions/workflow
- PUT /repos/{owner}/{repo}/actions/permissions/workflow
- GET /repos/{owner}/{repo}/actions/runners
- GET /repos/{owner}/{repo}/actions/runners/downloads
- POST /repos/{owner}/{repo}/actions/runners/generate-jitconfig
- <a href="POST /repos/{owner}/{repos/actions/runners/registration-token">POST /repos/{owner}/{repos/actions/runners/registration-token</a>
- <u>POST /repos/{owner}/{repo}/actions/runners/remove-token</u>
- GET /repos/{owner}/{repo}/actions/runners/{runner\_id}
- DELETE /repos/{owner}/{repo}/actions/runners/{runner id}

- GET /repos/{owner}/{repo}/actions/runners/{runner id}/labels
- POST /repos/{owner}/{repo}/actions/runners/{runner id}/labels
- PUT /repos/{owner}/{repo}/actions/runners/{runner id}/labels
- DELETE /repos/{owner}/{repo}/actions/runners/{runner id}/labels
- DELETE /repos/{owner}/{repo}/actions/runners/{runner id}/labels/{name}
- GET /repos/{owner}/{repo}/actions/runs
- GET /repos/{owner}/{repo}/actions/runs/{run id}
- DELETE /repos/{owner}/{repo}/actions/runs/{run id}
- GET /repos/{owner}/{repo}/actions/runs/{run id}/approvals
- POST /repos/{owner}/{repo}/actions/runs/{run id}/approve
- GET /repos/{owner}/{repo}/actions/runs/{run id}/artifacts
- GET /repos/{owner}/{repo}/actions/runs/{run id}/attempts/{attempt number}
- GET /repos/{owner}/{repo}/actions/runs/{run id}/attempts/{attempt number}/jobs
- GET /repos/{owner}/{repo}/actions/runs/{run id}/attempts/{attempt number}/logs
- POST /repos/{owner}/{repo}/actions/runs/{run\_id}/cancel
- POST /repos/{owner}/{repo}/actions/runs/{run id}/deployment protection rule
- POST /repos/{owner}/{repo}/actions/runs/{run id}/force-cancel
- GET /repos/{owner}/{repo}/actions/runs/{run id}/jobs
- GET /repos/{owner}/{repo}/actions/runs/{run\_id}/logs
- DELETE /repos/{owner}/{repo}/actions/runs/{run\_id}/logs
- GET /repos/{owner}/{repo}/actions/runs/{run id}/pending deployments
- <a href="POST /repos/{owner}/{repo}/actions/runs/{run id}/pending deployments">POST /repos/{owner}/{repo}/actions/runs/{run id}/pending deployments</a>
- POST /repos/{owner}/{repo}/actions/runs/{run id}/rerun
- POST /repos/{owner}/{repo}/actions/runs/{run id}/rerun-failed-jobs
- GET /repos/{owner}/{repo}/actions/runs/{run id}/timing
- GET /repos/{owner}/{repo}/actions/secrets
- GET /repos/{owner}/{repo}/actions/secrets/public-key
- GET /repos/{owner}/{repo}/actions/secrets/{secret name}
- PUT /repos/{owner}/{repo}/actions/secrets/{secret name}
- DELETE /repos/{owner}/{repo}/actions/secrets/{secret name}
- GET /repos/{owner}/{repo}/actions/variables
- POST /repos/{owner}/{repo}/actions/variables
- GET /repos/{owner}/{repo}/actions/variables/{name}
- PATCH /repos/{owner}/{repo}/actions/variables/{name}
- DELETE /repos/{owner}/{repo}/actions/variables/{name}
- GET /repos/{owner}/{repo}/actions/workflows
- GET /repos/{owner}/{repo}/actions/workflows/{workflow\_id}
- PUT /repos/{owner}/{repo}/actions/workflows/{workflow\_id}/disable
- POST /repos/{owner}/{repo}/actions/workflows/{workflow id}/dispatches
- PUT /repos/{owner}/{repo}/actions/workflows/{workflow id}/enable
- GET /repos/{owner}/{repo}/actions/workflows/{workflow id}/runs
- GET /repos/{owner}/{repo}/actions/workflows/{workflow id}/timing
- GET /repositories/{repository\_id}/environments/{environment\_name}/secrets
- <u>GET /repositories/{repository\_id}/environments/{environment\_name}/secrets/public-key</u>
- GET
  - /repositories/{repository\_id}/environments/{environment\_name}/secrets/{secret\_name}
- PUT
  - /repositories/{repository\_id}/environments/{environment\_name}/secrets/{secret\_nam

- DELETE
  /repositories/{repository\_id}/environments/{environment\_name}/secrets/{secret\_name}
- GET /repositories/{repository\_id}/environments/{environment\_name}/variables
- POST /repositories/{repository id}/environments/{environment name}/variables
- GET
  - /repositories/{repository id}/environments/{environment name}/variables/{name}
- PATCH
  - /repositories/{repository\_id}/environments/{environment\_name}/variables/{name}
- DELETE
  - /repositories/{repository id}/environments/{environment name}/variables/{name}

## activity @

- GET /events
- GET /feeds
- GET /networks/{owner}/{repo}/events
- GET /orgs/{org}/events
- GET /repos/{owner}/{repo}/events
- GET /repos/{owner}/{repo}/stargazers
- GET /repos/{owner}/{repo}/subscribers
- GET /users/{username}/events
- GET /users/{username}/events/public
- GET /users/{username}/received events
- GET /users/{username}/received events/public
- GET /users/{username}/starred
- GET /users/{username}/subscriptions

#### announcement-banners @

- GET /orgs/{org}/announcement
- PATCH /orgs/{org}/announcement
- <u>DELETE /orgs/{org}/announcement</u>

## apps 🔗

- GET /apps/{app slug}
- GET /installation/repositories

# billing &

- GET /orgs/{org}/settings/billing/actions
- GET /orgs/{org}/settings/billing/advanced-security
- GET /orgs/{org}/settings/billing/packages
- GET /orgs/{org}/settings/billing/shared-storage

#### branches @

- GET /repos/{owner}/{repo}/branches
- GET /repos/{owner}/{repo}/branches/{branch}

- GET /repos/{owner}/{repo}/branches/{branch}/protection
- PUT /repos/{owner}/{repo}/branches/{branch}/protection
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection
- GET /repos/{owner}/{repo}/branches/{branch}/protection/enforce admins
- <a href="POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce admins">POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce admins</a>
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/enforce\_admins
- GET

/repos/{owner}/{repo}/branches/{branch}/protection/required pull request reviews

PATCH

/repos/{owner}/{repo}/branches/{branch}/protection/required pull request reviews

• DELETE

/repos/{owner}/{repo}/branches/{branch}/protection/required pull request reviews

- GET /repos/{owner}/{repo}/branches/{branch}/protection/required signatures
- POST /repos/{owner}/{repo}/branches/{branch}/protection/required signatures
- <u>DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required\_signatures</u>
- GET /repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks
- PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks
- GET

/repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks/context

POST

/repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks/context

PUT

/repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks/context
s

• DELETE

/repos/{owner}/{repo}/branches/{branch}/protection/required\_status\_checks/context

- GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions
- GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps
- <a href="POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps">POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps</a>
- PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps
- GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams
- POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams
- PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams
- <u>GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users</u>
- POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users
- PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users
- DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users
- <a href="POST /repos/{owner}/{repo}/branches/{branch}/rename">POST /repos/{owner}/{repo}/branches/{branch}/rename</a>
- <a href="POST /repos/{owner}/{repo}/merge-upstream">POST /repos/{owner}/{repo}/merge-upstream</a>
- POST /repos/{owner}/{repo}/merges

### checks 🤌

- POST /repos/{owner}/{repo}/check-runs
- GET /repos/{owner}/{repo}/check-runs/{check run id}

- PATCH /repos/{owner}/{repo}/check-runs/{check run id}
- GET /repos/{owner}/{repo}/check-runs/{check run id}/annotations
- <a href="POST /repos/{owner}/{repo}/check-runs/{check run id}/rerequest">POST /repos/{owner}/{repo}/check-runs/{check run id}/rerequest</a>
- POST /repos/{owner}/{repo}/check-suites
- PATCH /repos/{owner}/{repo}/check-suites/preferences
- GET /repos/{owner}/{repo}/check-suites/{check suite id}
- GET /repos/{owner}/{repo}/check-suites/{check suite id}/check-runs
- POST /repos/{owner}/{repo}/check-suites/{check suite id}/rerequest
- GET /repos/{owner}/{repo}/commits/{ref}/check-runs
- GET /repos/{owner}/{repo}/commits/{ref}/check-suites

# code-scanning @

- GET /orgs/{org}/code-scanning/alerts
- GET /repos/{owner}/{repo}/code-scanning/alerts
- GET /repos/{owner}/{repo}/code-scanning/alerts/{alert number}
- PATCH /repos/{owner}/{repo}/code-scanning/alerts/{alert number}
- GET /repos/{owner}/{repo}/code-scanning/alerts/{alert number}/instances
- GET /repos/{owner}/{repo}/code-scanning/analyses
- GET /repos/{owner}/{repo}/code-scanning/analyses/{analysis id}
- DELETE /repos/{owner}/{repo}/code-scanning/analyses/{analysis id}
- GET /repos/{owner}/{repo}/code-scanning/codeql/databases
- GET /repos/{owner}/{repo}/code-scanning/codeql/databases/{language}
- PATCH /repos/{owner}/{repo}/code-scanning/default-setup
- POST /repos/{owner}/{repo}/code-scanning/sarifs
- GET /repos/{owner}/{repo}/code-scanning/sarifs/{sarif\_id}

#### codes-of-conduct @

- GET /codes of conduct
- GET /codes of conduct/{key}

# codespaces @

- GET /orgs/{org}/codespaces
- PUT /orgs/{org}/codespaces/access
- POST /orgs/{org}/codespaces/access/selected users
- <u>DELETE /orgs/{org}/codespaces/access/selected\_users</u>
- GET /orgs/{org}/codespaces/secrets
- GET /orgs/{org}/codespaces/secrets/public-key
- GET /orgs/{org}/codespaces/secrets/{secret\_name}
- PUT /orgs/{org}/codespaces/secrets/{secret\_name}
- DELETE /orgs/{org}/codespaces/secrets/{secret\_name}
- GET /orgs/{org}/codespaces/secrets/{secret name}/repositories
- PUT /orgs/{org}/codespaces/secrets/{secret\_name}/repositories
- PUT /orgs/{org}/codespaces/secrets/{secret name}/repositories/{repository id}
- DELETE /orgs/{org}/codespaces/secrets/{secret name}/repositories/{repository id}
- GET /orgs/{org}/members/{username}/codespaces
- <u>DELETE /orgs/{org}/members/{username}/codespaces/{codespace\_name}</u>
- POST /orgs/{org}/members/{username}/codespaces/{codespace name}/stop

- GET /repos/{owner}/{repo}/codespaces/devcontainers
- GET /repos/{owner}/{repo}/codespaces/machines
- GET /repos/{owner}/{repo}/codespaces/secrets
- GET /repos/{owner}/{repo}/codespaces/secrets/public-key
- GET /repos/{owner}/{repo}/codespaces/secrets/{secret name}
- PUT /repos/{owner}/{repo}/codespaces/secrets/{secret name}
- DELETE /repos/{owner}/{repo}/codespaces/secrets/{secret\_name}

#### collaborators @

- GET /repos/{owner}/{repo}/collaborators
- GET /repos/{owner}/{repo}/collaborators/{username}
- PUT /repos/{owner}/{repo}/collaborators/{username}
- DELETE /repos/{owner}/{repo}/collaborators/{username}
- GET /repos/{owner}/{repo}/collaborators/{username}/permission
- GET /repos/{owner}/{repo}/invitations
- PATCH /repos/{owner}/{repo}/invitations/{invitation id}
- DELETE /repos/{owner}/{repo}/invitations/{invitation id}

#### commits @

- GET /repos/{owner}/{repo}/comments
- GET /repos/{owner}/{repo}/comments/{comment id}
- PATCH /repos/{owner}/{repo}/comments/{comment id}
- DELETE /repos/{owner}/{repo}/comments/{comment id}
- GET /repos/{owner}/{repo}/commits
- GET /repos/{owner}/{repo}/commits/{commit sha}/branches-where-head
- GET /repos/{owner}/{repo}/commits/{commit sha}/comments
- <a href="POST /repos/{owner}/{repo}/commits/{commit\_sha}/comments">POST /repos/{owner}/{repo}/commits/{commit\_sha}/comments</a>
- GET /repos/{owner}/{repo}/commits/{commit sha}/pulls
- GET /repos/{owner}/{repo}/commits/{ref}
- GET /repos/{owner}/{repo}/commits/{ref}/status
- GET /repos/{owner}/{repo}/commits/{ref}/statuses
- GET /repos/{owner}/{repo}/compare/{basehead}
- POST /repos/{owner}/{repo}/statuses/{sha}

# copilot 🔗

- GET /orgs/{org}/copilot/billing
- GET /orgs/{org}/copilot/billing/seats
- POST /orgs/{org}/copilot/billing/selected\_teams

# dependabot @

- GET /orgs/{org}/dependabot/alerts
- GET /orgs/{org}/dependabot/secrets
- GET /orgs/{org}/dependabot/secrets/public-key
- GET /orgs/{org}/dependabot/secrets/{secret name}
- PUT /orgs/{org}/dependabot/secrets/{secret\_name}
- <u>DELETE /orgs/{org}/dependabot/secrets/{secret\_name}</u>

- GET /orgs/{org}/dependabot/secrets/{secret name}/repositories
- PUT /orgs/{org}/dependabot/secrets/{secret name}/repositories
- PUT /orgs/{org}/dependabot/secrets/{secret\_name}/repositories/{repository\_id}
- DELETE /orgs/{org}/dependabot/secrets/{secret name}/repositories/{repository id}
- GET /repos/{owner}/{repo}/dependabot/alerts
- GET /repos/{owner}/{repo}/dependabot/alerts/{alert number}
- <a href="PATCH">PATCH /repos/{owner}/{repo}/dependabot/alerts/{alert number}</a>
- GET /repos/{owner}/{repo}/dependabot/secrets
- GET /repos/{owner}/{repo}/dependabot/secrets/public-key
- GET /repos/{owner}/{repo}/dependabot/secrets/{secret name}
- PUT /repos/{owner}/{repo}/dependabot/secrets/{secret name}
- DELETE /repos/{owner}/{repo}/dependabot/secrets/{secret name}

# dependency-graph @

- GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}
- GET /repos/{owner}/{repo}/dependency-graph/sbom
- POST /repos/{owner}/{repo}/dependency-graph/snapshots

# deploy-keys &

- GET /repos/{owner}/{repo}/keys
- POST /repos/{owner}/{repo}/keys
- GET /repos/{owner}/{repo}/keys/{key id}
- DELETE /repos/{owner}/{repo}/keys/{key id}

# deployments @

- GET /repos/{owner}/{repo}/deployments
- POST /repos/{owner}/{repo}/deployments
- GET /repos/{owner}/{repo}/deployments/{deployment id}
- DELETE /repos/{owner}/{repo}/deployments/{deployment\_id}
- GET /repos/{owner}/{repo}/deployments/{deployment\_id}/statuses
- POST /repos/{owner}/{repo}/deployments/{deployment id}/statuses
- GET /repos/{owner}/{repo}/deployments/{deployment\_id}/statuses/{status\_id}
- GET /repos/{owner}/{repo}/environments
- GET /repos/{owner}/{repo}/environments/{environment name}
- PUT /repos/{owner}/{repo}/environments/{environment\_name}
- DELETE /repos/{owner}/{repo}/environments/{environment\_name}
- <u>GET /repos/{owner}/{repo}/environments/{environment\_name}/deployment-branch-policies</u>
- <u>POST /repos/{owner}/{repo}/environments/{environment\_name}/deployment-branch-policies</u>
- GET /repos/{owner}/{repo}/environments/{environment\_name}/deployment-branch-policies/{branch\_policy\_id}
- PUT /repos/{owner}/{repo}/environments/{environment\_name}/deployment-branch-policies/{branch\_policy\_id}
- DELETE /repos/{owner}/{repo}/environments/{environment\_name}/deployment-branch-policies/{branch\_policy\_id}
- GET
  /repos/{owner}/{repo}/environments/{environment name}/deployment protection rules

- POST
  - /repos/{owner}/{repo}/environments/{environment name}/deployment protection rules
- GET
  - /repos/{owner}/{repo}/environments/{environment\_name}/deployment\_protection\_rules
    /apps
- DELETE
  - /repos/{owner}/{repo}/environments/{environment\_name}/deployment\_protection\_rules
    /{protection\_rule\_id}

## emojis 🔗

• GET /emojis

## enterprise-admin 🔗

- GET /enterprise-installation/{enterprise\_or\_org}/server-statistics
- GET /enterprises/{enterprise}/audit-log
- GET /enterprises/{enterprise}/consumed-licenses
- GET /enterprises/{enterprise}/license-sync-status
- GET /enterprises/{enterprise}/settings/billing/actions
- GET /enterprises/{enterprise}/settings/billing/advanced-security
- GET /enterprises/{enterprise}/settings/billing/packages
- GET /enterprises/{enterprise}/settings/billing/shared-storage
- GET /scim/v2/Groups
- POST /scim/v2/Groups
- GET /scim/v2/Groups/{scim group id}
- PUT /scim/v2/Groups/{scim\_group\_id}
- PATCH /scim/v2/Groups/{scim group id}
- DELETE /scim/v2/Groups/{scim\_group\_id}
- GET /scim/v2/Users
- POST /scim/v2/Users
- GET /scim/v2/Users/{scim\_user\_id}
- PUT /scim/v2/Users/{scim\_user\_id}
- PATCH /scim/v2/Users/{scim user id}
- DELETE /scim/v2/Users/{scim\_user\_id}

## git @

- POST /repos/{owner}/{repo}/git/blobs
- GET /repos/{owner}/{repo}/qit/blobs/{file sha}
- POST /repos/{owner}/{repo}/git/commits
- GET /repos/{owner}/{repo}/git/commits/{commit\_sha}
- GET /repos/{owner}/{repo}/git/matching-refs/{ref}
- GET /repos/{owner}/{repo}/git/ref/{ref}
- POST /repos/{owner}/{repo}/git/refs
- PATCH /repos/{owner}/{repo}/git/refs/{ref}
- DELETE /repos/{owner}/{repo}/git/refs/{ref}
- POST /repos/{owner}/{repo}/git/tags
- GET /repos/{owner}/{repo}/git/tags/{tag\_sha}
- POST /repos/{owner}/{repo}/git/trees
- GET /repos/{owner}/{repo}/git/trees/{tree sha}

# gitignore &

- GET /gitignore/templates
- GET /gitiqnore/templates/{name}

#### interactions &

- GET /orgs/{org}/interaction-limits
- PUT /orgs/{org}/interaction-limits
- DELETE /orgs/{org}/interaction-limits
- GET /repos/{owner}/{repo}/interaction-limits
- PUT /repos/{owner}/{repo}/interaction-limits
- DELETE /repos/{owner}/{repo}/interaction-limits

#### issues @

- GET /repos/{owner}/{repo}/assignees
- GET /repos/{owner}/{repo}/assignees/{assignee}
- GET /repos/{owner}/{repo}/issues
- POST /repos/{owner}/{repo}/issues
- GET /repos/{owner}/{repo}/issues/comments
- GET /repos/{owner}/{repo}/issues/comments/{comment id}
- PATCH /repos/{owner}/{repo}/issues/comments/{comment\_id}
- DELETE /repos/{owner}/{repo}/issues/comments/{comment id}
- GET /repos/{owner}/{repo}/issues/events
- GET /repos/{owner}/{repo}/issues/events/{event\_id}
- GET /repos/{owner}/{repo}/issues/{issue\_number}
- PATCH /repos/{owner}/{repo}/issues/{issue\_number}
- POST /repos/{owner}/{repo}/issues/{issue number}/assignees
- DELETE /repos/{owner}/{repo}/issues/{issue number}/assignees
- GET /repos/{owner}/{repo}/issues/{issue number}/assignees/{assignee}
- GET /repos/{owner}/{repo}/issues/{issue\_number}/comments
- <a href="mailto:POST /repos/{owner}/{repo}/issues/{issue\_number}/comments">POST /repos/{owner}/{repo}/issues/{issue\_number}/comments</a>
- GET /repos/{owner}/{repo}/issues/{issue\_number}/events
- GET /repos/{owner}/{repo}/issues/{issue number}/labels
- <a href="POST /repos/{owner}/{repo}/issues/{issue number}/labels">POST /repos/{owner}/{repo}/issues/{issue number}/labels</a>
- PUT /repos/{owner}/{repo}/issues/{issue number}/labels
- DELETE /repos/{owner}/{repo}/issues/{issue number}/labels
- DELETE /repos/{owner}/{repo}/issues/{issue number}/labels/{name}
- PUT /repos/{owner}/{repo}/issues/{issue number}/lock
- DELETE /repos/{owner}/{repo}/issues/{issue number}/lock
- GET /repos/{owner}/{repo}/issues/{issue\_number}/timeline
- GET /repos/{owner}/{repo}/labels
- POST /repos/{owner}/{repo}/labels
- GET /repos/{owner}/{repo}/labels/{name}
- PATCH /repos/{owner}/{repo}/labels/{name}
- DELETE /repos/{owner}/{repo}/labels/{name}
- GET /repos/{owner}/{repo}/milestones
- POST /repos/{owner}/{repo}/milestones
- GET /repos/{owner}/{repo}/milestones/{milestone number}

- PATCH /repos/{owner}/{repo}/milestones/{milestone number}
- DELETE /repos/{owner}/{repo}/milestones/{milestone number}
- GET /repos/{owner}/{repo}/milestones/{milestone number}/labels

#### licenses @

- GET /licenses
- GET /licenses/{license}
- GET /repos/{owner}/{repo}/license

#### markdown @

- POST /markdown
- POST /markdown/raw

#### meta 🔗

- GET /
- GET /meta
- GET /octocat
- GET /versions
- GET /zen

#### metrics @

- GET /repos/{owner}/{repo}/community/profile
- GET /repos/{owner}/{repo}/stats/code frequency
- GET /repos/{owner}/{repo}/stats/commit activity
- GET /repos/{owner}/{repo}/stats/contributors
- GET /repos/{owner}/{repo}/stats/participation
- GET /repos/{owner}/{repo}/stats/punch card
- GET /repos/{owner}/{repo}/traffic/clones
- GET /repos/{owner}/{repo}/traffic/popular/paths
- GET /repos/{owner}/{repo}/traffic/popular/referrers
- GET /repos/{owner}/{repo}/traffic/views

## orgs 🔗

- GET /organizations
- GET /organizations/{organization\_id}/custom\_roles
- GET /orgs/{org}
- PATCH /orgs/{org}
- DELETE /orgs/{org}
- GET /orgs/{org}/audit-log
- GET /orgs/{org}/blocks
- GET /orgs/{org}/blocks/{username}
- PUT /orgs/{org}/blocks/{username}
- DELETE /orgs/{org}/blocks/{username}
- GET /orgs/{org}/credential-authorizations

- DELETE /orgs/{org}/credential-authorizations/{credential id}
- GET /orgs/{org}/custom-repository-roles
- POST /orgs/{org}/custom-repository-roles
- GET /orgs/{org}/custom-repository-roles/{role id}
- PATCH /orgs/{org}/custom-repository-roles/{role id}
- DELETE /orgs/{org}/custom-repository-roles/{role id}
- POST /orgs/{org}/custom roles
- GET /orgs/{org}/custom roles/{role id}
- PATCH /orgs/{org}/custom roles/{role id}
- DELETE /orgs/{org}/custom roles/{role id}
- GET /orgs/{org}/failed invitations
- GET /orgs/{org}/fine grained permissions
- GET /orgs/{org}/hooks
- POST /orgs/{org}/hooks
- GET /orgs/{org}/hooks/{hook id}
- PATCH /orgs/{org}/hooks/{hook id}
- DELETE /orgs/{org}/hooks/{hook id}
- GET /orgs/{org}/hooks/{hook id}/config
- PATCH /orgs/{org}/hooks/{hook\_id}/config
- GET /orgs/{org}/hooks/{hook\_id}/deliveries
- GET /orgs/{org}/hooks/{hook\_id}/deliveries/{delivery\_id}
- POST /orgs/{org}/hooks/{hook id}/deliveries/{delivery id}/attempts
- POST /orgs/{org}/hooks/{hook id}/pings
- GET /orgs/{org}/installations
- GET /orgs/{org}/invitations
- POST /orgs/{org}/invitations
- DELETE /orgs/{org}/invitations/{invitation\_id}
- GET /orgs/{org}/invitations/{invitation\_id}/teams
- GET /orgs/{org}/members
- GET /orgs/{org}/members/{username}
- DELETE /orgs/{org}/members/{username}
- GET /orgs/{org}/memberships/{username}
- PUT /orgs/{org}/memberships/{username}
- <u>DELETE /orgs/{org}/memberships/{username}</u>
- GET /orgs/{org}/outside\_collaborators
- PUT /orgs/{org}/outside\_collaborators/{username}
- DELETE /orgs/{org}/outside\_collaborators/{username}
- GET /orgs/{org}/personal-access-token-requests
- <u>POST /orgs/{org}/personal-access-token-requests</u>
- <a href="mailto:POST /orgs/{org}/personal-access-token-requests/{pat\_request\_id}">POST /orgs/{org}/personal-access-token-requests/{pat\_request\_id}</a>
- GET /orgs/{org}/personal-access-token-requests/{pat request id}/repositories
- GET /orgs/{org}/personal-access-tokens
- POST /orgs/{org}/personal-access-tokens
- POST /orgs/{org}/personal-access-tokens/{pat id}
- GET /orgs/{org}/personal-access-tokens/{pat id}/repositories
- GET /orgs/{org}/properties/schema
- PATCH /orgs/{org}/properties/schema
- GET /orgs/{org}/properties/schema/{custom\_property\_name}
- PUT /orgs/{org}/properties/schema/{custom\_property\_name}
- <u>DELETE /orgs/{org}/properties/schema/{custom\_property\_name}</u>
- GET /orgs/{org}/properties/values

- PATCH /orgs/{org}/properties/values
- GET /orgs/{org}/public members
- GET /orgs/{org}/public\_members/{username}
- GET /orgs/{org}/rulesets
- POST /orgs/{org}/rulesets
- GET /orgs/{org}/rulesets/rule-suites
- GET /orgs/{org}/rulesets/rule-suites/{rule suite id}
- GET /orgs/{org}/rulesets/{ruleset id}
- PUT /orgs/{org}/rulesets/{ruleset id}
- DELETE /orgs/{org}/rulesets/{ruleset id}
- GET /orgs/{org}/security-managers
- PUT /orgs/{org}/security-managers/teams/{team slug}
- DELETE /orgs/{org}/security-managers/teams/{team slug}
- POST /orgs/{org}/{security\_product}/{enablement}
- GET /users/{username}/orgs

## packages @

- GET /orgs/{org}/docker/conflicts
- GET /orgs/{org}/packages
- GET /orgs/{org}/packages/{package type}/{package name}
- DELETE /orgs/{org}/packages/{package type}/{package name}
- POST /orgs/{org}/packages/{package type}/{package name}/restore
- GET /orgs/{org}/packages/{package\_type}/{package\_name}/versions
- GET

/orgs/{org}/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}

DELETE

/orgs/{org}/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}

POST

/orgs/{org}/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}/
restore

- GET /user/packages
- GET /user/packages/{package type}/{package name}
- DELETE /user/packages/{package type}/{package name}
- POST /user/packages/{package type}/{package name}/restore
- GET /user/packages/{package type}/{package name}/versions
- GET /user/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}
- DELETE /user/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}
- POST

/user/packages/{package\_type}/{package\_name}/versions/{package\_version\_id}/restor
e

- GET /users/{username}/docker/conflicts
- GET /users/{username}/packages
- GET /users/{username}/packages/{package\_type}/{package\_name}
- DELETE /users/{username}/packages/{package\_type}/{package\_name}
- POST /users/{username}/packages/{package type}/{package name}/restore
- GET /users/{username}/packages/{package\_type}/{package\_name}/versions
- GET

DELETE

/users/{username}/packages/{package type}/{package name}/versions/{package versio

n id}

POST

/users/{username}/packages/{package\_type}/{package\_name}/versions/{package\_version.id}/restore

## pages 🔗

- GET /repos/{owner}/{repo}/pages
- POST /repos/{owner}/{repo}/pages
- PUT /repos/{owner}/{repo}/pages
- DELETE /repos/{owner}/{repo}/pages
- GET /repos/{owner}/{repo}/pages/builds
- POST /repos/{owner}/{repo}/pages/builds
- GET /repos/{owner}/{repo}/pages/builds/latest
- GET /repos/{owner}/{repo}/pages/builds/{build id}
- POST /repos/{owner}/{repo}/pages/deployment
- GET /repos/{owner}/{repo}/pages/health

## projects @

- GET /orgs/{org}/projects
- POST /orgs/{org}/projects
- GET /projects/columns/cards/{card id}
- PATCH /projects/columns/cards/{card id}
- DELETE /projects/columns/cards/{card\_id}
- POST /projects/columns/cards/{card id}/moves
- GET /projects/columns/{column id}
- PATCH /projects/columns/{column id}
- DELETE /projects/columns/{column\_id}
- GET /projects/columns/{column\_id}/cards
- POST /projects/columns/{column id}/cards
- POST /projects/columns/{column\_id}/moves
- GET /projects/{project\_id}
- PATCH /projects/{project\_id}
- DELETE /projects/{project id}
- GET /projects/{project id}/collaborators
- PUT /projects/{project id}/collaborators/{username}
- DELETE /projects/{project\_id}/collaborators/{username}
- GET /projects/{project id}/collaborators/{username}/permission
- GET /projects/{project id}/columns
- POST /projects/{project id}/columns
- GET /repos/{owner}/{repo}/projects
- POST /repos/{owner}/{repo}/projects

# pulls 🔗

- GET /repos/{owner}/{repo}/pulls
- POST /repos/{owner}/{repo}/pulls
- GET /repos/{owner}/{repo}/pulls/comments
- GET /repos/{owner}/{repo}/pulls/comments/{comment id}

- PATCH /repos/{owner}/{repo}/pulls/comments/{comment id}
- DELETE /repos/{owner}/{repo}/pulls/comments/{comment id}
- GET /repos/{owner}/{repo}/pulls/{pull number}
- PATCH /repos/{owner}/{repo}/pulls/{pull number}
- GET /repos/{owner}/{repo}/pulls/{pull number}/comments
- POST /repos/{owner}/{repo}/pulls/{pull number}/comments
- POST /repos/{owner}/{repo}/pulls/{pull\_number}/comments/{comment\_id}/replies
- GET /repos/{owner}/{repo}/pulls/{pull number}/commits
- GET /repos/{owner}/{repo}/pulls/{pull number}/files
- GET /repos/{owner}/{repo}/pulls/{pull number}/merge
- PUT /repos/{owner}/{repo}/pulls/{pull number}/merge
- GET /repos/{owner}/{repo}/pulls/{pull number}/requested reviewers
- POST /repos/{owner}/{repo}/pulls/{pull number}/requested reviewers
- DELETE /repos/{owner}/{repo}/pulls/{pull\_number}/requested\_reviewers
- GET /repos/{owner}/{repo}/pulls/{pull\_number}/reviews
- POST /repos/{owner}/{repo}/pulls/{pull number}/reviews
- GET /repos/{owner}/{repo}/pulls/{pull number}/reviews/{review id}
- PUT /repos/{owner}/{repo}/pulls/{pull number}/reviews/{review id}
- DELETE /repos/{owner}/{repo}/pulls/{pull number}/reviews/{review id}
- GET /repos/{owner}/{repo}/pulls/{pull\_number}/reviews/{review\_id}/comments
- PUT /repos/{owner}/{repo}/pulls/{pull\_number}/reviews/{review\_id}/dismissals
- POST /repos/{owner}/{repo}/pulls/{pull\_number}/reviews/{review\_id}/events
- PUT /repos/{owner}/{repo}/pulls/{pull number}/update-branch

#### reactions @

- DELETE
  - /orgs/{org}/teams/{team\_slug}/discussions/{discussion\_number}/comments/{comment\_n
    umber}/reactions/{reaction\_id}
- DELETE
  - /orgs/{org}/team\_slug}/discussions/{discussion\_number}/reactions/{reaction}
    \_id}
- GET /repos/{owner}/{repo}/comments/{comment id}/reactions
- POST /repos/{owner}/{repo}/comments/{comment id}/reactions
- DELETE /repos/{owner}/{repo}/comments/{comment id}/reactions/{reaction id}
- GET /repos/{owner}/{repo}/issues/comments/{comment id}/reactions
- <a href="POST">POST /repos/{owner}/{repo}/issues/comments/{comment\_id}/reactions</a>
- DELETE /repos/{owner}/{repo}/issues/comments/{comment\_id}/reactions/{reaction\_id}
- <u>GET /repos/{owner}/{repo}/issues/{issue\_number}/reactions</u>
- <a href="POST /repos/{owner}/{repo}/issues/{issue\_number}/reactions">POST /repos/{owner}/{repo}/issues/{issue\_number}/reactions</a>
- DELETE /repos/{owner}/{repo}/issues/{issue number}/reactions/{reaction id}
- GET /repos/{owner}/{repo}/pulls/comments/{comment id}/reactions
- POST /repos/{owner}/{repo}/pulls/comments/{comment id}/reactions
- DELETE /repos/{owner}/{repo}/pulls/comments/{comment id}/reactions/{reaction id}
- GET /repos/{owner}/{repo}/releases/{release id}/reactions
- POST /repos/{owner}/{repo}/releases/{release id}/reactions
- DELETE /repos/{owner}/{repo}/releases/{release\_id}/reactions/{reaction\_id}

#### releases @

- POST /repos/{owner}/{repo}/releases
- GET /repos/{owner}/{repo}/releases/assets/{asset id}
- PATCH /repos/{owner}/{repo}/releases/assets/{asset id}
- DELETE /repos/{owner}/{repo}/releases/assets/{asset id}
- POST /repos/{owner}/{repo}/releases/generate-notes
- GET /repos/{owner}/{repo}/releases/latest
- GET /repos/{owner}/{repo}/releases/tags/{tag}
- GET /repos/{owner}/{repo}/releases/{release\_id}
- PATCH /repos/{owner}/{repo}/releases/{release id}
- DELETE /repos/{owner}/{repo}/releases/{release id}
- GET /repos/{owner}/{repo}/releases/{release id}/assets

#### repos 🔗

- GET /orgs/{org}/repos
- POST /orgs/{org}/repos
- GET /repos/{owner}/{repo}
- PATCH /repos/{owner}/{repo}
- DELETE /repos/{owner}/{repo}
- GET /repos/{owner}/{repo}/activity
- GET /repos/{owner}/{repo}/autolinks
- POST /repos/{owner}/{repo}/autolinks
- GET /repos/{owner}/{repo}/autolinks/{autolink id}
- DELETE /repos/{owner}/{repo}/autolinks/{autolink id}
- GET /repos/{owner}/{repo}/automated-security-fixes
- PUT /repos/{owner}/{repo}/automated-security-fixes
- <u>DELETE /repos/{owner}/{repo}/automated-security-fixes</u>
- GET /repos/{owner}/{repo}/codeowners/errors
- GET /repos/{owner}/{repo}/contents/{path}
- PUT /repos/{owner}/{repo}/contents/{path}
- DELETE /repos/{owner}/{repo}/contents/{path}
- GET /repos/{owner}/{repo}/contributors
- POST /repos/{owner}/{repo}/dispatches
- GET /repos/{owner}/{repo}/forks
- POST /repos/{owner}/{repo}/forks
- GET /repos/{owner}/{repo}/hooks
- POST /repos/{owner}/{repo}/hooks
- GET /repos/{owner}/{repo}/hooks/{hook\_id}
- PATCH /repos/{owner}/{repo}/hooks/{hook\_id}
- DELETE /repos/{owner}/{repo}/hooks/{hook id}
- GET /repos/{owner}/{repo}/hooks/{hook\_id}/config
- PATCH /repos/{owner}/{repo}/hooks/{hook id}/config
- GET /repos/{owner}/{repo}/hooks/{hook id}/deliveries
- GET /repos/{owner}/{repo}/hooks/{hook id}/deliveries/{delivery id}
- POST /repos/{owner}/{repo}/hooks/{hook id}/deliveries/{delivery id}/attempts
- POST /repos/{owner}/{repo}/hooks/{hook\_id}/pings
- POST /repos/{owner}/{repo}/hooks/{hook\_id}/tests
- GET /repos/{owner}/{repo}/languages
- PUT /repos/{owner}/{repo}/private-vulnerability-reporting
- DELETE /repos/{owner}/{repo}/private-vulnerability-reporting

- GET /repos/{owner}/{repo}/properties/values
- GET /repos/{owner}/{repo}/rules/branches/{branch}
- GET /repos/{owner}/{repo}/rulesets
- POST /repos/{owner}/{repo}/rulesets
- GET /repos/{owner}/{repo}/rulesets/rule-suites
- GET /repos/{owner}/{repo}/rulesets/rule-suites/{rule suite id}
- GET /repos/{owner}/{repo}/rulesets/{ruleset id}
- PUT /repos/{owner}/{repo}/rulesets/{ruleset id}
- DELETE /repos/{owner}/{repo}/rulesets/{ruleset id}
- GET /repos/{owner}/{repo}/tags
- GET /repos/{owner}/{repo}/tags/protection
- POST /repos/{owner}/{repo}/tags/protection
- DELETE /repos/{owner}/{repo}/tags/protection/{tag protection id}
- GET /repos/{owner}/{repo}/teams
- GET /repos/{owner}/{repo}/topics
- PUT /repos/{owner}/{repo}/topics
- GET /repos/{owner}/{repo}/vulnerability-alerts
- PUT /repos/{owner}/{repo}/vulnerability-alerts
- DELETE /repos/{owner}/{repo}/vulnerability-alerts
- GET /repositories
- GET /users/{username}/repos

#### scim @

- GET /scim/v2/organizations/{org}/Users
- POST /scim/v2/organizations/{org}/Users
- <u>GET /scim/v2/organizations/{org}/Users/{scim\_user\_id}</u>
- PUT /scim/v2/organizations/{org}/Users/{scim user id}
- PATCH /scim/v2/organizations/{org}/Users/{scim user id}
- DELETE /scim/v2/organizations/{org}/Users/{scim user id}

#### search @

- GET /search/code
- GET /search/commits
- GET /search/issues
- GET /search/labels
- GET /search/repositories
- GET /search/topics
- GET /search/users

# secret-scanning @

- GET /orgs/{org}/secret-scanning/alerts
- GET /repos/{owner}/{repo}/secret-scanning/alerts
- GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert number}
- <a href="PATCH">PATCH /repos/{owner}/{repo}/secret-scanning/alerts/{alert number}</a>
- GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert number}/locations

## security-advisories @

- GET /advisories
- GET /advisories/{ghsa id}
- GET /orgs/{org}/security-advisories
- GET /repos/{owner}/{repo}/security-advisories
- POST /repos/{owner}/{repo}/security-advisories
- POST /repos/{owner}/{repo}/security-advisories/reports
- GET /repos/{owner}/{repo}/security-advisories/{ghsa id}
- PATCH /repos/{owner}/{repo}/security-advisories/{ghsa\_id}
- POST /repos/{owner}/{repo}/security-advisories/{ghsa id}/cve

#### teams @

- GET /orgs/{org}/external-group/{group\_id}
- GET /orgs/{org}/external-groups
- GET /orgs/{org}/team-sync/groups
- GET /orgs/{org}/teams
- POST /orgs/{org}/teams
- GET /orgs/{org}/teams/{team\_slug}/external-groups
- <a href="PATCH">PATCH /orgs/{org}/teams/{team\_slug}/external-groups</a>
- DELETE /orgs/{org}/teams/{team slug}/external-groups
- GET /teams/{team id}/members/{username}
- PUT /teams/{team\_id}/members/{username}
- DELETE /teams/{team\_id}/members/{username}

#### users @

- GET /users
- GET /users/{username}
- GET /users/{username}/followers
- GET /users/{username}/following
- GET /users/{username}/following/{target\_user}
- GET /users/{username}/gpg\_keys
- GET /users/{username}/keys
- GET /users/{username}/social accounts
- GET /users/{username}/ssh signing keys

#### Legal

© 2023 GitHub, Inc. Terms Privacy Status Pricing Expert services Blog