

The REST API is now versioned. For more information, see "[About API versioning](#)."

Outside Collaborators

Use the REST API to manage outside collaborators.

List outside collaborators for an organization

✔ Works with [GitHub Apps](#)

List all users who are outside collaborators of an organization.

Parameters for "List outside collaborators for an organization"

Headers

accept string

Setting to `application/vnd.github+json` is recommended.

Path parameters

org string **Required**

The organization name. The name is not case sensitive.

Query parameters

filter string

Filter the list of outside collaborators. `2fa_disabled` means that only outside collaborators without [two-factor authentication](#) enabled will be returned.

Default: `all`

Can be one of: `2fa_disabled`, `all`

per_page integer

The number of results per page (max 100).

Default: `30`

page integer

Page number of the results to fetch.

Default: `1`

HTTP response status codes for "List outside collaborators for an organization"

Status code	Description
200	OK

Code samples for "List outside collaborators for an organization"

GET

/orgs/{org}/outside_collaborators

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/outside_collaborators
```

Response

Example response

Response schema

Status: 200

```
[ { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url": "https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url": "https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url": "https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}", "starred_url": "https://HOSTNAME/users/octocat/starred{/owner}/{/repo}", "subscriptions_url": "https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url": "https://HOSTNAME/users/octocat/repos", "events_url": "https://HOSTNAME/users/octocat/events{/privacy}",
```

Convert an organization member to outside collaborator

Works with [GitHub Apps](#)

When an organization member is converted to an outside collaborator, they'll only have access to the repositories that their current team membership allows. The user will no longer be a member of the organization. For more information, see "[Converting an organization member to an outside collaborator](#)". Converting an organization member to an outside collaborator may be restricted by enterprise administrators. For more information, see "[Enforcing repository management policies in your enterprise](#)."

Parameters for "Convert an organization member to outside collaborator"

Headers

accept

string

Setting to application/vnd.github+json is recommended.

Path parameters

org

string

Required

The organization name. The name is not case sensitive.

username

string

Required

The handle for the GitHub user account.

The name of the GitHub user account.

Body parameters

async `boolean`

When set to `true`, the request will be performed asynchronously. Returns a 202 status code when the job is successfully queued.
Default: `false`

HTTP response status codes for "Convert an organization member to outside collaborator"

Status code	Description
202	User is getting converted asynchronously
204	User was converted
403	Forbidden if user is the last owner of the organization, not a member of the organization, or if the enterprise enforces a policy for inviting outside collaborators. For more information, see " Enforcing repository management policies in your enterprise ."
404	Resource not found

Code samples for "Convert an organization member to outside collaborator"

Status code 202, asynchronous request (application/json) ▾

PUT

/orgs/{org}/outside_collaborators/{username}

cURL

JavaScript

GitHub CLI



```
curl -L \ -X PUT \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/outside_collaborators/USERNAME \ -d '{"async":true}'
```

User is getting converted asynchronously

Example response

Response schema

Status: 202

Remove outside collaborator from an organization

✔ Works with [GitHub Apps](#)

Removing a user from this list will remove them from all the organization's repositories.

Parameters for "Remove outside collaborator from an organization"

Headers

accept string

Setting to `application/vnd.github+json` is recommended.

Path parameters

org string **Required**

The organization name. The name is not case sensitive.

username string **Required**

The handle for the GitHub user account.

HTTP response status codes for "Remove outside collaborator from an organization"

Status code	Description
204	No Content
422	Unprocessable Entity if user is a member of the organization

Code samples for "Remove outside collaborator from an organization"

DELETE /orgs/{org}/outside_collaborators/{username}

cURLJavaScriptGitHub CLI

```
curl -L \ -X DELETE \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/outside_collaborators/USERNAME
```

Response

Status: 204

Legal