

The REST API is now versioned. For more information, see "About API versioning."

Admin stats

Use the REST API to retrieve a variety of metrics about your installation.

About admin stats

These endpoints are only available to [authenticated](#) site administrators. Normal users will receive a 404 response.

These endpoints only support authentication using a personal access token (classic). For more information, see "Managing your personal access tokens."

Get all statistics

HTTP response status codes for "Get all statistics"

Status code	Description
200	OK

Code samples for "Get all statistics"

GET /enterprise/stats/all

cURL JavaScript GitHub CLI



```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/all
```

Response

Example response Response schema

Status: 200

```
{ "repos": { "total_repos": 212, "root_repos": 194, "fork_repos": 18, "org_repos": 51, "total_pushes": 3082, "total_wikis": 15 }, "hooks": { "total_hooks": 27, "active_hooks": 23, "inactive_hooks": 4 }, "pages": { "total_pages": 36 }, "orgs": { "total_orgs": 33, "disabled_orgs": 0, "total_teams": 60, "total_team_members": 314 }, "users": { "total_users": 254, "admin_users": 45, "suspended_users": 21 }, "pulls": { "total_pulls": 86, "merged_pulls": 60, "mergeable_pulls": 21, "unmergeable_pulls": 3 }, "issues": { "total_issues": 179, "open_issues": 83, "closed_issues": 96 }, "milestones": { "total_milestones": 7, "open_milestones": 6, "closed_milestones": 1 }, "ciets": { "total_ciets": 178, "private_ciets": 151, "public_ciets": 25 }
```

Get comment statistics [↗](#)

HTTP response status codes for "Get comment statistics"

Status code	Description
200	OK

Code samples for "Get comment statistics"

GET

/enterprise/stats/comments

cURL

JavaScript

GitHub CLI

⌵

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/comments
```

Response

Example response

Response schema

Status: 200

```
{ "total_commit_comments": 5000, "total_gist_comments": 400, "total_issue_comments": 10900, "total_pull_request_comments": 9900 }
```

Get gist statistics [↗](#)

HTTP response status codes for "Get gist statistics"

Status code	Description
200	OK

Code samples for "Get gist statistics"

GET

/enterprise/stats/gists

cURL

JavaScript

GitHub CLI

⌵

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28"
```

```
\ http(s)://HOSTNAME/api/v3/enterprise/stats/gists
```

Response

Example response

Response schema

Status: 200

{ "total_gists": 500, "private_gists": 30, "public_gists": 470 }

Get hooks statistics

HTTP response status codes for "Get hooks statistics"

Status code	Description
200	OK

Code samples for "Get hooks statistics"

GET

/enterprise/stats/hooks

cURL

JavaScript

GitHub CLI



curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/hooks

Response

Example response

Response schema

Status: 200

{ "total_hooks": 50, "active_hooks": 47, "inactive_hooks": 3 }

Get issue statistics [↗](#)

HTTP response status codes for "Get issue statistics"

Status code	Description
200	OK

Code samples for "Get issue statistics"

GET

/enterprise/stats/issues

cURL

JavaScript

GitHub CLI



```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/issues
```

Response

Example response

Response schema

Status: 200

```
{ "total_issues": 5000, "open_issues": 300, "closed_issues": 4700 }
```

Get milestone statistics [↗](#)

HTTP response status codes for "Get milestone statistics"

Status code	Description
200	OK

Code samples for "Get milestone statistics"


GET

/enterprise/stats/milestones

cURL

JavaScript

GitHub CLI



```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/milestones
```

Response

Example response

Response schema

Status: 200

{ "total_milestones": 90, "open_milestones": 10, "closed_milestones": 80 }

Get organization statistics [↗](#)

HTTP response status codes for "Get organization statistics"

Status code	Description
200	OK

Code samples for "Get organization statistics"


GET

/enterprise/stats/orgs

cURL

JavaScript

GitHub CLI



curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/orgs

Response

Example response

Response schema

Status: 200

{ "total_orgs": 50, "disabled_orgs": 1, "total_teams": 70, "total_team_members": 700 }

Get pages statistics [↗](#)

HTTP response status codes for "Get pages statistics"

Status code	Description
200	OK

Code samples for "Get pages statistics"

GET

/enterprise/stats/pages

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/pages
```

Response

Example response

Response schema

Status: 200

```
{ "total_pages": 20 }
```

Get pull request statistics [↗](#)

HTTP response status codes for "Get pull request statistics"

Status code	Description
200	OK

Code samples for "Get pull request statistics"

GET

/enterprise/stats/pulls

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/pulls
```

Response

Example response

Response schema

Status: 200

{ "total_pulls": 1200, "merged_pulls": 1100, "mergeable_pulls": 90, "unmergeable_pulls": 10 }

Get repository statistics [↗](#)

HTTP response status codes for "Get repository statistics"

Status code	Description
200	OK

Code samples for "Get repository statistics"

GET /enterprise/stats/repos

cURL

JavaScript

GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/repos

Response

Example response

Response schema

Status: 200

{ "total_repos": 200, "root_repos": 1, "fork_repos": 10, "org_repos": 150, "total_pushes": 39000, "total_wikis": 5 }

Get security products statistics [↗](#)

Gets the statistics about security products for a GitHub Enterprise Server instance.

To use this endpoint, you must be a site admin.

HTTP response status codes for "Get security products statistics"

Status code	Description
200	OK

Code samples for "Get security products statistics"

GET

/enterprise/stats/security-products

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/security-products
```

Response

Example response

Response schema

Status: 200

```
{ "total_repos": 150, "nonarchived_repos": 130, "secret_scanning_enabled_repos": 150, "secret_scanning_push_protection_enabled_repos": 120, "code_scanning_enabled_repos": 140, "code_scanning_pr_reviews_enabled_repos": 100, "code_scanning_default_setup_enabled_repos": 50, "code_scanning_default_setup_eligible_repos": 30, "dependabot_alerts_enabled_repos": 130, "dependabot_security_updates_enabled_repos": 120, "dependabot_version_updates_enabled_repos": 121, "advanced_security_enabled_repos": 150, "active_committers": 30, "purchased_committers": 90, "maximum_committers": 80 }
```

Get users statistics [↗](#)

HTTP response status codes for "Get users statistics"

Status code	Description
200	OK

Code samples for "Get users statistics"

GET

/enterprise/stats/users

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/enterprise/stats/users
```

Response

Example response

Response schema

Status: 200

```
{ "total_users": 100, "admin_users": 3, "suspended_users": 1 }
```

Legal

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Status](#) [Pricing](#) [Expert services](#) [Blog](#)