



The REST API is now versioned. For more information, see "About API versioning."

### **GitHub Actions OIDC**

Use the REST API to interact with JWTs for OIDC subject claims in GitHub Actions.

### **About GitHub Actions OIDC**

You can use the REST API to query and manage a customization template for an OpenID Connect (OIDC) subject claim. For more information, see "About security hardening with OpenID Connect."

### Set the GitHub Actions OIDC custom issuer policy for an enterprise &

Sets the GitHub Actions OpenID Connect (OIDC) custom issuer policy for an enterprise. You must authenticate using an access token with the admin:enterprise scope to use this endpoint.

### Parameters for "Set the GitHub Actions OIDC custom issuer policy for an enterprise"

### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

### Path parameters

enterprise string Required

The slug version of the enterprise name. You can also substitute this value with the enterprise id.

### **Body parameters**

include\_enterprise\_slug boolean

Whether the enterprise customer requested a custom issuer URL.

### HTTP response status codes for "Set the GitHub Actions OIDC custom issuer policy for an enterprise"

Status code Description

No Content

### Code samples for "Set the GitHub Actions OIDC custom issuer policy for an enterprise"





### Response

Status: 204

## Get the customization template for an OIDC subject claim for an organization $\mathscr P$

Works with GitHub Apps

Gets the customization template for an OpenID Connect (OIDC) subject claim. You must authenticate using an access token with the <code>read:org</code> scope to use this endpoint. GitHub Apps must have the <code>organization\_administration:write</code> permission to use this endpoint.

Parameters for "Get the customization template for an OIDC subject claim for an organization"

### Headers

200

accept string

Setting to application/vnd.github+json is recommended.

### Path parameters

org string Required

The organization name. The name is not case sensitive.

## HTTP response status codes for "Get the customization template for an OIDC subject claim for an organization"

Status code Description

A JSON serialized template for OIDC subject claim customization

Code samples for "Get the customization template for an OIDC subject claim for an organization"

CURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ https://api.github.com/orgs/ORG/actions/oidc/customization/sub

### A JSON serialized template for OIDC subject claim customization

```
Example response Response schema

Status: 200

{ "include_claim_keys": [ "repo", "context" ] }
```

## Set the customization template for an OIDC subject claim for an organization ${\mathscr O}$

✓ Works with <u>GitHub Apps</u>

Creates or updates the customization template for an OpenID Connect (OIDC) subject claim. You must authenticate using an access token with the write:org scope to use this endpoint. GitHub Apps must have the admin:org permission to use this endpoint.

### Parameters for "Set the customization template for an OIDC subject claim for an organization"

### Headers

accept string
Setting to application/vnd.github+json is recommended.

### **Path parameters**

org string Required

The organization name. The name is not case sensitive.

### **Body parameters**

include\_claim\_keys array of strings Required

Array of unique strings. Each claim key can only contain alphanumeric characters and underscores.

## HTTP response status codes for "Set the customization template for an OIDC subject claim for an organization"

Status code	Description
201	Empty response

403 Forbidden

404 Resource not found

### Code samples for "Set the customization template for an OIDC subject claim for an organization"



### **Empty response**

Example response	Response schema
Status: 201	

# Get the customization template for an OIDC subject claim for a repository *∂*

Works with GitHub Apps

Gets the customization template for an OpenID Connect (OIDC) subject claim. You must authenticate using an access token with the repo scope to use this endpoint. GitHub Apps must have the organization\_administration: read permission to use this endpoint.

Parameters for "Get the customization template for an OIDC subject claim for a repository"

### Headers

accept string

Setting to application/vnd.github+json is recommended.

### Path parameters

owner string Required

The account owner of the repository. The name is not case sensitive.

repo string Required

The name of the repository without the <code>.git</code> extension. The name is not case sensitive.

HTTP response status codes for "Get the customization template for an OIDC subject claim for a repository"

Status code Description

200	Status response
400	Bad Request
404	Resource not found

### Code samples for "Get the customization template for an OIDC subject claim for a repository"



### Status response

```
Example response Response schema

Status: 200

{ "use_default": false, "include_claim_keys": [ "repo", "context" ] }
```

# Set the customization template for an OIDC subject claim for a repository ${\mathscr O}$

### Works with GitHub Apps

Sets the customization template and opt-in or opt-out flag for an OpenID Connect (OIDC) subject claim for a repository. You must authenticate using an access token with the repo scope to use this endpoint. GitHub Apps must have the actions:write permission to use this endpoint.

### Parameters for "Set the customization template for an OIDC subject claim for a repository"

### **Headers**

accept string
Setting to application/vnd.github+json is recommended.

### Path parameters

owner string Required

The account owner of the repository. The name is not case sensitive.

The name of the repository without the .git extension. The name is not case sensitive.

### **Body parameters**

use\_default boolean Required

Whether to use the default template or not. If true, the include\_claim\_keys field is ignored.

include\_claim\_keys array of strings

Array of unique strings. Each claim key can only contain alphanumeric characters and underscores.

## HTTP response status codes for "Set the customization template for an OIDC subject claim for a repository"

Status code	Description
201	Empty response
400	Bad Request
404	Resource not found
422	Validation failed, or the endpoint has been spammed.

### Code samples for "Set the customization template for an OIDC subject claim for a repository"

PUT /repos/{owner}/{repo}/actions/oidc/customization/sub

CURL JavaScript GitHub CLI

curl -L \ -X PUT \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ https://api.github.com/repos/OWNER/REPO/actions/oidc/customization/sub \ -d '{"use\_default":false,"include\_claim\_keys": ["repo","context"]}'

### **Empty response**

Example response Response schema
Status: 201

### Legal

© 2023 GitHub, Inc. Terms Privacy Status Pricing Expert services Blog