

This version of GitHub Enterprise was discontinued on 2023-03-15. No patch releases will be made, even for critical security issues. For better performance, improved security, and new features, [upgrade to the latest version of GitHub Enterprise](#). For help with the upgrade, [contact GitHub Enterprise support](#).

Automating migration with GitHub Actions Importer

In this article

About GitHub Actions Importer

Supported CI platforms

Prerequisites

Using the GitHub Actions Importer CLI

Performing self-serve migrations using IssueOps

Using the GitHub Actions Importer labs repository

Legal notice

Use GitHub Actions Importer to plan and automate your migration to GitHub Actions.

Note: GitHub-hosted runners are not currently supported on GitHub Enterprise Server. You can see more information about planned future support on the [GitHub public roadmap](#).

[Legal notice](#)

About GitHub Actions Importer

You can use GitHub Actions Importer to plan and automatically migrate your CI/CD pipelines to GitHub Actions from Azure DevOps, CircleCI, GitLab, Jenkins, and Travis CI.

GitHub Actions Importer is distributed as a Docker container, and uses a [GitHub CLI](#) extension to interact with the container.

Any workflow that is converted by the GitHub Actions Importer should be inspected for correctness before using it as a production workload. The goal is to achieve an 80% conversion rate for every workflow, however, the actual conversion rate will depend on the makeup of each individual pipeline that is converted.

Supported CI platforms

You can use GitHub Actions Importer to migrate from the following platforms:

- Azure DevOps
- Bamboo
- CircleCI
- GitLab

- Jenkins
- Travis CI

Prerequisites

GitHub Actions Importer has the following requirements:

- An environment where you can run Linux-based containers, and can install the necessary tools.
 - Docker is [installed](#) and running.
 - [GitHub CLI](#) is installed.

Note: The GitHub Actions Importer container and CLI do not need to be installed on the same server as your CI platform.

Installing the GitHub Actions Importer CLI extension

- 1 Install the GitHub Actions Importer CLI extension:

Bash

```
gh extension install github/gh-actions-importer
```

- 2 Verify that the extension is installed:

```
$ gh actions-importer -h
Options:
  -?, -h, --help  Show help and usage information

Commands:
  update      Update to the latest version of GitHub Actions Importer.
  version     Display the version of GitHub Actions Importer.
  configure   Start an interactive prompt to configure credentials used to authen
  audit       Plan your CI/CD migration by analyzing your current CI/CD footprin
  forecast    Forecast GitHub Actions usage from historical pipeline utilization
  dry-run     Convert a pipeline to a GitHub Actions workflow and output its yan
  migrate     Convert a pipeline to a GitHub Actions workflow and open a pull re
```

Updating the GitHub Actions Importer CLI

To ensure you're running the latest version of GitHub Actions Importer, you should regularly run the `update` command:

```
$ gh actions-importer update
```

Authenticating at the command line

You must configure credentials that allow GitHub Actions Importer to communicate with GitHub and your current CI server. You can configure these credentials using environment variables or a `.env.local` file. The environment variables can be configured in an interactive prompt, by running the following command:

```
$ gh actions-importer configure
```

Using the GitHub Actions Importer CLI [↗](#)

Use the subcommands of `gh actions-importer` to begin your migration to GitHub Actions, including `audit`, `forecast`, `dry-run`, and `migrate`.

Auditing your existing CI pipelines [↗](#)

The `audit` subcommand can be used to plan your CI/CD migration by analyzing your current CI/CD footprint. This analysis can be used to plan a timeline for migrating to GitHub Actions.

To run an audit, use the following command to determine your available options:

```
$ gh actions-importer audit -h
Description:
  Plan your CI/CD migration by analyzing your current CI/CD footprint.

[...]

Commands:
  azure-devops  An audit will output a list of data used in an Azure DevOps instance.
  bamboo       An audit will output a list of data used in a Bamboo instance.
  circle-ci     An audit will output a list of data used in a CircleCI instance.
  gitlab        An audit will output a list of data used in a GitLab instance.
  jenkins       An audit will output a list of data used in a Jenkins instance.
  travis-ci     An audit will output a list of data used in a Travis CI instance.
```

Forecasting usage [↗](#)

The `forecast` subcommand reviews historical pipeline usage to create a forecast of GitHub Actions usage.

To run a forecast, use the following command to determine your available options:

```
$ gh actions-importer forecast -h
Description:
  Forecasts GitHub Actions usage from historical pipeline utilization.

[...]

Commands:
  azure-devops  Forecasts GitHub Actions usage from historical Azure DevOps pipeline
  bamboo       Forecasts GitHub Actions usage from historical Bamboo pipeline util.
  jenkins       Forecasts GitHub Actions usage from historical Jenkins pipeline util.
  gitlab        Forecasts GitHub Actions usage from historical GitLab pipeline util.
  circle-ci     Forecasts GitHub Actions usage from historical CircleCI pipeline uti.
  travis-ci     Forecasts GitHub Actions usage from historical Travis CI pipeline uti.
  github       Forecasts GitHub Actions usage from historical GitHub pipeline util.
```

Testing the migration process [↗](#)

The `dry-run` subcommand can be used to convert a pipeline to its GitHub Actions equivalent, and then write the workflow to your local filesystem.

To perform a dry run, use the following command to determine your available options:

```
$ gh actions-importer dry-run -h
Description:
  Convert a pipeline to a GitHub Actions workflow and output its yaml file.

[...]

Commands:
  azure-devops  Convert an Azure DevOps pipeline to a GitHub Actions workflow and ou
  bamboo        Convert a Bamboo pipeline to GitHub Actions workflows and output its
  circle-ci     Convert a CircleCI pipeline to GitHub Actions workflows and output t
  gitlab        Convert a GitLab pipeline to a GitHub Actions workflow and output th
  jenkins       Convert a Jenkins job to a GitHub Actions workflow and output its ya
  travis-ci     Convert a Travis CI pipeline to a GitHub Actions workflow and output
```

Migrating a pipeline to GitHub Actions [↗](#)

The `migrate` subcommand can be used to convert a pipeline to its GitHub Actions equivalent and then create a pull request with the contents.

To run a migration, use the following command to determine your available options:

```
$ gh actions-importer migrate -h
Description:
  Convert a pipeline to a GitHub Actions workflow and open a pull request with the c

[...]

Commands:
  azure-devops  Convert an Azure DevOps pipeline to a GitHub Actions workflow and op
  bamboo        Convert a Bamboo pipeline to GitHub Actions workflows and open a pu
  circle-ci     Convert a CircleCI pipeline to GitHub Actions workflows and open a p
  gitlab        Convert a GitLab pipeline to a GitHub Actions workflow and open a p
  jenkins       Convert a Jenkins job to a GitHub Actions workflow and open a pull r
  travis-ci     Convert a Travis CI pipeline to a GitHub Actions workflow and and op
```

Performing self-serve migrations using IssueOps [↗](#)

You can use GitHub Actions and GitHub Issues to run CLI commands for GitHub Actions Importer. This allows you to migrate your CI/CD workflows without installing software on your local machine. This approach is especially useful for organizations that want to enable self-service migrations to GitHub Actions. Once IssueOps is configured, users can open an issue with the relevant template to migrate pipelines to GitHub Actions.

For more information about setting up self-serve migrations with IssueOps, see the [actions/importer-issue-ops](#) template repository.

Using the GitHub Actions Importer labs repository [↗](#)

The GitHub Actions Importer labs repository contains platform-specific learning paths that teach you how to use GitHub Actions Importer and how to approach migrations to GitHub Actions. You can use this repository to learn how to use GitHub Actions Importer to help plan, forecast, and automate your migration to GitHub Actions.

To learn more, see the [GitHub Actions Importer labs repository](#).

Legal notice [↗](#)

Portions have been adapted from <https://github.com/github/gh-actions-importer/> under the MIT license:

MIT License

Copyright (c) 2022 GitHub

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Legal

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Status](#) [Pricing](#) [Expert services](#) [Blog](#)