



Redelivering webhooks

In this article

About redelivering webhooks

Redelivering repository webhooks

Redelivering organization webhooks

Redelivering GitHub App webhooks

Redelivering GitHub Marketplace webhooks

Redelivering GitHub Sponsors webhooks

Redelivering global webhooks

To help recover from failed deliveries, you can redeliver webhook deliveries from the past 3 days.

About redelivering webhooks &


You may want to redeliver a webhook to help you test your application or to recover from server downtime. You can redeliver webhook deliveries that occurred in the past 3 days. GitHub does not automatically redeliver failed deliveries.

Redelivering repository webhooks &

Only people with admin access to a repository can redeliver webhooks in that repository.

You can use the GitHub web interface or the REST API to redeliver webhooks for a repository. For more information about using the REST API to redeliver webhooks, see "Repository webhooks."

- 1 On GitHub.com, navigate to the main page of the repository.
- 2 Under your repository name, click & **Settings**. If you cannot see the "Settings" tab, select the ··· dropdown menu, then click **Settings**.



- In the "Code and automation" section of the sidebar, click & Webhooks.
- 4 In the list of webhooks, click the URL of the webhook you'd like to redeliver. If you do not have a webhook configured, no webhooks will be listed.



- 5 Click **Recent deliveries**. All deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed.
- 6 Click the delivery GUID for the delivery that you want to redeliver.
- Click Redeliver.

Redelivering organization webhooks @

Only organization owners can redeliver webhooks in that organization.

You can use the GitHub web interface or the REST API to redeliver webhooks for an organization. For more information about using the REST API to redeliver webhooks, see "Organization webhooks."

- 1 On GitHub.com, navigate to the main page of the organization.
- 2 Under your organization name, click & **Settings**. If you cannot see the "Settings" tab, select the ··· dropdown menu, then click **Settings**.



- 3 In the "Code and automation" section of the sidebar, click & Webhooks.
- 4 In the list of webhooks, click the URL of the webhook you'd like to redeliver. If you do not have a webhook configured, no webhooks will be listed.



- 5 Click **Recent deliveries**. All deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed.
- 6 Click the delivery GUID for the delivery that you want to redeliver.
- 7 Click Redeliver.

Redelivering GitHub App webhooks &

The owner of a GitHub App can redeliver webhooks for the app. If an organization has designated any app managers for a GitHub App owned by the organization, the app managers can also redeliver webhooks.

You can use the GitHub web interface or the REST API to redeliver webhooks for a GitHub App. For more information about using the REST API redeliver, see "GitHub App webhooks."

- 1 In the upper-right corner of any page on GitHub, click your profile photo.
- 2 Navigate to your account settings.

- For a GitHub App owned by a personal account, click **Settings**.
- For a GitHub App owned by an organization:
 - a. Click Your organizations.
 - b. To the right of the organization, click **Settings**.
- 3 In the left sidebar, click <> Developer settings.
- 4 In the left sidebar, click **GitHub Apps**.
- 5 Next to the GitHub App that you want to redeliver a webhook for, click Edit.
- 6 In the sidebar, click **Advanced**.
- Under "Recent deliveries", all deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed. If webhooks are not active, the "Recent Deliveries" section will not be present.

Click the delivery GUID for the delivery that you want to redeliver.



8 Click Redeliver.

Redelivering GitHub Marketplace webhooks &

The owner of a GitHub App can redeliver GitHub Marketplace webhooks for that app. If an organization has designated any app managers for a GitHub App owned by the organization, the app managers can also redeliver webhooks.

- Navigate to your <u>GitHub Marketplace listing page</u>.
- 2 Next to the GitHub Marketplace listing for which you want to redeliver webhooks, click **Manage listing**.
- 3 In the sidebar, click **Webhook**.
- 4 Under "Recent deliveries", all deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed. If webhooks are not active, the "Recent Deliveries" section will not be present.

Click the delivery GUID for the delivery that you want to redeliver.



Click Redeliver.

Redelivering GitHub Sponsors webhooks &

Only the owner of the sponsored account can redeliver sponsorship webhooks for that account.

- 1 In the upper-right corner of any page, click your profile photo, then click **Your sponsors**.
- 2 Next to the account for which you want to redeliver webhooks, click **Dashboard**.
- 3 In the sidebar, click Webhooks.
- 4 In the list of webhooks, click the URL of the webhook you'd like to redeliver. If you do not have a webhook configured, no webhooks will be listed.



Under "Recent deliveries", all deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed. If webhooks are not active, the "Recent Deliveries" section will not be present.

Click the delivery GUID for the delivery that you want to redeliver.



6 Click Redeliver.

Redelivering global webhooks &

Only enterprise owners can redeliver webhooks in that enterprise.

- 1 In the top-right corner of GitHub.com, click your profile photo, then click **Your enterprises**.
- 2 In the list of enterprises, click the enterprise you want to view.
- 3 In the enterprise account sidebar, click 愈 Settings.
- 4 Under "愈 Settings", click **Hooks**.
- In the list of webhooks, click the URL of the webhook you'd like to redeliver. If you do not have a webhook configured, no webhooks will be listed.



6 Under "Recent deliveries", all deliveries from the past 3 days will be listed. If this webhook has not been delivered within the past 3 days, no deliveries will be listed. If webhooks are not active, the "Recent Deliveries" section will not be present.

Click the delivery GUID for the delivery that you want to redeliver.



7 Click Redeliver.

Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>