

The REST API is now versioned. For more information, see "[About API versioning](#)."

Audit log

Use the REST API to retrieve audit logs for an enterprise.

These endpoints only support authentication using a personal access token (classic). For more information, see "[Managing your personal access tokens](#)."

Get the audit log for an enterprise

Gets the audit log for an enterprise. To use this endpoint, you must be an enterprise admin, and you must use an access token with the `read:audit_log` scope.

This endpoint has a rate limit of 1,750 queries per hour per user and IP address. If your integration receives a rate limit error (typically a 403 or 429 response), it should wait before making another request to the GitHub API. For more information, see "[Resources in the REST API](#)" and "[Best practices for integrators](#)."

Parameters for "Get the audit log for an enterprise"

Headers

accept string

Setting to `application/vnd.github+json` is recommended.

Path parameters

enterprise string **Required**

The slug version of the enterprise name. You can also substitute this value with the enterprise id.

Query parameters

phrase string

A search phrase. For more information, see [Searching the audit log](#).

include string

The event types to include:

- `web` - returns web (non-Git) events.
- `git` - returns Git events.
- `all` - returns both web and Git events.

The default is `web`.

Can be one of: `web`, `git`, `all`

after string

A cursor, as given in the [Link header](#). If specified, the query only searches for events after this cursor.

before string

A cursor, as given in the [Link header](#). If specified, the query only searches for events before this cursor.

order string

The order of audit log events. To list newest events first, specify `desc`. To list oldest events first, specify `asc`. The default is `desc`.

Can be one of: `desc`, `asc`

page integer

Page number of the results to fetch.

Default: `1`

per_page integer

The number of results per page (max 100).

Default: `30`

HTTP response status codes for "Get the audit log for an enterprise"

Status code	Description
200	OK

Code samples for "Get the audit log for an enterprise"

GET

/enterprises/{enterprise}/audit-log

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ https://api.github.com/enterprises/ENTERPRISE/audit-log
```

Response

Example response

Response schema

Status: 200

```
[ { "@timestamp": 1606929874512, "action": "team.add_member", "actor": "octocat", "created_at": 1606929874512, "_document_id": "xJJFLF0hQ6b-5vaAFy9Rjw", "org": "octo-corp", "team": "octo-corp/example-team", "user": "monalisa" }, { "@timestamp": 1606507117008, "action": "org.create", "actor": "octocat", "created_at": 1606507117008, "_document_id": "Vqvg6kZ4MYqwWRKFDzlMoQ", "org": "octocat-test-org" }, { "@timestamp": 1605719148837, "action": "repo.destroy", "actor": "monalisa", "created_at": 1605719148837, "_document_id": "LwW2vpJZCDS-WUmo9Z-ifw", "org": "mona-org", "repo": "mona-org/mona-test-repo", "visibility": "private" } ]
```

Legal