Autolinked references and URLs

In this article

References to URLs, issues, pull requests, and commits are automatically shortened and converted into links.

URLs 🔗

GitHub Enterprise Server automatically creates links from standard URLs.

`Visit https://github.com`

Visit https://github.com

For more information on creating links, see "[Basic writing and formatting syntax](#)."

Issues and pull requests 🔗

Within conversations on GitHub Enterprise Server, references to issues and pull requests are automatically converted to shortened links.

> **Note:** Autolinked references are not created in wikis or files in a repository.

Reference type	Raw reference	Short link
Issue or pull request URL	[https://github.com/jlord/sheetsee.js/issues/26](#)	[#26](#)
`#` and issue or pull request number	#26	[#26](#)
`GH-` and issue or pull request number	GH-26	[GH-26](#)
`Username/Repository#` and issue or pull request number	jlord/sheetsee.js#26	[jlord/sheetsee.js#26](#)
`Organization_name/Repository#` and issue or pull request number	github-linguist/linguist#4039	[github-linguist/linguist#4039](#)

Labels ✎

When referencing the URL of a label in Markdown, the label is automatically rendered. Only labels of the same repository are rendered, URLs pointing to a label from a different repository are rendered as any URL.

The URL of a label can be found by navigating to the labels page and clicking on a label. For example, the URL of the label "enhancement" in our public docs repository is

```
https://github.com/github/docs/labels/enhancement
```

> **Note:** If the label name contains a period (.), the label will not automatically render from the label URL.

Commit SHAs ✎

References to a commit's SHA hash are automatically converted into shortened links to the commit on GitHub Enterprise Server.

Reference type	Raw reference	Short link
Commit URL	https://github.com/jlord/sheetsee.js/commit/a5c3785ed8d6a35868bc169f07e40e889087fd2e	a5c3785
SHA	a5c3785ed8d6a35868bc169f07e40e889087fd2e	a5c3785
User@SHA	jlord@a5c3785ed8d6a35868bc169f07e40e889087fd2e	jlord@a5c3785
Username/Repository@SHA	jlord/sheetsee.js@a5c3785ed8d6a35868bc169f07e40e889087fd2e	jlord/sheetsee.js@a5c3785

Custom autolinks to external resources ✎

If custom autolink references are configured for a repository, then references to external resources, like a JIRA issue or Zendesk ticket, convert into shortened links. To know which autolinks are available in your repository, contact someone with admin permissions to the repository. For more information, see "Configuring autolinks to reference external resources."

Further reading ✎

- "Basic writing and formatting syntax"