The REST API is now versioned. For more information, see "About API versioning."

Audit log

Use the REST API to retrieve audit logs for an enterprise.

These endpoints only support authentication using a personal access token (classic). For more information, see "Managing your personal access tokens."

Get the audit log for an enterprise 🔗

Gets the audit log for an enterprise. To use this endpoint, you must be an enterprise admin, and you must use an access token with the `read:audit_log` scope.

Parameters for "Get the audit log for an enterprise"

Headers

`accept` string

Setting to `application/vnd.github+json` is recommended.

Path parameters

`enterprise` string Required

The slug version of the enterprise name. You can also substitute this value with the enterprise id.

Query parameters

`phrase` string

A search phrase. For more information, see Searching the audit log.

`include` string

The event types to include:
- `web` - returns web (non-Git) events.
- `git` - returns Git events.
- `all` - returns both web and Git events.

The default is `web`.

Can be one of: `web`, `git`, `all`

`after` string

A cursor, as given in the Link header. If specified, the query only searches for events after this cursor.

A cursor, as given in the Link header. If specified, the query only searches for events after this cursor.

before `string`

A cursor, as given in the [Link header](). If specified, the query only searches for events before this cursor.

order `string`

The order of audit log events. To list newest events first, specify `desc`. To list oldest events first, specify `asc`.
The default is `desc`.

Can be one of: `desc`, `asc`

page `integer`

Page number of the results to fetch.

Default: `1`

per_page `integer`

The number of results per page (max 100).

Default: `30`

HTTP response status codes for "Get the audit log for an enterprise"

Status code	Description
`200`	OK

Code samples for "Get the audit log for an enterprise"

`GET` `/enterprises/{enterprise}/audit-log`

cURL   JavaScript   GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28"
\ http(s)://HOSTNAME/api/v3/enterprises/ENTERPRISE/audit-log
```

Response

Example response   Response schema

Status: 200

```
[ { "actor_ip": "88.123.45.123", "from": "pull_requests#merge", "device_cookie": null, "actor": "mona-admin", "actor_id": 7,
"repo": "octo-org/octo-repo", "repo_id": 17, "business": "github", "business_id": 1, "org": "octo-org", "org_id": 8, "action":
"pull_request.merge", "@timestamp": 1635940599755, "created_at": 1635940599755, "operation_type": "modify", "actor_location": {
"country_code": "GB", "country_name": "United Kingdom", "region": "ENG", "region_name": "England", "city": "Louth", "postal_code":
"LN11", "location": { "lat": 53.4457, "lon": 0.141 } }, "data": { "user_agent": "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7)
...", "method": "POST", "request_id": "e4dabc4d-ba16-4bca-1234-649be7ae1188", "server_id": "5d17aab5-fd9f-abcd-a820-16bed246441b",
```