



The REST API is now versioned. For more information, see "About API versioning."

Project (classic) collaborators

Use the REST API to manage collaborators on a classic project.

The REST API to manage projects (classic) only supports authentication using a personal access token (classic). For more information, see "Managing your personal access tokens."

List project collaborators @

■ Works with GitHub Apps

Lists the collaborators for an organization project. For a project, the list of collaborators includes outside collaborators, organization members that are direct collaborators, organization members with access through team memberships, organization members with access through default organization permissions, and organization owners. You must be an organization owner or a project admin to list collaborators.

Parameters for "List project collaborators"

Headers

accept string

Setting to application/vnd.github+json is recommended.

Path parameters

project_id integer Required

The unique identifier of the project.

Query parameters

affiliation string

Filters the collaborators by their affiliation. outside means outside collaborators of a project that are not a member of the project's organization. direct means collaborators with permissions to a project, regardless of organization membership status. all means all collaborators the authenticated user can see.

Default: all

Can be one of: outside, direct, all

per_page integer

The number of results per page (max 100).

Default: 30

page integer


Page number of the results to fetch.

Default: 1

HTTP response status codes for "List project collaborators"

Status code	Description
200	OK
304	Not modified
401	Requires authentication
403	Forbidden
404	Resource not found
422	Validation failed, or the endpoint has been spammed.

Code samples for "List project collaborators"



Response

Example response Response schema

Status: 200

[{ "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url": "https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url": "https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url": "https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}", "starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url": "https://HOSTNAME/users/octocat/orgs", "repos_url": "https://HOSTNAME/users/octocat/repos", "events_url": "https://HOSTNAME/users/octocat/events{/privacy}", "

"repos_url": "https://HOSTNAME/users/octocat/repos", "events_url": "https://HOSTNAME/users/octocat/events{/privacy}", "

"**Total Table Total Table T

Add project collaborator &

Works with <u>GitHub Apps</u>

Adds a collaborator to an organization project and sets their permission level. You must be an organization owner or a project admin to add a collaborator.

Parameters for "Add project collaborator"

Headers

accept string

Setting to application/vnd.github+json is recommended.

Path parameters

project_id integer Required

The unique identifier of the project.

username string Required

The handle for the GitHub user account.

Body parameters

permission string

The permission to grant the collaborator.

Default: write

Can be one of: read , write , admin

HTTP response status codes for "Add project collaborator"

Status code	Description
204	No Content
304	Not modified
401	Requires authentication
403	Forbidden
404	Resource not found
422	Validation failed, or the endpoint has been spammed.

Code samples for "Add project collaborator"

PUT /projects/{project_id}/collaborators/{username}

cURL JavaScript GitHub CLI

curl -L \ -X PUT \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/projects/PROJECT_ID/collaborators/USERNAME \ -d '{"permission":"write"}'

Response

Status: 204

Remove user as a collaborator @

Works with <u>GitHub Apps</u>

Removes a collaborator from an organization project. You must be an organization owner or a project admin to remove a collaborator.

Parameters for "Remove user as a collaborator"

Headers

accept string

Setting to application/vnd.github+json is recommended.

Path parameters

project_id integer Required

The unique identifier of the project.

username string Required

The handle for the GitHub user account.

HTTP response status codes for "Remove user as a collaborator"

Status code	Description
204	No Content
304	Not modified
401	Requires authentication
403	Forbidden
404	Resource not found
422	Validation failed, or the endpoint has been spammed.

Code samples for "Remove user as a collaborator"



Response

Status: 204

Get project permission for a user &

Works with <u>GitHub Apps</u>

Returns the collaborator's permission level for an organization project. Possible values for the permission key: admin, write, read, none. You must be an organization owner or a project admin to review a user's permission level.

Parameters for "Get project permission for a user"

Headers

accept string

Setting to application/vnd.github+json is recommended.

Path parameters

project_id integer Required

The unique identifier of the project.

username string Required

The handle for the GitHub user account.

HTTP response status codes for "Get project permission for a user"

Status code	Description
200	OK
304	Not modified
401	Requires authentication
403	Forbidden
404	Resource not found
422	Validation failed, or the endpoint has been spammed.

Code samples for "Get project permission for a user"

GET /projects/{project_id}/collaborators/{username}/permission

cURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/projects/PROJECT ID/collaborators/USERNAME/permission

Q

Response

Example response Response schema

Status: 200

{ "permission": "admin", "user": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url": "https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url": "https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url": "https://HOSTNAME/users/octocat/gists{/gist_id}", "starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url": "https://HOSTNAME/users/octocat/orgs", "repos_url": "https://H

Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>