

# Permissions required for GitHub Apps

## In this article

About GitHub App permissions

Business permissions for "Enterprise administration"

Organization permissions for "Administration"

Organization permissions for "Custom repository roles"

Organization permissions for "Events"

Organization permissions for "Members"

Organization permissions for "Organization announcement banners"

Organization permissions for "Organization dependabot secrets"

Organization permissions for "Personal access token requests"

Organization permissions for "Personal access tokens"

Organization permissions for "Pre-receive hooks"

Organization permissions for "Projects"

Organization permissions for "Secrets"

Organization permissions for "Self-hosted runners"

Organization permissions for "Team discussions"

Organization permissions for "Variables"

Organization permissions for "Webhooks"

Repository permissions for "Actions"

Repository permissions for "Administration"

Repository permissions for "Checks"

Repository permissions for "Code scanning alerts"

Repository permissions for "Commit statuses"

Repository permissions for "Contents"

Repository permissions for "Dependabot alerts"

Repository permissions for "Dependabot secrets"

Repository permissions for "Deployments"

Repository permissions for "Environments"

Repository permissions for "Issues"

Repository permissions for "Metadata"

Repository permissions for "Pages"

Repository permissions for "Pre-receive hooks"

Repository permissions for "Projects"

Repository permissions for "Pull requests"

Repository permissions for "Secret scanning alerts"

Repository permissions for "Secrets"

Repository permissions for "Variables"

Repository permissions for "Webhooks"

Repository permissions for "Workflows"

User permissions for "Email addresses"

User permissions for "Followers"

User permissions for "GPG keys"

User permissions for "Gists"

User permissions for "Git SSH keys"

User permissions for "SSH keys"

- User permissions for "Notifications"
- User permissions for "Profile"
- User permissions for "SSH signing keys"
- User permissions for "Starring"
- User permissions for "Watching"

These are the permissions required for a GitHub App to use each REST API endpoint that works with GitHub Apps.

## About GitHub App permissions

GitHub Apps are created with a set of permissions. Permissions define what resources the GitHub App can access via the API. For more information, see "[Choosing permissions for a GitHub App](#)."

Some endpoints require additional permissions. When this is the case, the "Additional permissions" column will indicate the other permissions that are required to use the endpoint.

## Business permissions for "Enterprise administration"

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /enterprises/{enterprise}/actions/cache/usage</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /enterprises/{enterprise}/actions/cache/usage-policy</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /enterprises/{enterprise}/actions/cache/usage-policy</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /enterprises/{enterprise}/settings/billing/advanced-security</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /scim/v2/Groups</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /scim/v2/Groups</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /scim/v2/Groups/{scim_group_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /scim/v2/Groups/{scim_group_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /scim/v2/Groups/{scim_group_id}</a>	write	<a href="#">UAT</a>	✖

	write	<a href="#">UAT</a>	
<a href="#">DELETE /scim/v2/Groups/{scim_group_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /scim/v2/Users</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /scim/v2/Users</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /scim/v2/Users/{scim_user_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /scim/v2/Users/{scim_user_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /scim/v2/Users/{scim_user_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /enterprises/{enterprise}/audit-log</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Administration"

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /orgs/{org}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/oidc/customization/sub</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/permissions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/permissions/repositories</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/permissions/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">PUT /orgs/{org}/actions/permissions/selected-actions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/permissions/workflow</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">PUT /orgs/{org}/security-managers/teams/{team_slug}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/security-managers/teams/{team_slug}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/{security_product}/{enablement}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /organizations/{organization_id}/custom_roles</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Custom repository roles"</a>
<a href="#">GET /orgs/{org}/actions/cache/usage</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/cache/usage-by-repository</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/oidc/customization/sub</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/permissions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/permissions/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/permissions/selected-actions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/permissions/workflow</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/audit-log</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/custom-repository-roles</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Custom repository roles"</a>
<a href="#">GET /orgs/{org}/custom-repository-roles/{role_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Custom repository roles"</a>
<a href="#">GET /orgs/{org}/installations</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/security-managers</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/settings/billing/advanced-security</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Custom repository

# roles"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/custom-repository-roles</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">PATCH /orgs/{org}/custom-repository-roles/{role_id}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">DELETE /orgs/{org}/custom-repository-roles/{role_id}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /organizations/{organization_id}/custom_roles</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Organization permissions for "Administration"</a>
<a href="#">GET /orgs/{org}/custom-repository-roles</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Organization permissions for "Administration"</a>
<a href="#">GET /orgs/{org}/custom-repository-roles/{role_id}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Organization permissions for "Administration"</a>

# Organization permissions for "Events"

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /users/{username}/events/orgs/{org}</a>	read	<div>UAT</div>	✖

# Organization permissions for "Members"

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /orgs/{org}/external-group/{group_id}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /orgs/{org}/external-groups</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">DELETE /orgs/{org}/members/{username}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">PUT /orgs/{org}/memberships/{username}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">DELETE /orgs/{org}/memberships/{username}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">PUT /orgs/{org}/outside_collaborators/{username}</a>	write	<div>UAT</div> <div>IAT</div>	✖

<a href="#">DELETE /orgs/{org}/outside_collaborators/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">PUT /orgs/{org}/public_members/{username}</a>	write	<a href="#">UAT</a>	✕
<a href="#">DELETE /orgs/{org}/public_members/{username}</a>	write	<a href="#">UAT</a>	✕
<a href="#">POST /orgs/{org}/teams</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/teams/{team_slug}/external-groups</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">PATCH /orgs/{org}/teams/{team_slug}/external-groups</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">DELETE /orgs/{org}/teams/{team_slug}/external-groups</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">PUT /teams/{team_id}/members/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">DELETE /teams/{team_id}/members/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">PATCH /user/memberships/orgs/{org}</a>	write	<a href="#">UAT</a>	✕
<a href="#">GET /orgs/{org}/members</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/members/{username}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/memberships/{username}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/outside_collaborators</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/public_members</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/public_members/{username}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /orgs/{org}/teams</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /teams/{team_id}/members/{username}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✕
<a href="#">GET /user/memberships/orgs/{org}</a>	read	<a href="#">UAT</a>	✕

## Organization permissions for "Organization announcement banners" [↗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /orgs/{org}/announcement</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/announcement</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/announcement</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Organization dependabot secrets"

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /orgs/{org}/dependabot/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/dependabot/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">GET /orgs/{org}/dependabot/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/dependabot/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/dependabot/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/dependabot/secrets/{secret_name}/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Personal access token requests"

Endpoint	Access	Token types	Additional permissions
----------	--------	-------------	------------------------

<a href="#">POST /orgs/{org}/personal-access-token-requests</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/personal-access-token-requests/{pat_request_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/personal-access-token-requests</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/personal-access-token-requests/{pat_request_id}/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Personal access tokens"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/personal-access-tokens</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/personal-access-tokens/{pat_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/personal-access-tokens</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/personal-access-tokens/{pat_id}/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Pre-receive hooks"

Endpoint	Access	Token types	Additional permissions
<a href="#">DELETE /orgs/{org}/pre-receive-hooks/{pre_receive_hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/pre-receive-hooks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/pre-receive-hooks/{pre_receive_hook_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Projects"

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /projects/{project_id}/collaborators</a>	admin	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>



<a href="#">PUT /projects/{project_id}/collaborators/{username}</a>	admin	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">DELETE /projects/{project_id}/collaborators/{username}</a>	admin	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">GET /projects/{project_id}/collaborators/{username}/permission</a>	admin	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">POST /orgs/{org}/projects</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /projects/columns/cards/{card_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">DELETE /projects/columns/cards/{card_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">POST /projects/columns/cards/{card_id}/moves</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">PATCH /projects/columns/{column_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">DELETE /projects/columns/{column_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">POST /projects/columns/{column_id}/cards</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">POST /projects/columns/{column_id}/moves</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">PATCH /projects/{project_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">DELETE /projects/{project_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">POST /projects/{project_id}/columns</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">GET /orgs/{org}/projects</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /projects/columns/cards/{card_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>

<a href="#">GET /projects/columns/{column_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">GET /projects/columns/{column_id}/cards</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">GET /projects/{project_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>
<a href="#">GET /projects/{project_id}/columns</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Projects"</a>

## Organization permissions for "Secrets"

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /orgs/{org}/actions/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/secrets/{secret_name}/repositories</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">GET /orgs/{org}/actions/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/secrets/{secret_name}/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Self-hosted runners"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/actions/runner-groups</a>	write	<a href="#">UAT</a>	✖

		<a href="#">IAT</a>	
<a href="#">PATCH /orgs/{org}/actions/runner-groups/{runner_group_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/actions/runners/generate-jitconfig</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/actions/runners/registration-token</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/actions/runners/remove-token</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/runners/{runner_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /orgs/{org}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/actions/runners/{runner_id}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/runner-groups</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/actions/runner-groups/{runner_group_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /oras/{ora}/actions/runner-</a>		<a href="#">UAT</a>	✖

<a href="#">DELETE /orgs/{org}/actions/runners/ groups/{runner_group_id}/repositories</a>	read	<div><div>UAT</div><div>IAT</div></div>	
<a href="#">GET /orgs/{org}/actions/runner- groups/{runner_group_id}/runners</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">GET /orgs/{org}/actions/runners</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">GET /orgs/{org}/actions/runners/downloads</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">GET /orgs/{org}/actions/runners/{runner_id}</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">GET /orgs/{org}/actions/runners/{runner_id}/labels</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖

## Organization permissions for "Team discussions"

Endpoint	Access	Token types	Additional permissions
<a href="#">DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/comments/{comment_number}/reactions/{reaction_id}</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/reactions/{reaction_id}</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖

## Organization permissions for "Variables"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/actions/variables</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">PATCH /orgs/{org}/actions/variables/{name}</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">DELETE /orgs/{org}/actions/variables/{name}</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">PUT /orgs/{org}/actions/variables/{name}/repositories</a>	write	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}</a>	write	<div><div>UAT</div><div>IAT</div></div>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">GET /orgs/{org}/actions/variables</a>	read	<div><div>UAT</div><div>IAT</div></div>	✖
<a href="#">GET /orgs/{org}/actions/variables/{name}</a>		<div><div>UAT</div></div>	⌵

<a href="#">GET /orgs/{org}/actions/variables/{name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	↗
<a href="#">GET /orgs/{org}/actions/variables/{name}/repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Organization permissions for "Webhooks"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/hooks</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /orgs/{org}/hooks/{hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /orgs/{org}/hooks/{hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /orgs/{org}/hooks/{hook_id}/config</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}/attempts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /orgs/{org}/hooks/{hook_id}/pings</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/hooks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/hooks/{hook_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/hooks/{hook_id}/config</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/hooks/{hook_id}/deliveries</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Actions"

Endpoint	Access	Token types	Additional permissions
<a href="#">DELETE /repos/{owner}/{repo}/actions/artifacts/{artifact_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/caches</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖

		<a href="#">IAT</a>	
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/actions/caches/{cache_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/jobs/{job_id}/rerun</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/actions/oidc/customization/sub</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/cancel</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/logs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/rerun</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/rerun-failed-jobs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/actions/workflows/{workflow_id}/disable</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/workflows/{workflow_id}/dispatches</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/actions/workflows/{workflow_id}/enable</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/artifacts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/artifacts/{artifact_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/artifacts/{artifact_id}/{archive_format}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/cache/usage</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/cache/usage-policy</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/caches</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/jobs/{job_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

		<a href="#">IAT</a>	
<a href="#">GET /repos/{owner}/{repo}/actions/jobs/{job_id}/logs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/oidc/customization/sub</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/approvals</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/artifacts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/jobs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/logs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/jobs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/logs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Checks"</a> , <a href="#">Repository permissions for "Deployments"</a>
<a href="#">GET /repos/{owner}/{repo}/actions/workflows</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/runs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">GET /repos/{owner}/{repo}/environments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/environments/{environment_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/apps</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Administration"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /orgs/{org}/repos</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/actions/cache/usage-policy</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/actions/permissions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/actions/permissions/access</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/actions/permissions/selected-actions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/actions/permissions/workflow</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/actions/runners/generate-jitconfig</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/actions/runners/registration-</a>	write	<a href="#">UAT</a>	✖



<a href="#">token</a>		<a href="#">UAT</a>	
<a href="#">POST /repos/{owner}/{repo}/actions/runners/remove-token</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/autolinks</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/autolinks/{autolink_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/branches/{branch}/protection</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH</a>		<a href="#">UAT</a>	✖

<a href="#">/repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks</a>	write	<a href="#">UAT</a>	
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/code-scanning/default-setup</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/collaborators/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/collaborators/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/forks</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Contents"</a>
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/invitations/{invitation_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/invitations/{invitation_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/keys</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/keys/{key_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pages"</a>
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pages"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pages"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/tags/protection</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">DELETE /repos/{owner}/{repo}/tags/protection/{tag_protection_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/topics</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/transfer</a>	write	<a href="#">UAT</a>	✖
<a href="#">PUT /repos/{owner}/{repo}/vulnerability-alerts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/vulnerability-alerts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /user/repos</a>	write	<a href="#">UAT</a>	✖
<a href="#">PATCH /user/repository_invitations/{invitation_id}</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/repository_invitations/{invitation_id}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/permissions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/permissions/access</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/permissions/selected-actions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/permissions/workflow</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runners</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runners/downloads</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runners/{runner_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/runners/{runner_id}/labels</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/autolinks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/autolinks/{autolink_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/automated-security-fixes</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/invitations</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/keys</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/keys/{key_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/replicas/caches</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/tags/protection</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/teams</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/vulnerability-alerts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /user/repository_invitations</a>	read	<a href="#">UAT</a>	✖

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/check-runs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/check-runs/{check_run_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/check-runs/{check_run_id}/rerequest</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/check-suites</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/check-suites/preferences</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/check-suites/{check_suite_id}/rerequest</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Actions"</a> , <a href="#">Repository permissions for "Deployments"</a>
<a href="#">GET /repos/{owner}/{repo}/check-runs/{check_run_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/check-runs/{check_run_id}/annotations</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/check-suites/{check_suite_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/check-suites/{check_suite_id}/check-runs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{ref}/check-runs</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{ref}/check-suites</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Code scanning alerts"

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">Scanning/analyses/{analysis_id}/</a>		<div>UAT</div>	
<a href="#">POST /repos/{owner}/{repo}/code-scanning/sarifs</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /orgs/{org}/code-scanning/alerts</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/alerts</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/instances</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/analyses</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/code-scanning/sarifs/{sarif_id}</a>	read	<div>UAT</div> <div>IAT</div>	✖

## Repository permissions for "Commit statuses"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/statuses/{sha}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{ref}/status</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{ref}/statuses</a>	read	<div>UAT</div> <div>IAT</div>	✖

## Repository permissions for "Contents"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/branches/{branch}/rename</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">PATCH /repos/{owner}/{repo}/comments/{comment_id}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">DELETE /repos/{owner}/{repo}/comments/{comment_id}</a>	write	<div>UAT</div> <div>IAT</div>	✖
<a href="#">POST /repos/{owner}/{repo}/contents/{path}</a>	write	<div>UAT</div> <div>IAT</div>	✖

<a href="#">POST /repos/{owner}/{repo}/comments/{comment_id}/reactions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✓
<a href="#">DELETE /repos/{owner}/{repo}/comments/{comment_id}/reactions/{reaction_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">PUT /repos/{owner}/{repo}/contents/{path}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">DELETE /repos/{owner}/{repo}/contents/{path}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/dependency-graph/snapshots</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/dispatches</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/git/blobs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/git/commits</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/git/refs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Workflows"</a>
<a href="#">PATCH /repos/{owner}/{repo}/git/refs/{ref}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Workflows"</a>
<a href="#">DELETE /repos/{owner}/{repo}/git/refs/{ref}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/git/tags</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/git/trees</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/merge-upstream</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/merges</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">PUT /repos/{owner}/{repo}/pulls/{pull_number}/merge</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">POST /repos/{owner}/{repo}/releases</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">PATCH /repos/{owner}/{repo}/releases/assets/{asset_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">DELETE /repos/{owner}/{repo}/releases/assets/{asset_id}</a>	write	<a href="#">UAT</a>	✗



<a href="#">/repos/{owner}/{repo}/releases/assets/{asset_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	
<a href="#">POST /repos/{owner}/{repo}/releases/generate-notes</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/releases/{release_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/releases/{release_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/branches/{branch}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/codeowners/errors</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/commits</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{commit_sha}/branches-where-head</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/commits/{commit_sha}/comments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/commits/{ref}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/compare/{basehead}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/contents/{path}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/dependency-graph/sbom</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/forks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Administration"</a>
<a href="#">GET /repos/{owner}/{repo}/git/blobs/{file_sha}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/git/commits/{commit_sha}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/git/matching-refs/{ref}</a>	read	<a href="#">UAT</a>	✖

		<a href="#">IAT</a>	
<a href="#">GET /repos/{owner}/{repo}/git/ref/{ref}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/git/tags/{tag_sha}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/git/trees/{tree_sha}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pulls/{pull_number}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/releases</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/releases/assets/{asset_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/releases/latest</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/releases/tags/{tag}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/releases/{release_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/releases/{release_id}/assets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Dependabot alerts" [🔗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /repos/{owner}/{repo}/dependabot/alerts/{alert_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /orgs/{org}/dependabot/alerts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/dependabot/alerts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/dependabot/alerts/{alert_number}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Dependabot secrets" [🔗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/dependabot/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/dependabot/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/dependabot/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/dependabot/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/dependabot/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Deployments"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/deployment_protection_rule</a>	write	<a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/deployments</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/deployments/{deployment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/deployments/{deployment_id}/statuses</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Actions" , Repository permissions for "Checks"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/deployments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/deployments/{deployment_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/deployments/{deployment_id}/statuses</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/deployments/{deployment_id}/statuses/{status_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Environments"

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Secrets"</a>
<a href="#">DELETE /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Secrets"</a>
<a href="#">POST /repositories/{repository_id}/environments/{environment_name}/variables</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Variables"</a>
<a href="#">PATCH /repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Variables"</a>
<a href="#">DELETE /repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Variables"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Secrets"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Secrets"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Secrets"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/variables</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Variables"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Variables"</a>

## Repository permissions for "Issues"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/issues</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>

<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/comments/{comment_id}/reactions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/comments/{comment_id}/reactions/{reaction_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/assignees</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/assignees</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/comments</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/lock</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/lock</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/reactions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/reactions/{reaction_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Pull requests"</a>

<a href="#">PATCH /repos/{owner}/{repo}/labels/{name}</a>	write	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE /repos/{owner}/{repo}/labels/{name}</a>	write	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">POST /repos/{owner}/{repo}/milestones</a>	write	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">PATCH /repos/{owner}/{repo}/milestones/{milestone_number}</a>	write	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">DELETE /repos/{owner}/{repo}/milestones/{milestone_number}</a>	write	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/assignees</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/assignees/{assignee}</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues</a>	read	UAT IAT	✖
<a href="#">GET /repos/{owner}/{repo}/issues/comments</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/comments/{comment_id}</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions</a>	read	UAT IAT	✖
<a href="#">GET /repos/{owner}/{repo}/issues/events</a>	read	UAT IAT	✖
<a href="#">GET /repos/{owner}/{repo}/issues/events/{event_id}</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}</a>	read	UAT IAT	✖
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/comments</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/events</a>	read	UAT IAT	<a href="#">Repository permissions for "Pull requests"</a>

<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/reactions</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/timeline</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/labels/{name}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones/{milestone_number}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Pull requests"</a>

## Repository permissions for "Metadata"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /gists</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">PATCH /gists/{gist_id}</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">DELETE /gists/{gist_id}</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">POST /gists/{gist_id}/comments</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">GET /gists/{gist_id}/comments/{comment_id}</a>	read	<div>UAT</div>	✖
<a href="#">PATCH /gists/{gist_id}/comments/{comment_id}</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">DELETE /gists/{gist_id}/comments/{comment_id}</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">POST /gists/{gist_id}/forks</a>	read	<div>UAT</div>	<a href="#">User permissions for "Gists"</a>
<a href="#">PUT /gists/{gist_id}/star</a>	read	<div>UAT</div>	<a href="#">User permissions</a>

	read	<a href="#">UAT</a>	<a href="#">for "Gists"</a>
<a href="#">DELETE /gists/{gist_id}/star</a>	read	<a href="#">UAT</a>	<a href="#">User permissions for "Gists"</a>
<a href="#">GET /notifications</a>	read	<a href="#">UAT</a>	<a href="#">User permissions for "Notifications"</a>
<a href="#">PUT /orgs/{org}/actions/permissions/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Administration"</a>
<a href="#">DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Administration"</a>
<a href="#">PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Self-hosted runners"</a>
<a href="#">DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Self-hosted runners"</a>
<a href="#">PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Secrets"</a>
<a href="#">DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Secrets"</a>
<a href="#">PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Variables"</a>
<a href="#">PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Organization dependabot secrets"</a>
<a href="#">DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Organization dependabot secrets"</a>
<a href="#">GET /orgs/{org}/repos</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/collaborators</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/collaborators/{username}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a>		<a href="#">UAT</a> <a href="#">IAT</a>	✖



<a href="#">GET /repos/{owner}/{repo}/collaborators/{username}/permission</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✓
<a href="#">GET /repos/{owner}/{repo}/comments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/comments/{comment_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/comments/{comment_id}/reactions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/commits/{commit_sha}/comments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/contributors</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/events</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/forks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/languages</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/license</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stargazers</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stats/code_frequency</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stats/commit_activity</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stats/contributors</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stats/participation</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/stats/punch_card</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/subscribers</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/tags</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✗
<a href="#">GET /repos/{owner}/{repo}/topics</a>	read	<a href="#">UAT</a>	✗

		<a href="#">IAT</a>	
<a href="#">POST /repos/{template_owner}/{template_repo}/generate</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /repositories</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /search/labels</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /user/installations/{installation_id}/repositories</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/repos</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /users/{username}/repos</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Pages"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Administration"</a>
<a href="#">PUT /repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Administration"</a>
<a href="#">DELETE /repos/{owner}/{repo}/pages</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Administration"</a>
<a href="#">POST /repos/{owner}/{repo}/pages/builds</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/pages/deployment</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pages</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pages/builds</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pages/builds/latest</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pages/builds/{build_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Pre-receive hooks"

Endpoint	Access	Token types	Additional permissions
<a href="#">DELETE /repos/{owner}/{repo}/pre-receive-hooks/{pre_receive_hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pre-receive-hooks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/pre-receive-hooks/{pre_receive_hook_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Projects"

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /projects/columns/cards/{card_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">DELETE /projects/columns/cards/{card_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">POST /projects/columns/cards/{card_id}/moves</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">PATCH /projects/columns/{column_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">DELETE /projects/columns/{column_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">POST /projects/columns/{column_id}/cards</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">POST /projects/columns/{column_id}/moves</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">PATCH /projects/{project_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">DELETE /projects/{project_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET /projects/{project_id}/collaborators</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">PUT /projects/{project_id}/collaborators/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>

<a href="#">DELETE</a> <a href="#">/projects/{project_id}/collaborators/{username}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/projects/{project_id}/collaborators/{username}/permission</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">POST</a> <a href="#">/projects/{project_id}/columns</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/projects</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/projects/columns/cards/{card_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/projects/columns/{column_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/projects/columns/{column_id}/cards</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/projects/{project_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/projects/{project_id}/columns</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Organization permissions for "Projects"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/projects</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Pull requests"

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/issues/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/assignees</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/issues/{issue_number}/assignees</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>

<a href="#">es</a>		<a href="#">IAI</a>	<a href="#">"Issues"</a>
<a href="#">POST /repos/{owner}/{repo}/issues/{issue_number}/comments</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">POST /repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">PUT /repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">PUT /repos/{owner}/{repo}/issues/{issue_number}/lock</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">POST /repos/{owner}/{repo}/labels</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">PATCH /repos/{owner}/{repo}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE /repos/{owner}/{repo}/labels/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">POST /repos/{owner}/{repo}/milestones</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">PATCH /repos/{owner}/{repo}/milestones/{milestone_number}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">DELETE /repos/{owner}/{repo}/milestones/{milestone_number}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">POST /repos/{owner}/{repo}/pulls</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/pulls/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}</a>	write	<a href="#">UAT</a> <a href="#">IAI</a>	✖

<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions/{reaction_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/comments</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/comments/{comment_id}/replies</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/dismissals</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/events</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/update-branch</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/assignees</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/assignees/{assignee}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/commits/{commit_sha}/pulls</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/dependency-graph/compare/{basehead}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Contents"</a>

			Contents
<a href="#">GET /repos/{owner}/{repo}/issues/comments</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/comments/{comment_id}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/events/{event_id}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/comments</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/events</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/issues/{issue_number}/timeline</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/labels/{name}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones/{milestone_number}</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels</a>	read	<div>UAT</div> <div>IAT</div>	<a href="#">Repository permissions for "Issues"</a>
<a href="#">GET /repos/{owner}/{repo}/pulls</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/pulls/comments</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/pulls/comments/{comment_id}</a>	read	<div>UAT</div> <div>IAT</div>	✖
<a href="#">GET /repos/{owner}/{repo}/pulls/{pull_number}</a>	read	<div>UAT</div> <div>IAT</div>	✖

<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Contents"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/comments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/commits</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/files</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/merge</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/comments</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Secret scanning alerts"



Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/orgs/{org}/secret-scanning/alerts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/secret-scanning/alerts</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}/locations</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖



## Repository permissions for "Secrets"

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /repos/{owner}/{repo}/actions/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PUT /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">DELETE /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">GET /repos/{owner}/{repo}/actions/organization-secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/actions/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets/public-key</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">GET /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>

## Repository permissions for "Variables"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/actions/variables</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH /repos/{owner}/{repo}/actions/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE /repos/{owner}/{repo}/actions/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repositories/{repository_id}/environments/{environment_name}/variables</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>

<a href="#">POST</a> <a href="#">/repositories/{repository_id}/environments/{environment_name}/variables</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">PATCH</a> <a href="#">/repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">DELETE</a> <a href="#">/repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/organization-variables</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/variables</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/actions/variables/{name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repositories/{repository_id}/environments/{environment_name}/variables</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>
<a href="#">GET</a> <a href="#">/repositories/{repository_id}/environments/{environment_name}/variables/{name}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Environments"</a>

## Repository permissions for "Webhooks"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/hooks</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">DELETE</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">PATCH</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}/config</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}/attempts</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/hooks</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}/config</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET</a> <a href="#">/repos/{owner}/{repo}/hooks/{hook_id}/deliveries</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

<a href="#">GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/hooks/{hook_id}/pings</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖
<a href="#">POST /repos/{owner}/{repo}/hooks/{hook_id}/tests</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## Repository permissions for "Workflows"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /repos/{owner}/{repo}/git/refs</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Contents"</a>
<a href="#">PATCH /repos/{owner}/{repo}/git/refs/{ref}</a>	write	<a href="#">UAT</a> <a href="#">IAT</a>	<a href="#">Repository permissions for "Contents"</a>

## User permissions for "Email addresses"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /user/emails</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/emails</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/emails</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/public_emails</a>	read	<a href="#">UAT</a>	✖

## User permissions for "Followers"

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /user/following/{username}</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/following/{username}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/followers</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/following</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/following/{username}</a>	read	<a href="#">UAT</a>	✖

## User permissions for "GPG keys"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /user/gpg_keys</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/gpg_keys/{gpg_key_id}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/gpg_keys</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/gpg_keys/{gpg_key_id}</a>	read	<a href="#">UAT</a>	✖

## User permissions for "Gists"

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /gists</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">PATCH /gists/{gist_id}</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /gists/{gist_id}</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">POST /gists/{gist_id}/comments</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">PATCH /gists/{gist_id}/comments/{comment_id}</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /gists/{gist_id}/comments/{comment_id}</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">POST /gists/{gist_id}/forks</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">PUT /gists/{gist_id}/star</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>
<a href="#">DELETE /gists/{gist_id}/star</a>	write	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>

## User permissions for "Git SSH keys"

Endpoint	Access	Token	Additional
----------	--------	-------	------------

		types	permissions
<a href="#">POST /user/keys</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/keys/{key_id}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/keys</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/keys/{key_id}</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /users/{username}/keys</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## User permissions for "Notifications" [↗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /notifications</a>	read	<a href="#">UAT</a>	<a href="#">Repository permissions for "Metadata"</a>

## User permissions for "Profile" [↗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">PATCH /user</a>	write	<a href="#">UAT</a>	✖
<a href="#">POST /user/social_accounts</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/social_accounts</a>	write	<a href="#">UAT</a>	✖

## User permissions for "SSH signing keys" [↗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">POST /user/ssh_signing_keys</a>	write	<a href="#">UAT</a>	✖
<a href="#">DELETE /user/ssh_signing_keys/{ssh_signing_key_id}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/ssh_signing_keys</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/ssh_signing_keys/{ssh_signing_key_id}</a>	read	<a href="#">UAT</a>	✖

## User permissions for "Starring" [↗](#)

Endpoint	Access	Token types	Additional permissions
<a href="#">PUT /user/starred/{owner}/{repo}</a>	write	<a href="#">UAT</a>	✖

<a href="#">DELETE /user/starred/{owner}/{repo}</a>	write	<a href="#">UAT</a>	✖
<a href="#">GET /user/starred</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /user/starred/{owner}/{repo}</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /users/{username}/starred</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

## User permissions for "Watching"

Endpoint	Access	Token types	Additional permissions
<a href="#">GET /user/subscriptions</a>	read	<a href="#">UAT</a>	✖
<a href="#">GET /users/{username}/subscriptions</a>	read	<a href="#">UAT</a> <a href="#">IAT</a>	✖

### Legal