

Security log events

In this article

About security log events

business

checks

hook

integration

integration_installation

oauth application

oauth_authorization

org

public_key

repo

repository_invitation

repository_ruleset

security_key

 $two_factor_authentication$

user

workflows

Learn about security log events recorded for your personal account.

Notes:

- This article contains the events available in the latest version of GitHub Enterprise Server. Some of the events may not be available in previous versions.
- This article contains the events that may appear in your user account's security log. For the events that can appear in an organization's audit log or the audit log for an enterprise, see "Audit log events for your organization" and "Audit log events for your enterprise."

The name for each audit log entry is composed of a category of events, followed by an operation type. For example, the reportered entry refers to the create operation on the reportation category. The reference information in this article is grouped by categories.

business &

checks &

Action	Description
checks.auto_trigger_disabled	Automatic creation of check suites was disabled on a repository in the organization or enterprise.
checks.auto_trigger_enabled	Automatic creation of check suites was enabled on a repository in the organization or enterprise.

hook @

Action	Description
hook.config_changed	A hook's configuration was changed.
hook.create	A new hook was added.
hook.destroy	A hook was deleted.
hook.events_changed	A hook's configured events were changed.

integration ${\mathscr O}$

Action	Description
integration.create	An integration was created.
integration.destroy	An integration was deleted.
integration.manager_added	A member of an enterprise or organization was added as an integration manager.
<pre>integration.manager_removed</pre>	A member of an enterprise or organization was removed from being an integration manager.
integration.transfer	Ownership of an integration was transferred to another user or organization.

$integration_installation \ \mathscr{O}$

Action	Description
<pre>integration_installation.create</pre>	An integration was installed.
<pre>integration_installation.destroy</pre>	An integration was uninstalled.
<pre>integration_installation.repositories_added</pre>	Repositories were added to an integration.
<pre>integration_installation.repositories_removed</pre>	Repositories were removed from an integration.
<pre>integration_installation.version_updated</pre>	Permissions for an integration were updated.

$oauth_application \ {\it \it P}$

Action	Description
oauth_application.create	An OAuth application was created.
oauth_application.destroy	An OAuth application was deleted.
oauth_application.reset_secret	The secret key for an OAuth application was reset.
oauth_application.revoke_tokens	Token(s) for an OAuth application were revoked.
oauth_application.transfer	An OAuth application was transferred from one account to another.

$oauth_authorization \ \textit{\o}$

Action	Description
oauth_authorization.create	An authorization for an OAuth application was created.
oauth_authorization.destroy	An authorization for an OAuth application was deleted.

org 🔗

Action	Description
org.add_member	A user joined an organization.
org.advanced_security_disabled_for_new_repos	GitHub Advanced Security was disabled for new repositories in an organization.
org.advanced_security_disabled_on_all_repos	GitHub Advanced Security was disabled for all repositories in an organization.
org.advanced_security_enabled_for_new_repos	GitHub Advanced Security was enabled for new repositories in an organization.
org.advanced_security_enabled_on_all_repos	GitHub Advanced Security was enabled for all repositories in an organization.
org.remove_member	A member was removed from an organization, either manually or due to a two-factor authentication requirement.
<pre>org.set_actions_retention_limit</pre>	The retention period for GitHub Actions artifacts and logs in an organization was changed.
<pre>org.update_member_repository_creation_permissio n</pre>	The create repository permission for organization members was changed.
<pre>org.update_member_repository_invitation_permissi on</pre>	An organization owner changed the policy setting for organization members inviting outside collaborators to repositories.

$public_key \ \mathscr{O}$

Action	Description
<pre>public_key.create</pre>	An SSH key was added to a user account or a deploy key was added to a repository.
<pre>public_key.delete</pre>	An SSH key was removed from a user account or a deploy key was removed from a repository.
<pre>public_key.unverification_failure</pre>	A user account's SSH key or a repository's deploy key was unable to be unverified.
<pre>public_key.unverify</pre>	A user account's SSH key or a repository's deploy key was unverified.
public_key.update	A user account's SSH key or a repository's deploy key was updated.
<pre>public_key.verification_failure</pre>	A user account's SSH key or a repository's deploy key was unable to be verified.
public_key.verify	A user account's SSH key or a repository's deploy key was verified.

repo 🔗

Action	Description
repo.access	The visibility of a repository changed.
repo.add_member	A collaborator was added to a repository.
repo.add_topic	A topic was added to a repository.
repo.advanced_security_disabled	GitHub Advanced Security was disabled for a repository.
repo.advanced_security_enabled	GitHub Advanced Security was enabled for a repository.
repo.archived	A repository was archived.
repo.change_merge_setting	Pull request merge options were changed for a repository.
repo.code_scanning_analysis_deleted	Code scanning analysis for a repository was deleted.
<pre>repo.code_scanning_configuration_for_branch_dele ted</pre>	A code scanning configuration for a branch of a repository was deleted.
repo.config.disable_collaborators_only	The interaction limit for collaborators only was disabled.
repo.config.disable_contributors_only	The interaction limit for prior contributors only was disabled in a repository.
mone confic dischle cooksumnet discillated	The interaction limit for existing users only was

repo.conтig.aisable_sockpuppet_aisallowea	the interaction limit for existing users only was disabled in a repository.
repo.config.enable_collaborators_only	The interaction limit for collaborators only was enabled in a repository Users that are not collaborators or organization members were unable to interact with a repository for a set duration.
repo.config.enable_contributors_only	The interaction limit for prior contributors only was enabled in a repository Users that are not prior contributors, collaborators or organization members were unable to interact with a repository for a set duration.
<pre>repo.config.enable_sockpuppet_disallowed</pre>	The interaction limit for existing users was enabled in a repository New users aren't able to interact with a repository for a set duration Existing users of the repository, contributors, collaborators or organization members are able to interact with a repository.
repo.create	A repository was created.
repo.destroy	A repository was deleted.
repo.pages_cname	A GitHub Pages custom domain was modified in a repository.
repo.pages_create	A GitHub Pages site was created.
repo.pages_destroy	A GitHub Pages site was deleted.
repo.pages_https_redirect_disabled	HTTPS redirects were disabled for a GitHub Pages site.
repo.pages_https_redirect_enabled	HTTPS redirects were enabled for a GitHub Pages site.
repo.pages_private	A GitHub Pages site visibility was changed to private.
repo.pages_public	A GitHub Pages site visibility was changed to public.
repo.pages_source	A GitHub Pages source was modified.
repo.register_self_hosted_runner	A new self-hosted runner was registered.
repo.remove_member	A collaborator was removed from a repository.
repo.remove_self_hosted_runner	A self-hosted runner was removed.
repo.remove_topic	A topic was removed from a repository.
	A repository was renamed.
repo.rename	
repo.rename repo.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs in a repository was changed.

repo.transfer	A user accepted a request to receive a transferred repository.
repo.transfer_outgoing	A repository was transferred to another repository network.
repo.transfer_start	A user sent a request to transfer a repository to another user or organization.
repo.unarchived	A repository was unarchived.
repo.update_actions_access_settings	The setting to control how a repository was used by GitHub Actions workflows in other repositories was changed.
repo.update_actions_settings	A repository administrator changed GitHub Actions policy settings for a repository.
repo.update_member	A user's permission to a repository was changed.

$\textbf{repository_invitation} \ \mathscr{D}$

Action	Description
repository_invitation.accept	An invitation to join a repository was accepted.
repository_invitation.cancel	An invitation to join a repository was canceled.
repository_invitation.create	An invitation to join a repository was sent.
repository_invitation.reject	An invitation to join a repository was declined.

repository_ruleset ₽

Action	Description
repository_ruleset.create	A repository ruleset was created.
repository_ruleset.destroy	A repository ruleset was deleted.
repository_ruleset.update	A repository ruleset was edited.

security_key 🔗

Action	Description
security_key.register	A security key was registered for an account.
security_key.remove	A security key was removed from an account.

$two_factor_authentication \ {\mathscr O}$

Action Description

<pre>two_factor_authentication.disabled</pre>	Two-factor authentication was disabled for a user account.
<pre>two_factor_authentication.enabled</pre>	Two-factor authentication was enabled for a user account.
$\label{two_factor_authentication.password_reset_fallbac} two_factor_authentication.password_reset_fallbac\\ k_sms$	A one-time password code was sent to a user account fallback phone number.
${\tt two_factor_authentication.recovery_codes_regener} \\ {\tt ated}$	Two factor recovery codes were regenerated for a user account.
<pre>two_factor_authentication.sign_in_fallback_sms</pre>	A one-time password code was sent to a user account fallback phone number.
two_factor_authentication.update_fallback	The two-factor authentication fallback for a user account was changed.

user 🔗

Action	Description
user.add_email	An email address was added to a user account.
user.async_delete	An asynchronous job was started to destroy a user account, eventually triggering a user.delete event.
user.audit_log_export	Audit log entries were exported.
user.block_user	A user was blocked by another user.
user.change_password	A user changed their password.
user.create	A new user account was created.
user.creation_rate_limit_exceeded	The rate of creation of user accounts, applications, issues, pull requests or other resources exceeded the configured rate limits, or too many users were followed too quickly.
user.delete	A user account was destroyed by an asynchronous job.
user.demote	A site administrator was demoted to an ordinary user account.
user.destroy	A user deleted his or her account, triggering user.async_delete.
user.failed_login	A user tried to sign in with an incorrect username, password, or two-factor authentication code.
user.forgot_password	A user requested a password reset.
user.hide_private_contributions_count	A user changed the visibility of their private contributions. The number of contributions to private repositories on the user's profile are now hidden.

user.login	A user signed in.
user.promote	An ordinary user account was promoted to a site administrator.
user.recreate	A user's account was restored.
user.remove_email	An email address was removed from a user account.
user.rename	A username was changed.
user.reset_password	A user reset their account password.
user.show_private_contributions_count	A user changed the visibility of their private contributions. The number of contributions to private repositories on the user's profile are now shown.
user.sign_in_from_unrecognized_device	A user signed in from an unrecognized device.
<pre>user.sign_in_from_unrecognized_device_and_locati on</pre>	A user signed in from an unrecognized device and location.
user.suspend	A user account was suspended.
user.two_factor_challenge_failure	A 2FA challenge issued for a user account failed.
user.two_factor_challenge_failure	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account
<pre>user.two_factor_challenge_failure user.two_factor_challenge_success</pre>	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account succeeded.
<pre>user.two_factor_challenge_failure user.two_factor_challenge_success user.two_factor_recover</pre>	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account succeeded. A user used their 2FA recovery codes. A user downloaded 2FA recovery codes for their
<pre>user.two_factor_challenge_failure user.two_factor_challenge_success user.two_factor_recover user.two_factor_recover_codes_downloaded</pre>	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account succeeded. A user used their 2FA recovery codes. A user downloaded 2FA recovery codes for their account. A user printed 2FA recovery codes for their
<pre>user.two_factor_challenge_failure user.two_factor_challenge_success user.two_factor_recover user.two_factor_recovery_codes_downloaded user.two_factor_recovery_codes_printed</pre>	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account succeeded. A user used their 2FA recovery codes. A user downloaded 2FA recovery codes for their account. A user printed 2FA recovery codes for their account. A user viewed 2FA recovery codes for their
<pre>user.two_factor_challenge_failure user.two_factor_challenge_success user.two_factor_recover user.two_factor_recovery_codes_downloaded user.two_factor_recovery_codes_printed user.two_factor_recovery_codes_viewed</pre>	A 2FA challenge issued for a user account failed. A 2FA challenge issued for a user account succeeded. A user used their 2FA recovery codes. A user downloaded 2FA recovery codes for their account. A user printed 2FA recovery codes for their account. A user viewed 2FA recovery codes for their account. A user viewed 2FA recovery codes for their account. A user was prompted for a two-factor

workflows @

Action	Description
workflows.approve_workflow_job	A workflow job was approved.
workflows.delete_workflow_run	A workflow run was deleted.
workflows.disable_workflow	A workflow was disabled.
workflows.enable_workflow	A workflow was enabled, after previously being

workflows.reject_workflow_job

A workflow job was rejected.

Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>