```
cpu,{{ HOSTNAME }}.cpu.percent-idle
cpu,{{ HOSTNAME }}.cpu.percent-interrupt
cpu,{{ HOSTNAME }}.cpu.percent-nice
cpu,{{ HOSTNAME }}.cpu.percent-softirq
cpu,{{ HOSTNAME }}.cpu.percent-steal
cpu,{{ HOSTNAME }}.cpu.percent-system
cpu,{{ HOSTNAME }}.cpu.percent-user
cpu,{{ HOSTNAME }}.cpu.percent-wait
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-Critical
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-Degraded
curl json,{{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Entity-Gist-Healthy
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Catastrophic
curl\_json, \{\{\ HOSTNAME\ \}\}. curl\_json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Critical and the surface of 
curl json,{{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Grave
curl json,{{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Info
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Notice
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Serious
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Gist-PlacerEvaluation-Warning
curl json,{{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Entity-Gist-Reweighted
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-Critical
\verb|curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-Degraded | Continuous | Con
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-Healthy
curl json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Catastrophic
\verb|curl_json,{{ HOSTNAME }}|. \verb|curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Critical| | Continuous and Continuous 
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Grave
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Info
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Notice
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Serious
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-PlacerEvaluation-Warning
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Entity-Network-Reweighted
curl json, {{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Fleet-Online
\verb|curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Fleet-Unavailable|| | Curl_json, | Curl_json-spokes-sweeper.gauge-spokes-Fleet-Unavailable|| | Curl_json, | Curl_json-spokes-sweeper.gauge-spokes-Fleet-Unavailable|| | Curl_json-spokes-sweeper.gauge-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spokes-spoke
\verb|curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Gist-Global-Creating|} \\
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Gist-Global-Destroying
curl json, {{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Gist-Global-Dormant
\verb|curl_json,{{ HOSTNAME }}|. \verb|curl_json-spokes-sweeper.gauge-spokes-Replica-Gist-Global-Failed|| | Constant of the context 
\verb|curl_json,{{ HOSTNAME }}|. \verb|curl_json-spokes-sweeper.gauge-spokes-Replica-Gist-Global-Repairing|}| \\
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Network-Global-Creating
curl json, {{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Replica-Network-Global-Destroying
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Network-Global-Dormant
curl json, {{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-Replica-Network-Global-Failed
curl_json,{{ HOSTNAME }}.curl_json-spokes-sweeper.gauge-spokes-Replica-Network-Global-Repairing
curl json,{{ HOSTNAME }}.curl json-spokes-sweeper.gauge-spokes-ReportLock
df,{{ HOSTNAME }}.df-data-user.df_complex-free
df,{{ HOSTNAME }}.df-data-user.df complex-reserved
df,{{ HOSTNAME }}.df-data-user.df complex-used
df,{{ HOSTNAME }}.df-dev-shm.df complex-free
\label{lem:df_dev-shm.df_complex-reserved} $$ df,{{ HOSTNAME }}.df-dev-shm.df_complex-reserved $$ $$
df,{{ HOSTNAME }}.df-dev-shm.df complex-used
df,{{ HOSTNAME }}.df-dev.df_complex-free
df,{{ HOSTNAME }}.df-dev.df_complex-reserved
df,{{ HOSTNAME }}.df-dev.df_complex-used
df,{{ HOSTNAME }}.df-root.df_complex-free
df,{{ HOSTNAME }}.df-root.df complex-reserved
df,{{ HOSTNAME }}.df-root.df_complex-used
\label{eq:df_df_df_df_df_df_df} $$ df_{-}(HOSTNAME)$ . df_{-}(IRC) $$ df_{-}(IR
df,{{ HOSTNAME }}.df-run-lock.df_complex-reserved
df,{{ HOSTNAME }}.df-run-lock.df complex-used
df,{{ HOSTNAME }}.df-run-user-501.df complex-free
df,{{ HOSTNAME }}.df-run-user-501.df_complex-reserved
df,{{ HOSTNAME }}.df-run-user-501.df complex-used
df,{{ HOSTNAME }}.df-run.df complex-free
df,{{ HOSTNAME }}.df-run.df_complex-reserved
\tt df, \{\{\ HOSTNAME\ \}\}.df-run.df\_complex-used
df,{{ HOSTNAME }}.df-sys-fs-cgroup.df_complex-free
df,{{ HOSTNAME }}.df-sys-fs-cgroup.df_complex-reserved
df,{{ HOSTNAME }}.df-sys-fs-cgroup.df_complex-used
disk,{{ HOSTNAME }}.disk-{{ DISK_NAME }}.disk_io_time
disk,{{ HOSTNAME }}.disk-{{ DISK_NAME }}.disk_octets
disk,{{ HOSTNAME }}.disk-{{ DISK NAME }}.disk ops
disk,{{ HOSTNAME }}.disk-{{ DISK_NAME }}.disk_time
disk,{{ HOSTNAME }}.disk-{{ DISK NAME }}.pending operations
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-indices cache field size
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-indices merges current-size
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. by tes-indices\_merges\_total-size
elastics earch, \{\{\ HOSTNAME\ \}\}. elastics earch-github-enterprise. by tes-indices\_store\_size
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-jvm mem heap-committed
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-jvm mem heap-used
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-jvm_mem_non-heap-committed
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. by tes-jvm\_mem\_non-heap-used
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-transport_rx_size
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.bytes-transport tx size
```

Plugin, Metric

```
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-http_total open
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices cache field eviction
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_docs_deleted
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_flush_time
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices flush total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices get exists-time
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. counter-indices\_get\_exists-total and the search of the sea
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices get missing-time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices get missing-total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_get_time
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_get_total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_indexing_delete-time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices indexing delete-total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices indexing index-time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_indexing_index-total
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_merges_time
elasticsearch, {{ HOSTNAME }}.elasticsearch-qithub-enterprise.counter-indices merges total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices refresh time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices refresh total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_search_fetch-time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices search fetch-total
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_search_query-time
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices search query-total
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-indices_store_throttle-time
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-jvm gc count
elasticsearch, \{\{\ HOSTNAME\ \}\}. elasticsearch-github-enterprise.counter-jvm\_gc\_old-counter-grade and the second of the second
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-jvm gc old-time
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise.counter-jvm\_gc\_time
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool bulk completed
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_bulk_rejected
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool flush completed
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_flush_rejected
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool generic completed
elastics earch, \{\{\ HOSTNAME\ \}\}. elastics earch-github-enterprise. counter-thread\_pool\_generic\_rejected. A part of the property of the prop
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool get completed
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool get rejected
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool index completed
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. counter-thread\_pool\_index\_rejected
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_refresh_completed
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool refresh rejected
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_search_completed
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. counter-thread\_pool\_search\_rejected
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool snapshot completed
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_snapshot_rejected
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread pool warmer completed
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-thread_pool_warmer_rejected
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.counter-transport rx count
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.counter-transport tx count
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-http current_open
elastics earch, \{\{\ HOSTNAME\ \}\}. elastics earch-github-enterprise. gauge-indices\_docs\_count
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices get current
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices indexing delete-current
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices_indexing_index-current
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. gauge-indices\_merges\_current and the search of the search 
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices merges current-docs
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices merges total-docs
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices_search_fetch-current
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. gauge-indices\_search\_open-contexts
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-indices search query-current
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-jvm threads count
elastic search, \verb|\{{ HOSTNAME }|\}. elastic search-github-enterprise.gauge-jvm_threads\_peak||} \\
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-process_open_file_descriptors
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_bulk_active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool bulk largest
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool bulk queue
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise.gauge-thread\_pool\_bulk\_threads
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_flush_active
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool flush largest
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_flush_queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool flush threads
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_generic_active
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool generic largest
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool generic queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool generic threads
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool get active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool get largest
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_get_queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool get threads
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool index active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool index largest
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise. gauge-thread\_pool\_index\_queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool index threads
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_refresh_active
```

```
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool refresh largest
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool refresh queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_refresh_threads
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_search_active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool search largest
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool search queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_search_threads
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_snapshot_active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool snapshot largest
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_snapshot_queue
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool snapshot threads
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_warmer_active
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread pool warmer largest
elastic search, \{\{\ HOSTNAME\ \}\}. elastic search-github-enterprise.gauge-thread\_pool\_warmer\_queue
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-thread_pool_warmer_threads
elasticsearch,{{ HOSTNAME }}.elasticsearch-github-enterprise.gauge-transport_server_open
elasticsearch, {{ HOSTNAME }}.elasticsearch-github-enterprise.percent-jvm mem heap-used-percent
fhcount,{{ HOSTNAME }}.fhcount.file handles-max
fhcount,{{ HOSTNAME }}.fhcount.file handles-unused
fhcount,{{ HOSTNAME }}.fhcount.file_handles-used
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.counter-session total
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-denied_request
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-response 1xx
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-response_4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.derive-response 5xx
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.gauge-queue current
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.gauge-queue_max
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-403backend.gauge-session_max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-403backend.gauge-session\_rate
haproxy, {{ HOSTNAME }}.haproxy-backend-403backend.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.counter-check_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too long.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too long.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-denied_response
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too_long.derive-error_response
haproxy, {{ HOSTNAME }}. haproxy-backend-414url too long.derive-redistributed
haproxy, {{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-response_1xx haproxy, {{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-response_2xx
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-response_4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-414url_too_long.derive-response_5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too long.derive-response other
haproxy, {{ HOSTNAME }}. haproxy-backend-414url too long.gauge-gueue current
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too long.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.gauge-session limit
haproxy, {{ HOSTNAME }}.haproxy-backend-414url too long.gauge-session max
haproxy, {{ HOSTNAME }}. haproxy-backend-414url too long.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-414url too long.gauge-session rate max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-actions\_mps.counter-check\_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.counter-session_total
haproxy, {{ HOSTNAME }}.haproxy-backend-actions mps.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.derive-denied_request
haproxy, {{ HOSTNAME }}.haproxy-backend-actions mps.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-actions mps.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.derive-response_1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.derive-response 3xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-actions\_mps.derive-response\_4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_mps.derive-response_other
```

```
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.gauge-queue current
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.gauge-queue max
haproxy, {{ HOSTNAME }}.haproxy-backend-actions_mps.gauge-session_current haproxy, {{ HOSTNAME }}.haproxy-backend-actions_mps.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-actions mps.gauge-session rate
haproxy, {{ HOSTNAME }}. haproxy-backend-actions mps.gauge-session rate max
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.counter-check transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.counter-downtime
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-actions\_token.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_token.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_token.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-backend-actions token.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-actions token.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.derive-error connection
haproxy, {{ HOSTNAME }}. haproxy-backend-actions token.derive-error response
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-actions token.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_token.derive-response_2xx
haproxy, {{ HOSTNAME }}. haproxy-backend-actions token.derive-response 3xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-actions\_token.derive-response\_4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-actions token.derive-response 5xx
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.derive-response other
haproxy, {{ HOSTNAME }}. haproxy-backend-actions token.gauge-queue current
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_token.gauge-queue_max
haproxy, {{ HOSTNAME }}. haproxy-backend-actions token.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-actions token.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-actions_token.gauge-session_rate
haproxy, {{ HOSTNAME }}.haproxy-backend-actions token.gauge-session_rate_max
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.counter-session total
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-error_response
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-alambic.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-response 1xx
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.derive-response other
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.gauge-queue current
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.gauge-queue_max
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-alambic.gauge-session_max
haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.gauge-session_rate haproxy, {{ HOSTNAME }}.haproxy-backend-alambic.gauge-session_rate_max
haproxy, {{ HOSTNAME }}.haproxy-backend-alive.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-denied_response
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-error_response
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-redistributed
haproxy, {{ HOSTNAME }}.haproxy-backend-alive.derive-response_1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-response_3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-alive.derive-response_4xx haproxy, {{ HOSTNAME }}.haproxy-backend-alive.derive-response_5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.derive-response other
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.gauge-queue current
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.gauge-gueue max
haproxy, {{ HOSTNAME }}.haproxy-backend-alive.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.gauge-session_max
haproxy, {{ HOSTNAME }}.haproxy-backend-alive.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-backend-alive.gauge-session rate max
haproxy, {{ HOSTNAME }}. haproxy-backend-babeld git.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_git.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.counter-retries
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld git.counter-session total
```

```
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld git.derive-bytes out
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_git.derive-denied_request haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_git.derive-denied_response
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.derive-error_connection
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.derive-redistributed
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_git.gauge-queue_current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_git.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_git.gauge-session_limit
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_git.gauge-session_max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld git.gauge-session rate max
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld http.counter-check transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld http.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-denied request
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_http.derive-denied_response
haproxy, {{ HOSTNAME }}. haproxy-backend-babeld http.derive-error connection
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld http.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-redistributed
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-babeld\_http.derive-response\_1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_http.derive-response_5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.derive-response other
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.gauge-gueue current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_http.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.gauge-session limit
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld http.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld http.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_http.gauge-session_rate_max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_ssh.counter-retries
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-babeld\_ssh.counter-session\_total
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-bytes out
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_ssh.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_ssh.gauge-queue_current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.gauge-queue max
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld ssh.gauge-session limit
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_ssh.gauge-session_max haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_ssh.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld ssh.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.counter-check_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.derive-bytes_in
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.derive-bytes out
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld_svn.derive-denied_request
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.derive-response_3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-gueue current
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld_svn.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-session max
haproxy, {{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-babeld svn.gauge-session rate max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-codeload.counter-check\_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.counter-retries
```

```
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-denied_request
haproxy, {{ HOSTNAME }}.haproxy-backend-codeload.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-response_3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-codeload.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-codeload.gauge-queue current
haproxy, {{ HOSTNAME }}.haproxy-backend-codeload.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-codeload.gauge-session rate max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-dumbhttp.counter-check\_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.counter-retries
haproxy, {{ HOSTNAME }}.haproxy-backend-dumbhttp.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-denied request
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-error_response
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response_3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.derive-response other
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-queue_current
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-queue max
haproxy, {{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-session limit
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-dumbhttp.gauge-session\_max
haproxy, {{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-session rate
haproxy.{{ HOSTNAME }}.haproxy-backend-dumbhttp.gauge-session rate max
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise manage.counter-check transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.counter-retries
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise_manage.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-denied response
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-error connection
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise_manage.derive-error_response haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise_manage.derive-redistributed
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise_manage.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-response 4xx
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.derive-response other
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise_manage.gauge-queue_current
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.qauqe-session current
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-enterprise\_manage.gauge-session\_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.gauge-session max
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise_manage_backup.counter-check_transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.counter-downtime
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.counter-retries
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise manage backup.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-bytes out
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise_manage_backup.derive-error_connection
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-error response
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise manage backup.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-response 1xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-enterprise\_manage\_backup. derive-response\_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-response 3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-response 4xx
```

```
haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.gauge-queue_current haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise_manage_backup.gauge-queue_max
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise manage backup.gauge-session current
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise manage backup.gauge-session limit
haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise_manage_backup.gauge-session_max haproxy, {{ HOSTNAME }}. haproxy-backend-enterprise_manage_backup.gauge-session_rate
haproxy, {{ HOSTNAME }}.haproxy-backend-enterprise manage backup.gauge-session rate max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-ghes\_manage.counter-check\_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes_manage.counter-downtime
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes_manage.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes_manage.derive-bytes_in
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.derive-bytes out
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.derive-error response
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes_manage.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes_manage.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.derive-response 3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.derive-response 5xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-ghes\_manage.derive-response\_other
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-queue current
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes_manage.gauge-session_limit
haproxy, {{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-ghes manage.gauge-session_rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.counter-check_transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.counter-downtime
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs server.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs_server.derive-denied_response
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-lfs\_server. derive-error\_connection
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs server.derive-error response
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs_server.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.derive-response_lxx
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.derive-response 5xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-lfs\_server.derive-response\_other
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs server.gauge-queue current
haproxy, {{ HOSTNAME }}.haproxy-backend-lfs server.gauge-gueue max
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.gauge-session_max
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs server.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-lfs_server.gauge-session_rate_max
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.counter-downtime
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.counter-session total
haproxy, {{ HOSTNAME }}.haproxy-backend-pages_lua.derive-bytes_in haproxy, {{ HOSTNAME }}.haproxy-backend-pages_lua.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.derive-denied request
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.derive-error_connection
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.derive-error_response
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.derive-response_1xx
haproxy, {{ HOSTNAME }}.haproxy-backend-pages_lua.derive-response_2xx haproxy, {{ HOSTNAME }}.haproxy-backend-pages_lua.derive-response_3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.derive-response_other
haproxy, {{ HOSTNAME }}.haproxy-backend-pages lua.gauge-queue current
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-pages lua.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-backend-pages_lua.gauge-session_rate_max
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.counter-check transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-static_maintenance.counter-downtime
```

haproxy,{{ HOSTNAME }}.haproxy-backend-enterprise manage backup.derive-response 5xx

```
haproxy,{{ HOSTNAME }}.haproxy-backend-static maintenance.counter-retries
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.counter-session total
haproxy, {{ HOSTNAME }}.haproxy-backend-static_maintenance.derive-bytes_in haproxy, {{ HOSTNAME }}.haproxy-backend-static_maintenance.derive-bytes_out
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.derive-denied response
haproxy, {{ HOSTNAME }}. haproxy-backend-static maintenance.derive-error connection
haproxy,{{ HOSTNAME }}.haproxy-backend-static_maintenance.derive-error_response
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.derive-redistributed
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-static\_maintenance.derive-response\_1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-static_maintenance.derive-response_2xx
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-static maintenance.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-static maintenance.derive-response 5xx
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-gueue current
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-session current
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-session limit
haproxy, {{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-static maintenance.gauge-session rate
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-static\_maintenance.gauge-session\_rate\_max
haproxy, {{ HOSTNAME }}.haproxy-backend-stats.counter-check transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-stats.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-denied request
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-error_connection
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-error_response
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-response 3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-stats.derive-response 4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.derive-response_other
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-queue current
haproxy, {{ HOSTNAME }}.haproxy-backend-stats.gauge-queue max
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-backend-stats.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-status.counter-check transitions
haproxy,{{ HOSTNAME }}.haproxy-backend-status.counter-retries
haproxy,{{ HOSTNAME }}.haproxy-backend-status.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-denied request
haproxy, {{ HOSTNAME }}.haproxy-backend-status.derive-denied response
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-status.derive-error\_connection
haproxy, {{ HOSTNAME }}.haproxy-backend-status.derive-error_response haproxy, {{ HOSTNAME }}.haproxy-backend-status.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response 1xx
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response 3xx
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response_4xx
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response 5xx
haproxy,{{ HOSTNAME }}.haproxy-backend-status.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-status.gauge-queue_current haproxy, {{ HOSTNAME }}.haproxy-backend-status.gauge-queue_max
haproxy,{{ HOSTNAME }}.haproxy-backend-status.gauge-session current
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-status.gauge-session\_limit
haproxy,{{ HOSTNAME }}.haproxy-backend-status.gauge-session_max
haproxy,{{ HOSTNAME }}.haproxy-backend-status.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-backend-status.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-backend-web_unicorns.counter-check_transitions
haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.counter-downtime haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.counter-retries
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.derive-bytes in
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-backend-web_unicorns.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-backend-web_unicorns.derive-error_connection
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.derive-error_response
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.derive-redistributed
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.derive-response 1xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-backend-web\_unicorns. derive-response\_2xx
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.derive-response 3xx
haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.derive-response_4xx
```

```
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.derive-response 5xx
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.gauge-queue_current haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.gauge-queue_max
haproxy,{{ HOSTNAME }}.haproxy-backend-web_unicorns.gauge-session_current
haproxy, {{ HOSTNAME }}.haproxy-backend-web unicorns.gauge-session limit
haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.gauge-session_max haproxy, {{ HOSTNAME }}.haproxy-backend-web_unicorns.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-backend-web unicorns.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.derive-bytes_in
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.derive-denied_request
haproxy, {{ HOSTNAME }}. haproxy-frontend-git protocol.derive-denied response
haproxy, {{ HOSTNAME }}. haproxy-frontend-qit protocol.derive-error request
haproxy, {{ HOSTNAME }}.haproxy-frontend-git_protocol.gauge-request_rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-git protocol.gauge-request rate max
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.gauge-session limit
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-git\_protocol.gauge-session\_max
haproxy,{{ HOSTNAME }}.haproxy-frontend-git protocol.gauge-session rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-git_protocol.gauge-session_rate_limit
haproxy, {{ HOSTNAME }}. haproxy-frontend-git protocol.gauge-session rate max
haproxy, {{ HOSTNAME }}.haproxy-frontend-http_protocol.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.derive-bytes_out
haproxy, {{ HOSTNAME }}. haproxy-frontend-http protocol.derive-denied request
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.derive-denied_response
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.derive-error request
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.derive-response_1xx
haproxy, {{ HOSTNAME }}. haproxy-frontend-http protocol.derive-response 2xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.derive-response_3xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.derive-response 4xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-http\_protocol.derive-response\_5xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-frontend-http protocol.gauge-request rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.gauge-request rate max
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.gauge-session_current
haproxy,{{ HOSTNAME }}.haproxy-frontend-http_protocol.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.gauge-session max
haproxy, {{ HOSTNAME }}.haproxy-frontend-http_protocol.gauge-session_rate
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-http\_protocol.gauge-session\_rate\_limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-http protocol.gauge-session rate max
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-denied_response
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-error_request
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-response_1xx
haproxy, {{ HOSTNAME }}.haproxy-frontend-https protocol.derive-response 2xx
haproxy, {{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-response_3xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.derive-response_4xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-https\_protocol.derive-response\_5xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-https protocol.derive-response other
haproxy, {{ HOSTNAME }}.haproxy-frontend-https protocol.gauge-request rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-https_protocol.gauge-request_rate_max
haproxy,{{ HOSTNAME }}.haproxy-frontend-https protocol.gauge-session_current
haproxy, {{ HOSTNAME }}. haproxy-frontend-https protocol.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-https protocol.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-frontend-https protocol.gauge-session_rate
haproxy, {{ HOSTNAME }}. haproxy-frontend-https protocol.gauge-session rate limit
haproxy, {{ HOSTNAME }}.haproxy-frontend-https protocol.gauge-session rate max
haproxy, {{ HOSTNAME }}. haproxy-frontend-ssh protocol.counter-session total
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh protocol.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh_protocol.derive-bytes_out
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh_protocol.derive-denied_request
haproxy, {{ HOSTNAME }}. haproxy-frontend-ssh protocol.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh_protocol.derive-error_request
haproxy, {{ HOSTNAME }}.haproxy-frontend-ssh_protocol.gauge-request_rate
haproxy, {{ HOSTNAME }}.haproxy-frontend-ssh_protocol.gauge-request_rate_max
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh protocol.gauge-session current
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh protocol.gauge-session limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh protocol.gauge-session max
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh_protocol.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh protocol.gauge-session rate limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-ssh_protocol.gauge-session_rate_max
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.counter-session_total
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-bytes in
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-bytes out
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-denied_request
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-denied response
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-error request
```

```
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-response_1xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-response_2xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-stats. derive-response\_3xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-response_4xx
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-stats. derive-response\_5xx
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.derive-response_other
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-request_rate_max
haproxy, \{\{\ HOSTNAME\ \}\}. haproxy-frontend-stats.gauge-session\_current
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-session_limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-session_max
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-session_rate
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-session rate limit
haproxy,{{ HOSTNAME }}.haproxy-frontend-stats.gauge-session_rate_max
listener,{{ HOSTNAME }}.listener-ernicorn.gauge-active
listener,{{ HOSTNAME }}.listener-ernicorn.gauge-queued
listener,{{ HOSTNAME }}.listener-gitauth.gauge-active
listener,{{ HOSTNAME }}.listener-gitauth.gauge-queued
listener,{{ HOSTNAME }}.listener-manage.gauge-active
listener,{{ HOSTNAME }}.listener-manage.gauge-queued
listener, {{ HOSTNAME }}.listener-unicorn.gauge-active
listener,{{ HOSTNAME }}.listener-unicorn.gauge-queued
load,{{ HOSTNAME }}.load.load
memcached,{{ HOSTNAME }}.memcached.connections-opened
memcached,{{ HOSTNAME }}.memcached.df-cache
memcached,{{ HOSTNAME }}.memcached_memcached_command-flush
memcached,{{ HOSTNAME }}.memcached.memcached command-get
memcached,{{ HOSTNAME }}.memcached.memcached_command-set
memcached,{{ HOSTNAME }}.memcached.memcached command-touch
memcached,{{ HOSTNAME }}.memcached.memcached_connections-current
memcached,{{ HOSTNAME }}.memcached.memcached items-current
memcached,{{ HOSTNAME }}.memcached.memcached_octets
memcached,{{ HOSTNAME }}.memcached.memcached ops-decr_hits
memcached,{{ HOSTNAME }}.memcached.memcached_ops-decr_misses
memcached,{{ HOSTNAME }}.memcached.memcached ops-delete hits
memcached,{{ HOSTNAME }}.memcached.memcached_ops-delete_misses
memcached,{{ HOSTNAME }}.memcached.memcached ops-evictions
memcached,{{ HOSTNAME }}.memcached.memcached_ops-hits
memcached,{{ HOSTNAME }}.memcached.memcached_ops-incr
{\tt memcached, \{\{\ HOSTNAME\ \}\}. memcached.memcached\_ops-incr\_hits}
memcached,{{ HOSTNAME }}.memcached.memcached_ops-incr_misses
{\tt memcached, \{\{\ HOSTNAME\ \}\}.memcached.memcached\_ops-misses}
memcached,{{ HOSTNAME }}.memcached.percent-hitratio
memcached,{{ HOSTNAME }}.memcached.percent-incr_hitratio
memcached,{{ HOSTNAME }}.memcached.ps count
memcached,{{ HOSTNAME }}.memcached.ps_cputime
memcached,{{ HOSTNAME }}.memcached.total_events-listen_disabled
memcached,{{ HOSTNAME }}.memcached.uptime
memory,{{ HOSTNAME }}.memory.memory-buffered
memory,{{ HOSTNAME }}.memory.memory-cached
memory,{{ HOSTNAME }}.memory.memory-free
memory,{{ HOSTNAME }}.memory.memory-slab_recl
memory,{{ HOSTNAME }}.memory.memory-slab_unrecl
{\tt memory,\{\{\ HOSTNAME\ \}\}.memory.memory.used}
minio,{{ HOSTNAME }}.minio.counter-go_gc_duration_seconds
minio,{{ HOSTNAME }}.minio.counter-go_memstats_alloc_bytes_total
minio,{{ HOSTNAME }}.minio.counter-go_memstats_frees_total
minio,{{ HOSTNAME }}.minio.counter-go_memstats_lookups_total
minio,{{ HOSTNAME }}.minio.counter-go_memstats_mallocs_total
minio,{{ HOSTNAME }}.minio.counter-internode_rx_bytes_total
minio,{{ HOSTNAME }}.minio.counter-internode tx bytes total
minio,{{ HOSTNAME }}.minio.counter-process_cpu_seconds_total
minio,{{ HOSTNAME }}.minio.counter-promhttp metric handler requests total code=200
minio, {{ HOSTNAME }}.minio.counter-promhttp metric handler requests total code=500
minio,{{ HOSTNAME }}.minio.counter-promhttp metric handler requests total code=503
minio,{{ HOSTNAME }}.minio.counter-s3_requests_current_api=listobjectsv2
minio,{{ HOSTNAME }}.minio.counter-s3_requests_current_api=putbucket
minio,{{ HOSTNAME }}.minio.counter-s3_requests_total_api=listobjectsv2
minio,{{ HOSTNAME }}.minio.counter-s3_requests_total_api=putbucket
minio,{{ HOSTNAME }}.minio.counter-s3_rx_bytes_total
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2
minio, {{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=listobjectsv2&le=0.05
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=0.1
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=0.25
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=0.5
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=listobjectsv2&le=1
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=10
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=2.5
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=listobjectsv2&le=5
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=putbucket&le=0.05
minio, {{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=0.1
minio,{{ HOSTNAME }}.minio.counter-s3_ttfb_seconds_api=putbucket&le=0.25
```

```
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=0.5
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=1
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=10
minio,{{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=2.5
minio, {{ HOSTNAME }}.minio.counter-s3 ttfb seconds api=putbucket&le=5
minio,{{ HOSTNAME }}.minio.counter-s3 tx bytes total
minio,{{ HOSTNAME }}.minio.gauge-bucket objects count bucket=turboscan
minio, {{ HOSTNAME }}. minio.gauge-bucket objects histogram bucket=turboscan&object size=BETWEEN 1024 B AND 1 MB
minio, {{ HOSTNAME }}. minio.gauge-bucket objects histogram bucket=turboscan&object size=BETWEEN 10 MB AND 64 MB
minio,{{ HOSTNAME }}.minio.gauge-bucket_objects_histogram_bucket=turboscan&object_size=BETWEEN_128_MB_AND_512_MB
minio,{{ HOSTNAME }}.minio.gauge-bucket objects histogram bucket=turboscan&object size=BETWEEN 1 MB AND 10 MB
minio, {{ HOSTNAME }}.minio.gauge-bucket_objects_histogram_bucket=turboscan&object_size=BETWEEN_64_MB_AND_128_MB
minio, {{ HOSTNAME }}. minio.gauge-bucket objects histogram bucket=turboscan&object size=GREATER THAN 512 MB
minio,{{ HOSTNAME }}.minio.gauge-bucket objects histogram bucket=turboscan&object size=LESS THAN 1024 B
minio, {{ HOSTNAME }}.minio.gauge-bucket replication failed count bucket=turboscan
minio, {{ HOSTNAME }}.minio.gauge-bucket replication failed size bucket=turboscan
minio,{{ HOSTNAME }}.minio.qauge-bucket replication pending count bucket=turboscan
minio,{{ HOSTNAME }}.minio.gauge-bucket replication pending size bucket=turboscan
minio, {{ HOSTNAME }}.minio.gauge-bucket replication received size bucket=turboscan
minio,{{ HOSTNAME }}.minio.gauge-bucket_replication_successful_size_bucket=turboscan
minio,{{ HOSTNAME }}.minio.gauge-bucket usage size bucket=turboscan
minio,{{ HOSTNAME }}.minio.gauge-disk_storage_available_disk=_data
minio,{{ HOSTNAME }}.minio.gauge-disk storage total disk= data
minio,{{ HOSTNAME }}.minio.gauge-disk storage used disk= data
minio,{{ HOSTNAME }}.minio.gauge-go gc duration seconds&quantile=0
minio,{{ HOSTNAME }}.minio.gauge-go_gc_duration_seconds&quantile=0.25
minio,{{ HOSTNAME }}.minio.gauge-go gc duration seconds&quantile=0.5
minio,{{ HOSTNAME }}.minio.gauge-go gc duration seconds&quantile=1
minio,{{ HOSTNAME }}.minio.gauge-go_gc_duration_seconds&sum
minio,{{ HOSTNAME }}.minio.gauge-go_goroutines
minio,{{ HOSTNAME }}.minio.gauge-go_info_version=go1.16.3
minio,{{ HOSTNAME }}.minio.gauge-go memstats alloc bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats buck hash sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats gc cpu fraction
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_gc_sys_bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats heap alloc bytes
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_heap_idle_bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats heap inuse bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats_heap_objects
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_heap_released_bytes
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_heap_sys_bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats last gc time seconds
minio,{{ HOSTNAME }}.minio.gauge-go memstats mcache inuse bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats mcache sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats mspan inuse bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats mspan sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_next_gc_bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats other sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go_memstats_stack_inuse_bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats stack sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go memstats sys bytes
minio,{{ HOSTNAME }}.minio.gauge-go threads
minio,{{ HOSTNAME }}.minio.gauge-minio capacity raw free total
minio,{{ HOSTNAME }}.minio.gauge-minio capacity raw total
minio,{{ HOSTNAME }}.minio.gauge-minio capacity usable free total
minio,{{ HOSTNAME }}.minio.gauge-minio_capacity_usable_total
minio,{{ HOSTNAME }}.minio.gauge-minio disks offline
minio,{{ HOSTNAME }}.minio.gauge-minio disks_total
minio,{{ HOSTNAME }}.minio.gauge-minio nodes offline
minio,{{ HOSTNAME }}.minio.gauge-minio nodes online
minio, {{ HOSTNAME }}, minio.gauge-minio version info commit=a7acfa6158ea53c7a38f2034d85fbb8c8111e08a&version=2021-04-
22T15:44:287
minio,{{ HOSTNAME }}.minio.gauge-process max fds
minio,{{ HOSTNAME }}.minio.gauge-process open fds
minio,{{ HOSTNAME }}.minio.gauge-process resident memory bytes
minio,{{ HOSTNAME }}.minio.gauge-process_start_time_seconds
minio,{{ HOSTNAME }}.minio.gauge-process virtual memory bytes
minio,{{ HOSTNAME }}.minio.gauge-process_virtual_memory_max_bytes
minio, {{ HOSTNAME }}.minio.gauge-promhttp metric handler requests in flight
minio,{{ HOSTNAME }}.minio.gauge-s3_ttfb_seconds_api=listobjectsv2&sum
minio,{{ HOSTNAME }}.minio.gauge-s3 ttfb seconds api=putbucket&sum
mysql,{{ HOSTNAME }}.mysql-github.bytes-buffer_pool_size
mysql,{{ HOSTNAME }}.mysql-qithub.bytes-ibuf size
mysql,{{ HOSTNAME }}.mysql-github.gauge-file num open files
mysql,{{ HOSTNAME }}.mysql-github.gauge-innodb activity count
mysql,{{ HOSTNAME }}.mysql-github.gauge-trx_rseg_history_len
mysql,{{ HOSTNAME }}.mysql-github.mysql bpool bytes-data
mysql,{{ HOSTNAME }}.mysql-github.mysql bpool bytes-dirty
mysql,{{ HOSTNAME }}.mysql-github.mysql bpool counters-pages flushed
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_counters-read_ahead
mysql,{{ HOSTNAME }}.mysql-github.mysql bpool counters-read ahead evicted
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_counters-read_ahead_rnd
```

```
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_counters-read_requests
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_counters-reads
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github. mysql\_bpool\_counters-wait\_free
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_counters-write_requests
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_pages-data
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_pages-dirty
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_pages-free
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_pages-misc
mysql,{{ HOSTNAME }}.mysql-github.mysql_bpool_pages-total
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github. mysql\_commands-admin\_commands
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-alter_table
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-begin
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-call_procedure
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-change db
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-commit
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-create db
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-create procedure
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-create_table
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-create_user
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-delete
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-drop_procedure
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-drop_table
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-drop_user
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-execute_sql
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-flush
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-grant
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-insert
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-insert_select
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-lock tables
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-prepare_sql
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-reset
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-rollback
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-select
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-set_option
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-show_create_table
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-show_fields
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-show replica status
mysql, \{\{\ HOSTNAME\ \}\}. mysql\_github.mysql\_commands-show\_slave\_status
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-show_status
\verb|mysql,{{ HOSTNAME }}|.mysql-github.mysql_commands-show_storage\_engines||}
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-show_table_status
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github.mysql\_commands-show\_tables
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-show triggers
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-show_variables
mysql,{{ HOSTNAME }}.mysql-github.mysql commands-show warnings
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github. mysql\_commands-unlock\_tables
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-update
mysql,{{ HOSTNAME }}.mysql-github.mysql_commands-update_multi
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-commit
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-delete
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-external_lock
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-prepare
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_first
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_key
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_last
mysql,{{ HOSTNAME }}.mysql-github.mysql handler-read next
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_prev
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_rnd
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-read_rnd_next
mysql,{{ HOSTNAME }}.mysql-github.mysql handler-rollback
mysql,{{ HOSTNAME }}.mysql-github.mysql handler-update
mysql,{{ HOSTNAME }}.mysql-github.mysql_handler-write
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb data-fsyncs
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb data-read
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb data-reads
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_data-writes
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_data-written
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_dblwr-writes
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_dblwr-written
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_log-fsyncs
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_log-waits
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb log-write requests
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb log-writes
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_log-written
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_pages-created
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_pages-read
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_pages-written
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_row_lock-time
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_row_lock-waits
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_rows-deleted
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_rows-inserted
mysql,{{ HOSTNAME }}.mysql-github.mysql innodb rows-read
mysql,{{ HOSTNAME }}.mysql-github.mysql_innodb_rows-updated
```

```
mysql,{{ HOSTNAME }}.mysql-github.mysql_locks-immediate
mysql,{{ HOSTNAME }}.mysql-github.mysql locks-lock deadlocks
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github. mysql\_locks-lock\_row\_lock\_current\_waits
mysql,{{ HOSTNAME }}.mysql-github.mysql_locks-lock_timeouts
mysql,{{ HOSTNAME }}.mysql-github.mysql locks-waited
mysql,{{ HOSTNAME }}.mysql-github.mysql octets
mysql,{{ HOSTNAME }}.mysql-github.mysql_select-full_join
mysql,{{ HOSTNAME }}.mysql-github.mysql select-full range join
mysql,{{ HOSTNAME }}.mysql-github.mysql_select-range
mysql,{{ HOSTNAME }}.mysql-github.mysql_select-range_check
mysql,{{ HOSTNAME }}.mysql-github.mysql_select-scan
mysql,{{ HOSTNAME }}.mysql-github.mysql_slow_queries
mysql,{{ HOSTNAME }}.mysql-github.mysql sort-range
mysql,{{ HOSTNAME }}.mysql-github.mysql sort-scan
mysql,{{ HOSTNAME }}.mysql-github.mysql_sort_merge_passes
mysql,{{ HOSTNAME }}.mysql-github.mysql sort rows
mysql,{{ HOSTNAME }}.mysql-github.operations-adaptive hash searches
mysql,{{ HOSTNAME }}.mysql-github.operations-dml_deletes
mysql,{{ HOSTNAME }}.mysql-github.operations-dml_inserts
mysql,{{ HOSTNAME }}.mysql-github.operations-dml_updates
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf merges delete
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf_merges_delete_mark
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf merges discard delete
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf_merges_discard_delete_mark
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf merges discard insert
mysql,{{ HOSTNAME }}.mysql-github.operations-ibuf_merges_insert
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb rwlock s os waits
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb_rwlock_s_spin_rounds
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb rwlock s spin waits
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb_rwlock_x_os_waits
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb rwlock x spin rounds
mysql,{{ HOSTNAME }}.mysql-github.operations-innodb rwlock x spin waits
mysql,{{ HOSTNAME }}.mysql-github.operations-os log bytes written
mysql, \{\{\ HOSTNAME\ \}\}. mysql-github.operations-os\_log\_pending\_fsyncs
mysql,{{ HOSTNAME }}.mysql-github.operations-os log pending writes
mysql,{{ HOSTNAME }}.mysql-github.threads-cached
mysql,{{ HOSTNAME }}.mysql-github.threads-connected
{\it mysql, \{\{\ HOSTNAME\ \}\}. mysql-github.threads-running}
mysql,{{ HOSTNAME }}.mysql-github.total_threads-created
mysql,{{ HOSTNAME }}.mysql-github.uptime
netlink,{{ HOSTNAME }}.netlink-tun0.if_collisions
netlink,{{ HOSTNAME }}.netlink-tun0.if_dropped
netlink,{{ HOSTNAME }}.netlink-tun0.if errors
netlink,{{ HOSTNAME }}.netlink-tun0.if multicast
netlink,{{ HOSTNAME }}.netlink-tun0.if octets
netlink,{{ HOSTNAME }}.netlink-tun0.if_packets
netlink,{{ HOSTNAME }}.netlink-tun0.if_rx errors-crc
netlink,{{ HOSTNAME }}.netlink-tun0.if rx errors-fifo
netlink,{{ HOSTNAME }}.netlink-tun0.if rx errors-frame
netlink,{{ HOSTNAME }}.netlink-tun0.if_rx_errors-length
netlink,{{ HOSTNAME }}.netlink-tun0.if rx errors-missed
netlink,{{ HOSTNAME }}.netlink-tun0.if rx errors-over
netlink,{{ HOSTNAME }}.netlink-tun0.if rx nohandler
netlink,{{ HOSTNAME }}.netlink-tun0.if_tx_errors-aborted
netlink,{{ HOSTNAME }}.netlink-tun0.if tx errors-carrier
netlink,{{ HOSTNAME }}.netlink-tun0.if tx errors-fifo
netlink,{{ HOSTNAME }}.netlink-tun0.if_tx_errors-heartbeat
netlink,{{ HOSTNAME }}.netlink-tun0.if_tx_errors-window
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_collisions
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if dropped
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_errors
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_multicast
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_octets
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if packets
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_errors-crc
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_errors-fifo
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_errors-frame
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if rx errors-length
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_errors-missed
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_errors-over
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_rx_nohandler
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if tx dropped-class-mq-0:1
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_dropped-class-mq-0:2
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_dropped-class-mq-0:3
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_dropped-class-mq-0:4
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if tx dropped-class-mq-0:5
netlink, \{\{\ HOSTNAME\ \}\}.netlink-\{\{\ INTERFACE\ \}\}.if\_tx\_dropped-class-mq-0:6
netlink, \{\{\ HOSTNAME\ \}\}.netlink-\{\{\ INTERFACE\ \}\}.if\_tx\_dropped-class-mq-0:7, netlink, \{\{\ HOSTNAME\ \}\}.netlink-\{\{\ INTERFACE\ \}\}.if\_tx\_dropped-class-mq-0:8, netlink-\{\{\ INTERFACE\ \}\}.if\_tx\_dropped-class-mq
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if tx dropped-qdisc-fq codel-0:0
netlink, \{\{\ HOSTNAME\ \}\}.netlink-\{\{\ INTERFACE\ \}\}.if\_tx\_dropped-qdisc-mq-0:0\}
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if tx errors-aborted
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_errors-carrier
```

```
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if tx errors-fifo
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_errors-heartbeat
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.if_tx_errors-window
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:1
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:2
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:3
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:4
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:5
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:6
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:7
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-class-mq-0:8
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-qdisc-fq_codel-0:0
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_bytes-qdisc-mq-0:0
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:1
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:2
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:3
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt packets-class-mg-0:4
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:5
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:6
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-class-mq-0:7
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt packets-class-mq-0:8
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-qdisc-fq_codel-0:0
netlink,{{ HOSTNAME }}.netlink-{{ INTERFACE }}.ipt_packets-qdisc-mq-0:0
nginx,{{ HOSTNAME }}.nginx.connections-accepted
nginx,{{ HOSTNAME }}.nginx.connections-failed
nginx,{{ HOSTNAME }}.nginx.connections-handled
nginx,{{ HOSTNAME }}.nginx.nginx connections-active
nginx,{{ HOSTNAME }}.nginx.nginx_connections-reading
nginx,{{ HOSTNAME }}.nginx.nginx_connections-waiting
nginx,{{ HOSTNAME }}.nginx.nginx_connections-writing
nginx,{{ HOSTNAME }}.nginx.nginx_requests
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD_JOB }}[0]_cpustats_percent
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD JOB }}[0] cpustats throttledperiods
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD_JOB }}[0]_cpustats_throttledtime
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD_JOB }}[0]_memorystats_cache
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD_JOB }}[0]_memorystats_maxusage
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD JOB }}[0] memorystats rss
nomad, \{\{\ HOSTNAME\ \}\}. nomad.gauge-\{\{\ NOMAD\_JOB\ \}\}[0]\_memorystats\_swap
nomad,{{ HOSTNAME }}.nomad.gauge-{{ NOMAD_JOB }}[0]_memorystats_usage
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.disk_octets
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.io_octets
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.io_ops
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_code
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_count
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps cputime
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_data
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_pagefaults
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_rss
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_stacksize
processes,{{ HOSTNAME }}.processes-{{ PROCESS }}.ps_vm
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-ActiveOpens
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-AttemptFails
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-CurrEstab
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-EstabResets
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-InCsumErrors
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-InErrs
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-InSegs
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-MaxConn
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol counter-OutRsts
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol counter-OutSegs
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-PassiveOpens
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-RetransSegs
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol counter-RtoAlgorithm
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol counter-RtoMax
protocols,{{ HOSTNAME }}.protocols-Tcp.protocol_counter-RtoMin
protocols,{{ HOSTNAME }}.protocols-TcpExt.protocol_counter-ListenDrops
protocols,{{ HOSTNAME }}.protocols-TcpExt.protocol_counter-ListenOverflows
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-IgnoredMulti
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-InCsumErrors
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-InDatagrams
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-InErrors
protocols,{{ HOSTNAME }}.protocols-Udp.protocol counter-NoPorts
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-OutDatagrams
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-RcvbufErrors
protocols,{{ HOSTNAME }}.protocols-Udp.protocol_counter-SndbufErrors
redis,{{ HOSTNAME }}.redis-github.blocked clients
redis,{{ HOSTNAME }}.redis-github.cache_result-hits
redis,{{ HOSTNAME }}.redis-github.cache result-misses
redis,{{ HOSTNAME }}.redis-github.current_connections-clients
redis,{{ HOSTNAME }}.redis-github.current_connections-slaves
redis,{{ HOSTNAME }}.redis-github.evicted_keys
redis,{{ HOSTNAME }}.redis-github.expired keys
redis,{{ HOSTNAME }}.redis-github.memory
```

```
redis,{{ HOSTNAME }}.redis-github.memory_lua
redis,{{ HOSTNAME }}.redis-github.percent-hitratio
redis,{{ HOSTNAME }}.redis-github.ps_cputime-children
redis,{{ HOSTNAME }}.redis-github.ps_cputime-daemon
redis,{{ HOSTNAME }}.redis-github.pubsub-channels
redis,{{ HOSTNAME }}.redis-github.pubsub-patterns
redis, \{\{\ HOSTNAME\ \}\}. redis-github.records-0
redis,{{ HOSTNAME }}.redis-github.records-1
redis,{{ HOSTNAME }}.redis-github.records-2
redis,{{ HOSTNAME }}.redis-github.records-5
redis,{{ HOSTNAME }}.redis-github.total_bytes-input
redis,{{ HOSTNAME }}.redis-github.total_bytes-output
redis,{{ HOSTNAME }}.redis-github.total connections
redis,{{ HOSTNAME }}.redis-github.total operations
\verb"redis,{{ HOSTNAME }}.redis-github.uptime"
redis,{{ HOSTNAME }}.redis-github.volatile changes
statsd,{{ HOSTNAME }}.statsd.derive-alive.router.kafka.request.pending
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.advanced_security.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.advanced_security.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.archive_restore.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.archive_restore.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.audit logs.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.audit_logs.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.background destroy.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.background_destroy.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.calculate_topic_applied_counts.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.calculate_topic_applied_counts.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.checks_delete_archived.aqueduct_api_v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.checks_delete_archived.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.checks_rollup_archive.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.checks_rollup_archive.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.clean_up_deleted_teams.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.clean_up_deleted_teams.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.code scanning.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.code scanning.aqueduct_api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.collect metrics.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.collect metrics.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.delete_expired_reserved_login_tombstones.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.delete_expired_reserved_login_tombstones.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.deliver_hook_event.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.deliver_hook_event.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.dependabot.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.dependabot.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.dgit_schedulers.aqueduct_api_v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.dgit schedulers.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.dpages evacuations scheduler.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.dpages evacuations scheduler.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.dpages maintenance scheduler.agueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.dpages maintenance scheduler.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.gist_maintenance_scheduler.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.gist maintenance scheduler.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.github_connect.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.github_connect.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.index_high.aqueduct_api_v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.index high.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.invalidate expired invites.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.invalidate expired invites.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.lfs.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.lfs.aqueduct api v1.Send.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-aqueduct-lite.request.count.github-production.low.aqueduct\_api\_v1.Ack.200, and the state of 
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.low.aqueduct_api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.memex project scheduled workflow runner.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
```

```
production.memex_project_scheduled_workflow_runner.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.network_maintenance_scheduler.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
\verb|production.network_maintenance_scheduler.aqueduct_api_v1.Send.200|
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.newsletter_delivery.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.newsletter_delivery.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.orchestrate_check_steps_deletion.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.orchestrate_check_steps_deletion.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.pat_access_request_notice_job.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.pat_access_request_notice_job.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.pat_expiry_notice_job.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.pat_expiry_notice_job.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_deleted_memex_projects.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_deleted_memex_projects.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.purge_restorables.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.purge_restorables.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_stale_render_blobs.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_stale_render_blobs.aqueduct_api_v1.Send.200
statsd, {{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_stale_upload_manifest_file_blobs.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.purge_stale_upload_manifest_file_blobs.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.remove_expired_announcements.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.remove_expired_announcements.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.remove_expired_oauth.aqueduct_api_v1.Ack.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-aqueduct-lite.request. count. github-lite.request. count. github-lite. g
production.remove_expired_oauth.aqueduct_api_v1.Send.200
statsd, {{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
\verb|production.repository_bulk_purge.aqueduct_api_v1.Ack.200|
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.repository_bulk_purge.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.repository_orchestration_sweeper.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.repository_orchestration_sweeper.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.repository_snapshot_scheduler.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.repository_snapshot_scheduler.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.security_center_reconciliation.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.security_center_reconciliation.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.stale_check_runs.aqueduct_api_v1.Ack.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-aqueduct-lite.request. count. github-production. stale\_check\_runs. aqueduct\_api\_v1. Send. 2000. and the production of the productio
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.statuses_delete_archived.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.statuses delete archived.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.stop_all_stalled_progress_job.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
\verb|production.stop_all_stalled_progress_job.aqueduct_api\_v1.Send.200|
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-production.storage_cluster.aqueduct_api_v1.Ack.200
statsd, \{\{\ \ HOSTNAME\ \}\}. statsd. derive-aqueduct-lite.request. count.github-production. storage\_cluster.aqueduct\_api\_v1. Send. 200 and the production of the production o
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
production.wiki_maintenance_scheduler.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.derive-aqueduct-lite.request.count.github-
\verb|production.wiki_maintenance_scheduler.aqueduct_api_v1.Send.200|
statsd,{{ HOSTNAME }}.statsd.derive-authzd.mysql.conn_open
statsd,{{ HOSTNAME }}.statsd.derive-authzd.response count
statsd,{{ HOSTNAME }}.statsd.derive-authzd.success_response_count
statsd,{{ HOSTNAME }}.statsd.derive-babeld2hydro.delivery
statsd,{{ HOSTNAME }}.statsd.derive-babeld2hydro.loadgeodb
statsd,{{ HOSTNAME }}.statsd.derive-consul.raft.apply
statsd,{{ HOSTNAME }}.statsd.derive-gitauth.unicorn.other.gc.collections
statsd,{{ HOSTNAME }}.statsd.derive-gitauth.unicorn.other.gc.major
statsd,{{ HOSTNAME }}.statsd.derive-gitauth.unicorn.other.gc.minor
```

```
statsd,{{ HOSTNAME }}.statsd.derive-gitauth.unicorn.other.status_code.404.count
statsd,{{ HOSTNAME }}.statsd.derive-github.exception.github.count
\verb|statsd|, {\{ \verb| HOSTNAME| \} \}. \verb|statsd|. derive-github.unicorn.anon.gc.collections| }|
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.anon.gc.major
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.anon.gc.minor
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.anon.memcached.queries
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.anon.status code.200.count
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.anon.status code.302.count
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.gc.collections
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.gc.major
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.gc.minor
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.memcached.queries
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.mysql.queries
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.api.status_code.200.count
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.gc.collections
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.gc.major
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.gc.minor
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.memcached.queries
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.mysql.queries
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.status code.200.count
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.status_code.301.count
statsd,{{ HOSTNAME }}.statsd.derive-github.unicorn.other.status code.302.count
statsd,{{ HOSTNAME }}.statsd.derive-hookshot.db.sql.max idle closed
statsd,{{ HOSTNAME }}.statsd.derive-hookshot.db.sql.max idle time closed
statsd,{{ HOSTNAME }}.statsd.derive-hookshot.db.sql.max_lifetime_closed
statsd,{{ HOSTNAME }}.statsd.derive-hookshot.db.sql.wait count
statsd,{{ HOSTNAME }}.statsd.derive-hookshot.db.sql.wait_duration
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.fetch.cpl-iad-ingest-github-vl-repositorycreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.fetch.cpl-iad-ingest-github-vl-repositoryrestored
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.fetch.cpl-iad-ingest-github-vl-
repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.fetch.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.listoffset.cpl-iad-ingest-github-vl-repositorycreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.listoffset.cp1-iad-ingest-github-v1-repositoryrestored
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.listoffset.cpl-iad-ingest-github-vl-
repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.listoffset.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cp1-iad-ingest-github-v1-jobcomplete
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-repositorycreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-repositoryrestored
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-
repositoryvisibilitychanged
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-request
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-usersignup
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.github-webhooks-v0-droppedeventmetadata
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.metadata.hamzo-v0-publishpackage
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.offsetfetch.cp1-iad-ingest-github-v1-repositorycreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.offsetfetch.cp1-iad-ingest-github-v1-repositoryrestored
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.offsetfetch.cp1-iad-ingest-github-v1-
repositoryvisibilitychanged
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.offsetfetch.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.produce.cpl-iad-ingest-github-v1-jobcomplete
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite.broker.by-topic-noop.produce.cp1-iad-ingest-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-github-v1-request-gith
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.produce.cpl-iad-ingest-github-vl-usersignup
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic-noop.produce.github-webhooks-v0-droppedeventmetadata
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.code_scanning-v0-failedanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.code_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.code scanning-v0-processedanalysis
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-actions-v0-cacheusage
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-memex-v1-memexprojectcolumncreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-security_center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-checksuitestatuschange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-environmentdeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-gistcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-gistupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-issueclose
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-issuereopen
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-issueupdatemilestone
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-postreceive
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-pullrequestmerge
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestreopen
```

```
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestreviewsubmit
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-repositorydeleted
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. fetch. cp1-iad-ingest-github-v1-repository transferror and the contraction of the contractio
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-secretscanconfigchange
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-userdestroy
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-live updates-v0-message
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package_registry-v0-packagepublished
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package_registry-v0-packagetransferred
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package_registry-v0-packageversiondeleted
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-package registry-v0-
packageversiondownloaded
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-package registry-v0-
packageversionpublished
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-token scanning service-v0-alertevents
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-token_scanning_service-v0-backfillrequest
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd, \{\{\ HOSTNAME\ \}\}. \\ \tilde{s}tatsd. \\ derive-kafka-lite. \\ broker. \\ by-topic. \\ fetch. \\ github-memex-v0-memex \\ project \\ column \\ value \\ created \\ respectively. \\ fetch. \\ github-memex-v0-memex \\ project \\ column \\ value \\ created \\ respectively. \\ fetch. \\ github-memex-v0-memex \\ project \\ column \\ value \\ created \\ respectively. \\ fetch. \\ fetch. \\ github-memex-v0-memex \\ project \\ column \\ value \\ created \\ respectively. \\ fetch. \\ fetch
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectcolumnvaluedestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectviewcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectviewdestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. fetch. github-memex-v0-memexprojectviewupdate broker. by-topic. fetch. github-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-memex-v0-m
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-projectitemcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-projectitemdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v0-projectitemupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v1-memexprojectcolumndestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex-v1-memexprojectcolumnupdate
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-memex automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-repositories-v1-deleted
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-repositories-v1-transferred
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-repositories-v1-visibilitychanged
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-secret_scanning-v1-issuecommentscan
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-secret scanning-v1-issuescan
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-security center-v1-securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-v1-gistpush
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-v1-issueconvertedtodiscussion
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-v1-issueupdateassignee
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-v1-issueupdatelabel
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.github-v1-pullrequestupdate
{\tt statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite.broker.by-topic.fetch.octochat-v0-loging}
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.pages deployer-v0-deploymentstatus
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.registry metadata-v0-migrationdatasyncevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.token_scanning_service-v0-backfillgrouprequest
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. fetch. token\_scanning\_service-v0-custompatterndryrunnotify the state of the
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.token scanning service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.fetch.token scanning service-v0-jobgroupevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.code_scanning-v0-failedanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.code scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.code scanning-v0-processedanalysis
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-actions-v0-cacheusage
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-memex-v1-
memexprojectcolumncreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-security center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-v1-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-checksuitestatuschange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-qithub-vl-environmentdeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-gistcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-gistupdate
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list off set. cp1-iad-ingest-github-v1-is sueclose
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-issuereopen
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-v1-postreceive
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-pullrequestmerge
```

```
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-pullrequestreopen
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-v1-pullrequestreviewsubmit
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list offset. cp1-iad-ingest-github-v1-repository deleted the state of the s
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-repositorytransfer
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-secretscanconfigchange
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-
securitycenterrepositoryupdate
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-tokenscannotify
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-userdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-live_updates-v0-message
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-package_registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package_registry-v0-packagepublished
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package_registry-v0-
packagetransferred
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-package registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packageversionpublished
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-token scanning service-v0-
alertevents
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-token scanning service-v0-
backfillrequest
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list offset. github-memex-v0-memex project column value created and the state of the sta
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectcolumnvaluedestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list offset. github-memex-v0-memex project view created and the state of th
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectviewdestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list of fset. github-memex-v0-memex project viewup date for the statsd of the stats
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v0-projectitemcreate
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list of fset. github-memex-v0-project item destroy and the state of the sta
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list offset. github-memex-v0-project itemup date the statsd. for the state of the state 
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex-v1-memexprojectcolumndestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list offset. github-memex-v1-memex project column update and the state of t
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list of fset. github-memex\_automation-v0-is succreate event. for the context of the
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-memex automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-deleted
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. list of fset. github-repositories-v1-transferred and the state of the state
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-visibilitychanged
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-secret scanning-v1-issuecommentscan
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-secret scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-security_center-v1-securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-v1-gistpush
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-v1-issueconvertedtodiscussion
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-v1-issueupdateassignee
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.github-v1-pullrequestupdate
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.octochat-v0-login
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.pages_deployer-v0-deploymentstatus
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.registry metadata-v0-migrationdatasyncevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic.list of fset. token\_scanning\_service-v0-backfill group request 
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-custompatterndryrunnotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-enablementchange
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-jobgroupevent statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.code_scanning-v0-failedanalysis
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.code scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.code_scanning-v0-processedanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-audit_log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-actions-v0-cacheusage
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-memex-vl-
memexprojectcolumncreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-security center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-branchprotectionrulechange
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic.metadata.cp1-iad-ingest-github-v1-checksuite status change
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-environmentdeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-gistcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-gistupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-issueclose
```

```
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-v1-issuereopen
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-issueupdatemilestone
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-postreceive statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-pullrequestclose
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-pullrequestmerge
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-pullrequestreopen
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-pullrequestreviewsubmit
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-repositorydeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-repositorytransfer
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-secretscanconfigchange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-
securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-userdestroy
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-live updates-v0-message
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-package registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-package registry-v0-packagepublished
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-package_registry-v0-packagetransferred
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package_registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-package_registry-v0-
packageversiondownloaded
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package registry-v0-
packageversionpublished
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-token scanning service-v0-alertevents
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-token scanning service-v0-
backfillrequest
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. metadata. github-memex-v0-memexproject column value created the state of th
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectcolumnvaluedestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewcreatend and the state of the state o
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewdestroy
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-projectitemcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-projectitemdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v0-projectitemupdate
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.qithub-memex-v1-memexprojectcolumndestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex-v1-memexprojectcolumnupdate
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.qithub-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-memex automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.qithub-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-repositories-v1-deleted
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. metadata. github-repositories-v1-transferred and the state of 
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-repositories-v1-visibilitychanged
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-secret scanning-v1-issuecommentscan
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-secret scanning-v1-issuescan
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic.metadata. github-security\_center-v1-security feature repoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-v1-gistpush
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-v1-issueconvertedtodiscussion
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-v1-issueupdateassignee
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-v1-issueupdatelabel
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.github-v1-pullrequestupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.octochat-v0-login
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic.metadata.pages\_deployer-v0-deployment status. by-topic. broker. by-topic.metadata.pages\_deployer-v0-deployment status. by-topic. by-topic. broker. by-topic. by-topic. broker. by-topic. by-topic. broker
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.registry_metadata-v0-migrationdatasyncevent statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.token_scanning_service-v0-backfillgrouprequest
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.token scanning service-v0-custompatterndryrunnotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.token scanning service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.metadata.token_scanning_service-v0-jobgroupevent
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetcommit.cpl-iad-ingest-audit_log-v2-auditentry
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.code scanning-v0-failedanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.code_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.code scanning-v0-processedanalysis
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-audit_log-v2-auditentry
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-actions-v0-cacheusage
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. offsetfetch. cp1-iad-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-ingest-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing-v0-inges-github-billing
meteredadvancedsecuritypostreceivebackfill
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-memex-v1-
memexprojectcolumncreate
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. offsetfetch. cp1-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-ingest-github-security\_center-v0-iad-inges-github-security\_center-v0-iad-inges-github-security\_center-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-v1-
```

```
branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-checksuitestatuschange
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. of fset fetch. cp1-iad-ingest-github-v1-environment deleted for the contraction of the contr
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-gistcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-gistupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-issueclose
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. offsetfetch. cp1-iad-ingest-github-v1-issuere open and the state of the sta
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-issueupdatemilestone
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-postreceive
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestmerge
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestreopen
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestreviewsubmit
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-repositorydeleted statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-repositorytransfer
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-secretscanconfigchange
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. offsetfetch. cp1-iad-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-ingest-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-inges-github-v1-ing
securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-userdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-live_updates-v0-message
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package_registry-v0-
packagepublished
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packagetransferred
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-token scanning service-v0-
alertevents
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-token_scanning_service-v0-
backfillrequest
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvaluecreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvaluedestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectviewcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectviewdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectviewupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemcreate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemdestroy
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex-v1-memexprojectcolumndestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. offsetfetch. github-memex-v1-memex project column update to the state of th
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-memex automation-v0-issueupdateevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-deleted
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-transferred
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.qithub-repositories-v1-visibilitychanged
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-secret scanning-v1-issuecommentscan
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-secret_scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-security_center-v1-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-v1-gistpush
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-v1-issueconvertedtodiscussion
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-v1-issueupdateassignee
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-v1-issueupdatelabel
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.github-v1-pullrequestupdate
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.octochat-v0-login
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.pages_deployer-v0-deploymentstatus
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.registry metadata-v0-migrationdatasyncevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. by-topic. of fset fetch. token\_scanning\_service-v0-backfill group request for the contraction of the c
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.token scanning service-v0-
custompatterndryrunnotify
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.token scanning service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.offsetfetch.token_scanning_service-v0-jobgroupevent
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.by-topic.produce.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.error.syncgroup
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cpl-iad-ingest-github-vl-jobcomplete.bytes
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cpl-iad-ingest-github-vl-jobcomplete.messages
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-request.bytes
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-request.messages
```

```
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cp1-iad-ingest-qithub-v1-usersiqnup.bytes
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-usersignup.messages
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-kafka-lite. broker. produce-noop. github-webhooks-v0-dropped eventmetadata. by testing the state of the s
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce-noop.github-webhooks-v0-droppedeventmetadata.messages
statsd, {{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce.cpl-iad-ingest-audit log-v2-auditentry.bytes
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.broker.produce.cpl-iad-ingest-audit log-v2-auditentry.messages
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.server.bytes-in
statsd,{{ HOSTNAME }}.statsd.derive-kafka-lite.server.bytes-out
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.UpdateRepoWorker.RunBackfill.count
statsd, \{\{\ HOSTNAME\ \}\}. statsd. derive-token-scanning-service. UpdateRepoWorker. RunSync. count
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.aqueduct.client.request.count
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.db.sql.max_idle_closed
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.db.sql.max idle time closed
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.db.sql.max lifetime closed
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.db.sql.wait_count
statsd, {{ HOSTNAME }}.statsd.derive-token-scanning-service.db.sql.wait duration
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.kv store.get.hit
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.kv store.get.miss
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.kv store.put.insert
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.mysql.conn_open
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.scratch.borrow.new
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.scratch.return
statsd,{{ HOSTNAME }}.statsd.derive-token-scanning-service.user api.find users.startup
statsd, {{ HOSTNAME }}.statsd.derive-turboscan.db.sql.max idle closed
statsd,{{ HOSTNAME }}.statsd.derive-turboscan.db.sql.max idle time closed
statsd,{{ HOSTNAME }}.statsd.derive-turboscan.db.sql.max lifetime closed
statsd,{{ HOSTNAME }}.statsd.derive-turboscan.db.sql.wait count
statsd,{{ HOSTNAME }}.statsd.derive-turboscan.db.sql.wait duration
statsd,{{ HOSTNAME }}.statsd.derive-turboscan.kafka.request.pending
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.goroutines
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.gc.pause per second
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.gc.total pause
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.heap
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.redis.pool.idleConnections
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.redis.pool.totalConnections
statsd,{{ HOSTNAME }}.statsd.gauge-alive.frontend.service.tick.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.count
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.max
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.reguest.latency.milliseconds.min
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.p50
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.p90
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.p95
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.reguest.latency.milliseconds.p99
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.latency.milliseconds.sum
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.pending
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.per second.15m
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.reguest.per second.lm
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.per second.5m
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.per_second.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.count
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.max
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.min
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.p50
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.p90
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.p95
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.p99
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.request.size.bytes.sum
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.count
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.max
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.min
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.p50
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.p90
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.p95
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.p99
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.batch.size.sum
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.per_second.15m
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.per second.1m
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.per_second.5m
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.per_second.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.avg
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.count
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.max
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.min
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.p50
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.p90
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.p95
```

```
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.p99
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.kafka.response.size.bytes.sum
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.goroutines
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.gc.pause per second
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.gc.total_pause
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.heap
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.proc.memory.mallocs
\verb|statsd|, {\{ \texttt{HOSTNAME } \}}. \verb|statsd|. gauge-alive.router.proc.memory.stack||} \\
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.redis.pool.idleConnections
statsd,{{ HOSTNAME }}.statsd.gauge-alive.router.redis.pool.totalConnections
statsd, {{ HOSTNAME }}.statsd.gauge-agueduct-lite.gueue depth.github-production.advanced security
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.archive restore
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.audit logs
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite. queue\_depth. github-production. background\_destroy
statsd, {{ HOSTNAME }}.statsd.qauge-aqueduct-lite.queue depth.github-production.calculate topic applied counts
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.checks delete archived
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.checks rollup archive
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.clean_up_deleted_teams
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.code scanning
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.collect_metrics
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.delete expired reserved login tombstones
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.deliver hook event
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.dependabot
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.dgit_schedulers
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.dpages evacuations scheduler
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-aqueduct-lite.queue\_depth.github-production.dpages\_maintenance\_scheduler
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.gist maintenance scheduler
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.index high
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.invalidate expired invites
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.lfs
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite. queue\_depth. github-production. low
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.memex project scheduled workflow runner
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.network maintenance scheduler
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.newsletter delivery
statsd, \{\{\ \ HOSTNAME\ \ \}\}. statsd. gauge-aqueduct-lite. queue\_depth. github-production. or chestrate\_check\_steps\_deletion. The production of the produc
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.pat_access_request_notice_job
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.pat expiry notice job
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.purge_deleted_memex_projects
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite. queue\_depth. github-production. purge\_restorables
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.purge stale render blobs
statsd, {{ HOSTNAME }}.statsd.qauge-aqueduct-lite.queue depth.qithub-production.purge stale upload manifest file blobs
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.remove expired announcements
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.remove expired oauth
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.repository bulk purge
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.repository orchestration sweeper
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.repository snapshot scheduler
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue_depth.github-production.security_center_reconciliation
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.stale check runs
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.statuses delete archived
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.stop all stalled progress job
statsd, \verb|\{\{ HOSTNAME \}|\}. statsd. gauge-aqueduct-lite. queue\_depth. github-production. storage\_cluster and the state of the state of
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.queue depth.github-production.wiki maintenance scheduler
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.advanced_security.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.advanced security.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.archive restore.aqueduct api v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.archive restore.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.audit logs.aqueduct api v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.audit_logs.aqueduct_api_v1.Send.200 statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.background_destroy.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.qauge-aqueduct-lite.request.count.github-production.background destroy.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.calculate topic applied counts.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.calculate topic applied counts.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.checks delete archived.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.checks delete archived.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.checks rollup archive.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.checks rollup archive.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.clean up deleted teams.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.clean up deleted teams.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.code_scanning.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.code scanning.aqueduct api v1.Send.200
```

statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.collect_metrics.aqueduct_api_v1.Ack.200

```
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.collect_metrics.aqueduct_api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.delete expired reserved login tombstones.aqueduct api v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.delete expired reserved login tombstones.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.deliver hook event.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.deliver_hook_event.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.dependabot.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.dependabot.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.dgit_schedulers.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.dgit schedulers.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.dpages evacuations scheduler.agueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.dpages evacuations scheduler.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.dpages maintenance scheduler.agueduct api v1.Ack.200
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.dpages maintenance scheduler.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.gist maintenance scheduler.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.gist maintenance scheduler.aqueduct api v1.Send.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.request. count. github-production. github\_connect. aqueduct\_api\_v1. Ack. 200 and the production of t
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.github connect.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.index_high.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.index high.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.invalidate expired invites.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.invalidate expired invites.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.lfs.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.lfs.aqueduct_api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.low.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.low.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.memex project scheduled workflow runner.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.memex_project_scheduled_workflow_runner.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.network_maintenance_scheduler.aqueduct_api_v1.Ack.200
production.network maintenance scheduler.aqueduct api v1.Send.200
statsd, {{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.newsletter_delivery.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.newsletter delivery.aqueduct_api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.orchestrate_check_steps_deletion.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.orchestrate_check_steps_deletion.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.pat_access_request_notice_job.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.pat_access_request_notice_job.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.pat_expiry_notice_job.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.pat_expiry_notice_job.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge_deleted_memex_projects.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge deleted memex projects.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.purge_restorables.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.purge restorables.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge stale render blobs.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge_stale_render_blobs.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge_stale_upload_manifest_file_blobs.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.purge_stale_upload_manifest_file_blobs.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.remove expired announcements.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.remove expired announcements.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.remove expired oauth.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.remove expired oauth.aqueduct api v1.Send.200
production.repository bulk purge.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.repository bulk purge.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
```

```
production.repository_orchestration_sweeper.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.repository_orchestration_sweeper.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
\verb|production.repository_snapshot_scheduler.aqueduct_api\_v1.Ack.200|
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.repository_snapshot_scheduler.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
\verb|production.security_center_reconciliation.aqueduct_api\_v1.Ack.200|
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.request. count. github-lite.request. count. github-lite. gith
production.security_center_reconciliation.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.stale_check_runs.aqueduct_api_v1.Ack.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.request. count. github-production. stale\_check\_runs. aqueduct\_api\_v1. Send. 2000. and the production of the production
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.statuses_delete_archived.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.statuses delete archived.aqueduct api v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.stop\_all\_stalled\_progress\_job.aqueduct\_api\_v1.Ack.200
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.request. count. github-lite.request. count. github-lite. github
production.stop_all_stalled_progress_job.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.storage_cluster.aqueduct_api_v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-production.storage_cluster.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.wiki maintenance scheduler.aqueduct api v1.Ack.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.count.github-
production.wiki_maintenance_scheduler.aqueduct_api_v1.Send.200
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.time.aqueduct_api_v1.Ack-count
\verb|statsd|, {{ | HOSTNAME |}}.statsd.gauge-aqueduct-lite.request.time.aqueduct_api_v1.Receive-count|} \\
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.request.time.aqueduct_api_v1.Send-count
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.runtime.goroutines
\verb|statsd|, \{\{ \texttt{HOSTNAME } \}\}. \verb|statsd|. gauge-aqueduct-lite.runtime.memory.allocated| | the state of the 
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.runtime.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.runtime.memory.gc.pause_per_second
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.runtime.memory.gc.total_pause
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.runtime.memory. heap
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.runtime.memory.mallocs
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-aqueduct-lite.runtime.memory. stack
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.store.queue_depth_scanner.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-aqueduct-lite.store.timeout_scanner.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.idle
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.dbmanager.sql.in\_use
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.max idle closed
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.dbmanager.sql.max\_lifetime\_closed
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.max open connections
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.open_connections
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.wait_count
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbmanager.sql.wait_duration
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbresolver.sql.idle
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbresolver.sql.in_use
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbresolver.sql.max_idle_closed
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-authzd. dbresolver.sql.max\_idle\_time\_closed
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbresolver.sql.max_lifetime_closed
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-authzd. dbresolver.sql. max\_open\_connections
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.dbresolver.sql.open_connections
\verb|statsd|, {\{ \verb| HOSTNAME| \}\}. statsd.gauge-authzd.dbresolver.sql.wait\_count||} \\
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.dbresolver.sql.wait\_duration
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.mysql.conn\_open
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.mysql.conn\_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.proc.memory.frees
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-authzd.proc.memory.gc.pause\_per\_second||}
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.proc.memory.gc.total\_pause
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.proc.memory.heap
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-authzd.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.response_count
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.response_duration-count
statsd,{{ HOSTNAME }}.statsd.gauge-authzd.response_size-count
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-authzd.success\_response\_count|\\
statsd,{{ HOSTNAME }}.statsd.gauge-babeld2hydro.delivery
statsd,{{ HOSTNAME }}.statsd.gauge-babeld2hydro.loadgeodb
statsd,{{ HOSTNAME }}.statsd.gauge-consul.raft.apply
statsd,{{ HOSTNAME }}.statsd.gauge-ghes-manage.proc.goroutines
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-ghes-manage.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-ghes-manage.proc.memory.frees
{\tt statsd, \{\{\ HOSTNAME\ \}\}.statsd.gauge-ghes-manage.proc.memory.gc.pause\_per\_second}
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-ghes-manage.proc.memory.gc.total\_pause
statsd,{{ HOSTNAME }}.statsd.gauge-ghes-manage.proc.memory.heap
statsd,{{ HOSTNAME }}.statsd.gauge-ghes-manage.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-ghes-manage.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.cpu_time-count
```

```
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-gitauth. unicorn. other. gc. allocations-count and the stated of the sta
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.gc.collections
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.gc.major
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.gc.minor
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.idle_time-count
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-gitauth.unicorn.other.response\_time-count||} \\
statsd,{{ HOSTNAME }}.statsd.gauge-gitauth.unicorn.other.status code.404.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.gists.bad-checksum.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.gists.cleanup.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.gists.failed.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.gists.no-checksum.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.networks.cleanup.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.networks.failed.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.repos.bad-checksum.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.all.repos.no-checksum.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.gist-maintenance-queries-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.dgit.maintenance-queries-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.exception.github.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.cpu_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.gc.allocations-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.gc.collections
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.gc.major
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.gc.minor
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.gc.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.idle_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.memcached.queries
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.mysql.queries
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.mysql.time-count
statsd, {{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.response time-count
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-github.unicorn.anon.status\_code.200.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.anon.status_code.302.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.cpu_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.gc.allocations-count
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-github.unicorn.api.gc.collections
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.gc.major
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.gc.minor
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.gc.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.idle_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.memcached.queries
\verb|statsd|, {\{ \verb| HOSTNAME | \}\}|. \verb|statsd|. gauge-github.unicorn.api.memcached.time-count| }
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.mysql.queries
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.response_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.api.status code.200.count
{\tt statsd, \{\{ \ HOSTNAME \ \}\}. statsd.gauge-github.unicorn.browser.requests\_per\_second-count}
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-github.unicorn.browser.response\_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.cpu_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.gc.allocations-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.gc.collections
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.gc.major
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.gc.minor
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.idle time-count
\verb|statsd,{{ HOSTNAME }}|. \verb|statsd.gauge-github.unicorn.other.memcached.queries||}|
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-github.unicorn.other.memcached.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.mysql.queries
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.mysql.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.response_time-count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.status code.200.count
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-github.unicorn.other.status\_code. 301.count
statsd,{{ HOSTNAME }}.statsd.gauge-github.unicorn.other.status code.302.count
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.idle
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.in_use
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.max_idle_closed
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.max_idle_time_closed
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.max lifetime closed
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.max_open_connections
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.open_connections
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.wait_count
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.db.sql.wait duration
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.goroutines
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.gc.pause_per_second
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.gc.total_pause
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.heap
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-hookshot.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.queue.pop-count
statsd,{{ HOSTNAME }}.statsd.gauge-hookshot.workers.total
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.fetch.cpl-iad-ingest-github-vl-repositorycreate
```

```
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic-noop.fetch.cp1-iad-ingest-github-v1-repositoryrestored. A statsd and the statement of the 
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.fetch.cpl-iad-ingest-github-vl-repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.fetch.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.listoffset.cp1-iad-ingest-github-v1-repositorycreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.listoffset.cp1-iad-ingest-github-v1-repositoryrestored
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.listoffset.cp1-iad-ingest-github-v1-
repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.listoffset.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-v1-jobcomplete
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic-noop. metadata.cp1-iad-ingest-github-v1-repository created and the state of t
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-v1-repositoryrestored
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-
repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.cp1-iad-ingest-github-v1-request
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.cpl-iad-ingest-github-vl-usersignup
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.metadata.github-webhooks-v0-droppedeventmetadata
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic-noop.metadata.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.offsetfetch.cpl-iad-ingest-github-vl-repositorycreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.offsetfetch.cpl-iad-ingest-github-vl-repositoryrestored
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.offsetfetch.cpl-iad-ingest-github-v1-
repositoryvisibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.offsetfetch.hamzo-v0-publishpackage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.produce.cp1-iad-ingest-github-v1-jobcomplete
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.produce.cp1-iad-ingest-github-v1-request
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.produce.cpl-iad-ingest-github-vl-usersignup
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic-noop.produce.github-webhooks-v0-droppedeventmetadata
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.code scanning-v0-failedanalysis
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.fetch.code\_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.code scanning-v0-processedanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-audit_log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-actions-v0-cacheusage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecurity contribution
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-billing-v0-
{\tt meteredad} vanced security post receive back fill
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-memex-v1-memexprojectcolumncreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-security_center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-checksuitestatuschange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-environmentdeleted
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-gistcreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-gistupdate
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-qithub-vl-issueclose
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-issuereopen
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-issueupdatemilestone
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-postreceive
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestcreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestmerge
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-pullrequestreopen
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-pullrequestreviews ubmitfull and the state of th
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-github-vl-repositorydeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-repositorytransfer
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-secretscanconfigchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-github-v1-userdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-live updates-v0-message
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package_registry-v0-packagepublished
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-packagetransferred
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-package registry-v0-
packageversionpublished
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-token scanning service-v0-alertevents
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.cpl-iad-ingest-token scanning service-v0-backfillrequest
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.fetch.cp1-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.fetch. github-memex-v0-memex project column value created the state of the sta
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectcolumnvaluedestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. fetch. github-memex-v0-memex project column value update and the state of th
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectviewcreately and the state of th
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectviewdestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-memexprojectviewupdate
```

```
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.fetch. github-memex-v0-projectitemcreately and the state of the s
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v0-projectitemdestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.fetch. github-memex-v0-projectite mupdate and the state of the st
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v1-memexprojectcolumndestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex-v1-memexprojectcolumnupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-memex automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-repositories-v1-created
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-repositories-v1-deleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-repositories-v1-transferred
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-repositories-v1-visibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-secret_scanning-v1-issuecommentscan
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-secret scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-security center-v1-securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-v1-gistpush
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-v1-issueconvertedtodiscussion
statsd, {{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.fetch.github-v1-issueupdateassiqnee
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-v1-issueupdatelabel
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.github-v1-pullrequestupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.octochat-v0-login
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.pages deployer-v0-deploymentstatus
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.registry_metadata-v0-migrationdatasyncevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.token scanning service-v0-backfillgrouprequest
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.token_scanning_service-v0-custompatterndryrunnotify
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.token scanning service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.fetch.token_scanning_service-v0-jobgroupevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.code scanning-v0-failedanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.code_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.code scanning-v0-processedanalysis
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-audit\_log-v2-auditentry\}. The statsd are stated as a stated of the stated are stated as a stated of the stated are stated as a stated 
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-actions-v0-cacheusage
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.listoffset.cpl-iad-ingest-github-billing-v0-listoffset. cpl-iad-ingest-github-billing-v0-listoffset. cpl-iad-ingest-github-billing-
meteredadvancedsecuritycontribution
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-inqest-github-billing-v0-
{\tt meteredad} vanced security post receive back fill
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-memex-v1-
memexprojectcolumncreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-security center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-checksuitestatuschange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-environmentdeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-gistcreate
statsd, {{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-qithub-vl-qistupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-issueclose
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-issuereopen
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-issueupdatemilestone
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-postreceive
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-v1-pullrequestclose
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-v1-pullrequestmerge
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. list of fset. cp1-iad-ingest-github-v1-pull request reopend from the contraction of the contr
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-pullrequestreviewsubmit
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-repositorydeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-repositorytransfer
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-secretscanconfigchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-github-v1-
securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-github-vl-userdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-live_updates-v0-message
statsd, {{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-packagedeleted
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-packagepublished
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packagetransferred
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cpl-iad-ingest-package registry-v0-
packageversionpublished
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-token scanning service-v0-alertevents
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-token_scanning_service-v0-
backfillrequest
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.cp1-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectcolumnvaluecreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectcolumnvaluedestroy
```

```
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.listoffset. github-memex-v0-memexprojectviewcreately and the state of the stat
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectviewdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-memexprojectviewupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-projectitemcreate
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. list of fset. github-memex-v0-project item destroy, the state of the state o
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v0-projectitemupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex-v1-memexprojectcolumndestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.list offset. github-memex-v1-memex project column update the state of the stat
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-memex_automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-deleted
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-transferred
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-repositories-v1-visibilitychanged
statsd, {{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.listoffset.qithub-secret scanning-v1-issuecommentscan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-secret scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-security center-v1-securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-v1-gistpush
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-v1-issueconvertedtodiscussion
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-v1-issueupdateassignee
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.github-v1-issueupdatelabel
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. list of fset. github-v1-pull request update the state of the st
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.octochat-v0-login
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.broker.by-topic.listoffset.pages\_deployer-v0-deployment status
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.registry metadata-v0-migrationdatasyncevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-backfillgrouprequest
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-custompatterndryrunnotify
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.listoffset. token\_scanning\_service-v0-enablement change to the state of the st
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.listoffset.token_scanning_service-v0-jobgroupevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.metadata.code\_scanning-v0-failed analysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.code_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.code scanning-v0-processedanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-actions-v0-cacheusage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-memex-v1-
memexprojectcolumncreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-security center-v0-
securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-checksuitestatuschange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-environmentdeleted
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. metadata.cpl-iad-ingest-github-vl-gistcreate and the stated of the sta
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-gistupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-issueclose
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-issuereopen
\verb|statsd|, {{ HOSTNAME }}|. \verb|statsd|. gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-issueupdatemilestone|} \\
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-postreceive
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-v1-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-pullrequestcreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-v1-pullrequestmerge
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-pullrequestreopen
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-github-v1-pullrequestreviewsubmit
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-repositorydeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-repositorytransfer
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-secretscanconfigchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-
securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-tokenscannotify
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-github-vl-userdestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-live updates-v0-message
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package_registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package registry-v0-packagepublished
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package_registry-v0-packagetransferred
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cpl-iad-ingest-package registry-v0-
packageversionpublished
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-registry metadata-v0-
versionmiarationstatus
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-token scanning service-v0-alertevents
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-token_scanning_service-v0-
backfillrequest
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.cp1-iad-ingest-turboscan-v0-alertevent
```

```
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectcolumnvaluecreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectcolumnvaluedestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectcolumnvalueupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectevent
statsd, \{\{\ \ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewcreately and the state of the state 
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewdestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-memexprojectviewupdate
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.metadata. github-memex-v0-project itemcreated and the state of th
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-projectitemdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v0-projectitemupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v1-memexprojectcolumndestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex-v1-memexprojectcolumnupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-memex_automation-v0-issueupdateevent
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-repositories-v1-created
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-repositories-v1-deleted
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-repositories-v1-transferred
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-repositories-v1-visibilitychanged
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-secret scanning-v1-issuecommentscan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-secret_scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-security center-v1-securityfeaturerepoupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-v1-gistpush
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-v1-issueconvertedtodiscussion
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-v1-issueupdateassignee
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.github-v1-issueupdatelabel
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.broker.by-topic.metadata.github-v1-pullrequestupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.octochat-v0-login
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.pages deployer-v0-deploymentstatus
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.registry metadata-v0-migrationdatasyncevent
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.token scanning service-v0-backfillgrouprequest
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.token scanning service-v0-custompatterndryrunnotify
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.metadata.token\_scanning\_service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.metadata.token scanning service-v0-jobgroupevent
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetcommit.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.code scanning-v0-failedanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.code_scanning-v0-newanalysis
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.code_scanning-v0-processedanalysis
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-actions-v0-cacheusage
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution
statsd,{{ HOSTNAME }}.statsd.qauqe-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-qithub-billing-v0-
meteredadvancedsecuritypostreceivebackfill
statsd,{{ HOSTNAME }}.statsd.qauqe-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-qithub-billing-v0-
meteredadvancedsecuritypostreceivebackfill-deadletter
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-memex-v1-
memexprojectcolumncreate
statsd, {{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-qithub-security center-v0-
securityfeaturerepoupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-v1-branchprotectionrulechange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-checksuitestatuschange
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-environmentdeleted statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-gistcreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-gistupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-issueclose
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-issuereopen
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-issueupdatemilestone
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-v1-postreceive
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-pullrequestclose
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-pullrequestcreate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestmerge
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestreopen
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-pullrequestreviewsubmit
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-repositorydeleted
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-repositorytransfer
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-secretscanconfigchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-github-vl-
securitycenterrepositoryupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-tokenscannotify
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-github-v1-userdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-live updates-v0-message
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-packagedeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-package_registry-v0-packagepublished
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packagetransferred
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packageversiondeleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
packageversiondownloaded
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-package registry-v0-
```

packageversionpublished

```
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cp1-iad-ingest-registry metadata-v0-
versionmigrationstatus
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-token scanning service-v0-
alertevents
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-token_scanning_service-v0-
backfillrequest
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.cpl-iad-ingest-turboscan-v0-alertevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-billing-v0-
meteredadvancedsecuritycontributionbackfill
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvaluecreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvaluedestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectcolumnvalueupdate
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectevent
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker. by-topic.offsetfetch. github-memex-v0-memexprojectviewcreately and the state of the sta
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-memexprojectviewdestroy
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. of fset fetch. github-memex-v0-memex project viewup date and the state of th
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemcreate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemdestroy
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v0-projectitemupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v1-memexprojectcolumndestroy
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex-v1-memexprojectcolumnupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex_automation-v0-issuecreateevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-memex automation-v0-issueupdateevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-created
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-deleted
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-transferred
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-repositories-v1-visibilitychanged
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-secret\_scanning-v1-issuecomments cannulated by the statsd of the stat
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-secret scanning-v1-issuescan
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-security_center-v1-securityfeaturerepoupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-v1-gistpush
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. by-topic. of fset fetch. github-v1-is sue converted to discussion and the state of the
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-v1-issueupdateassignee
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-v1-issueupdatelabel
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.github-v1-pullrequestupdate
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.octochat-v0-login
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.pages deployer-v0-deploymentstatus
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.registry\_metadata-v0-migrationdatasyncevent and the state of the sta
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.offsetfetch.token\_scanning\_service-v0-backfillgrouprequest.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.by-topic.b
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.token_scanning_service-v0-custompatterndryrunnotify
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.token_scanning_service-v0-enablementchange
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.offsetfetch.token_scanning_service-v0-jobgroupevent
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.by-topic.produce.cp1-iad-ingest-audit log-v2-auditentry
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.error.syncgroup
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.apiversions-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.fetch-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.findcoordinator-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.heartbeat-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.joingroup-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.leavegroup-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.listoffset-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.metadata-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.offsetcommit-count
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. broker. handle. offsetfetch-count
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.produce-count
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.handle.syncgroup-count
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-jobcomplete.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-jobcomplete.messages
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-request.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-request.messages
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-usersignup.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.cp1-iad-ingest-github-v1-usersignup.messages
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.github-webhooks-v0-droppedeventmetadata.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce-noop.github-webhooks-v0-droppedeventmetadata.messages
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce.cpl-iad-ingest-audit_log-v2-auditentry.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.broker.produce.cp1-iad-ingest-audit log-v2-auditentry.messages
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.coordinator.groups
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.goroutines
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.gc.pause_per_second
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.gc.total pause
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.heap
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.server.bytes-in
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.server.bytes-out
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.server.connections
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.audit log-v2-webauditentry.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.code scanning-v0-failedanalysis.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.code_scanning-v0-newanalysis.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.code scanning-v0-processedanalysis.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-audit_log-v2-auditentry.bytes
```

```
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cp1-iad-ingest-github-actions-v0-cacheusage. by testing the state of the state of
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-actions-v0-jobexecution.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cp1-iad-ingest-github-actions-v0-workflow execution. by tession and the state of 
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-actions-v0-workflowstatechange.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution-deadletter.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritycontribution.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-billing-v0-
metered advanced security post receive back fill-dead letter. by tes\\
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-billing-v0-
meteredadvancedsecuritypostreceivebackfill.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-dependencygraph-v0-
repositorymanifestfiledeleted.bytes
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.store.topic.cpl-iad-ingest-github-dependencygraph-vl-
repositorymanifestfilechange.bytes
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.store.topic.cpl-iad-ingest-github-memex-vl-memexprojectcolumncreate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-security center-v0-
securityfeaturerepoupdate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-accountrename.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-v1-branchprotectionrulechange.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-checksuitestatuschange.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-environmentdeleted.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-gistcreate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-gistupdate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-integrationinstallationcreate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-integrationinstallationdelete.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cp1-iad-ingest-github-v1-lite. store. topic. topi
integrationinstallationrepositoriesadded.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cpl-iad-inqest-qithub-vl-lite. store. topic. topi
integrationinstallationrepositoriesremoved.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-issueclose.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-issuereopen.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-issueupdatemilestone.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-postreceive.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-pullrequestclose.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-pullrequestcreate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-pullrequestmerge.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-pullrequestreopen.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-pullrequestreviewsubmit.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-repositoryarchivedstatuschanged.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-repositorycommitstatuscreated.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-repositorydeleted.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-repositorydependencyupdatecleanedup.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-repositorypush.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-repositorytransfer.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-repositoryvulnerabilityalertcreate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-
repositoryvulnerabilityalertresolverequest.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-secretscanconfigchange.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-secretscanningerror.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-securityadvisorypublish.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-securityadvisoryupdate.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cp1-iad-ingest-github-v1-security advisory with draw. by testing the state of the
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-securitycenterrepositoryupdate.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-github-vl-tokenscannotify.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-github-v1-userdestroy.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-live updates-v0-message.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package registry-v0-packagedeleted.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-package registry-v0-packagefiledestroyed.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package registry-v0-packagepublished.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package_registry-v0-packagetransferred.bytes statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package_registry-v0-packageversiondeleted.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-package registry-v0-packageversiondownloaded.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package registry-v0-packageversionpublished.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-package registry-v0-upstreampackagefetched.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry_metadata-v0-indexpackage.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry metadata-v0-layerdeleted.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-registry_metadata-v0-layerdownloaded.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry metadata-v0-layerpublished.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry_metadata-v0-packagedeleted.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry metadata-v0-packagepublished.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-registry\_metadata-v0-versiondeleted.bytes
statsd,{{ HOSTNAME }}.statsd.qauge-kafka-lite.store.topic.cpl-iad-ingest-registry metadata-v0-versiondownloaded.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-registry_metadata-v0-versionmigrationinitiated.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-registry metadata-v0-versionmigrationstatus.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.cp1-iad-ingest-registry\_metadata-v0-version published. by testing the state of th
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-token scanning service-v0-alertevents.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cpl-iad-ingest-token scanning service-v0-backfillrequest.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.cp1-iad-ingest-turboscan-v0-alertevent.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.dependabot-v0-repositoryvulnerabledependenciesfound-
deadletter.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.dependabot-v0-repositoryvulnerabledependenciesfound.bytes
```

```
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.dependabot-v0-vulnerabledependencyfound-deadletter.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.dependabot-v0-vulnerabledependencyfound.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.store. topic. dependabot-v0-vulnerable dependency progress update-deadletter. by testing the state of the st
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-billing-v0-meteredadvancedsecuritycontributionbackfill.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-insights-v0-entitycreated.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-insights-v0-entitydeleted.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-insights-v0-entityupdated.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectcolumnvaluecreate.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectcolumnvaluedestroy.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectcolumnvalueupdate.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectevent.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectviewcreate.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectviewdestroy.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-memexprojectviewupdate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-projectitemcreate.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic. github-memex-v0-project item destroy. by testing the state of the s
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v0-projectitemupdate.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.store.topic.github-memex-v1-memexprojectcolumndestroy.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex-v1-memexprojectcolumnupdate.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex_automation-v0-issuecreateevent.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-memex automation-v0-issueupdateevent.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-progress-v0-progressevent-deadletter.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-progress-v0-progressevent.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic. github-progress-v0-progress update. by testing the progress of the progres
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-repositories-v1-created.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-repositories-v1-deleted.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-repositories-v1-transferred.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic. github-repositories-v1-visibility changed. by testing the state of 
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-secret scanning-v1-issuecommentscan.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-secret_scanning-v1-issuescan.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-security center-v1-securityfeaturerepoupdate.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-kafka-lite.store.topic.github-v1-gistpush.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-v1-issueconvertedtodiscussion.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-v1-issueupdateassignee.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-v1-issueupdatelabel.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-v1-pullrequestsynchronize.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.github-v1-pullrequestupdate.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic. in sights-data\_provisioner-v0-data provisioning status. by testing the state of 
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.insights-data_provisioner-v0-orgdeletionstatus.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.octochat-v0-login.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.pages_deployer-v0-deploymentstatus.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite. store. topic.registry\_metadata-v0-layerdeleted-deadletter. by testing the state of the state o
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.registry_metadata-v0-layerdownloaded-deadletter.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.registry metadata-v0-layerpublished-deadletter.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.registry metadata-v0-migrationdatasyncevent.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.token_scanning_service-v0-backfillgrouprequest.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.store.topic.token\_scanning\_service-v0-custompatterndryrunnotify.bytes
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.store.topic.token\_scanning\_service-v0-enablementchange. by testing the statsd and the state of 
statsd, \{\{\ HOSTNAME\ \}\}. statsd. gauge-kafka-lite.store.topic.token\_scanning\_service-v0-githubtokenrevocationevent.by testing the state of the st
statsd, \verb|\{\{ HOSTNAME \}|\}. statsd. gauge-kafka-lite.store.topic.token\_scanning\_service-v0-jobgroupevent.bytes|| token\_scanning\_service-v0-jobgroupevent.bytes|| token\_scanning\_scanning\_scanning\_service-v0-jobgroupevent.bytes|| token\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_scanning\_sca
statsd,{{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.token scanning service-v0-pullrequestattributionevent.bytes
statsd, {{ HOSTNAME }}.statsd.gauge-kafka-lite.store.topic.token scanning service-v0-pullreguestcommentevent.bytes
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.UpdateRepoWorker.RunBackfill.count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.aqueduct.active jobs
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.aqueduct.client.request.count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.aqueduct.client.request.time-count
statsd, {{ HOSTNAME }}.statsd.gauge-token-scanning-service.aqueduct.worker.job.receive.time-count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.idle
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.in use
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.max_idle_closed
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.max_idle_time_closed
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.max_lifetime_closed
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.max open connections
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.open_connections
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.wait count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.db.sql.wait_duration
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.freno.request duration-count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.hcs_upgrade_backfill_scheduler-count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.hcs_upgrade_backfill_scheduler.ghas_repos
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.hcs_upgrade_backfill_scheduler.repos_without_current_backfill
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.kv store.get.hit
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.kv store.get.miss
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.kv store.put.insert
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.mysql.conn_open
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.mysql.conn time-count
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.goroutines
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.allocated
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.gc.pause per second
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.gc.total_pause
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.heap
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.mallocs
```

```
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.scratch.borrow.new
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.scratch.pool_available
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.scratch.return
\verb|statsd|, {\{ \verb| HOSTNAME|\} \}}. \verb|statsd|. gauge-token-scanning-service.scratch.return.by tes-count| | testing the state of the state
statsd,{{ HOSTNAME }}.statsd.gauge-token-scanning-service.user api.find users.startup
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.idle
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.in use
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.max idle closed
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.max_idle_time_closed
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.max lifetime closed
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.max_open_connections
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.open connections
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.wait_count
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.db.sql.wait duration
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.avg
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.count
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.max
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.min
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.p50
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.p90
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.p95
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.p99
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.latency.milliseconds.sum
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.pending
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.per_second.15m
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.per second.1m
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.per_second.5m
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.per_second.avg
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.avg
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.count
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.max
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.min
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.p50
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.p90
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.p95
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.request.size.bytes.p99
\verb|statsd|, {{ HOSTNAME }}|.statsd.gauge-turboscan.kafka.request.size.bytes.sum||} \\
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.avg
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.max
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.p50
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-turboscan.kafka.response.batch.size.p90||}
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.p95
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.p99
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.batch.size.sum
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-turboscan.kafka.response.per\_second.15m||} \\
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.per_second.1m
{\tt statsd, \{\{\ HOSTNAME\ \}\}. statsd.gauge-turboscan.kafka.response.per\_second.5m}
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.per_second.avg
\verb|statsd|, {\{ \verb| HOSTNAME|\} \}. \verb|statsd|. gauge-turboscan.kafka.response.size.bytes.avg|}|
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.count
\verb|statsd|, \{\{ \ \ HOSTNAME \ \}\}. \\ \verb|statsd|. \\ gauge-turboscan.kafka.response.size.bytes.max| \\
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.min
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.p50
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.p90
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.p95
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.p99
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.kafka.response.size.bytes.sum
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.goroutines
\verb|statsd,{{ HOSTNAME }}|.statsd.gauge-turboscan.proc.memory.allocated||}
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.memory.frees
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.memory.gc.pause per second
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.memory.gc.total pause
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.memory.mallocs
statsd,{{ HOSTNAME }}.statsd.gauge-turboscan.proc.memory.stack
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-average
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-alive.frontend.service.tick.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api v1.Ack-average
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Ack-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api_v1.Ack-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Ack-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api_v1.Ack-percentile-99
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Ack-upper
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api_v1.Receive-average
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Receive-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api_v1.Receive-percentile-90
```

```
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Receive-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api v1.Receive-percentile-99
statsd, \{\{\ HOSTNAME\ \}\}. statsd. latency-aqueduct-lite.request. time. aqueduct\_api\_v1. Receive-upper actions and the properties of the 
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct_api v1.Send-average
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Send-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Send-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Send-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Send-percentile-99
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.request.time.aqueduct api v1.Send-upper
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue_depth_scanner.time-average
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue depth scanner.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue_depth_scanner.time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue depth scanner.time-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue depth_scanner.time-percentile-99
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.queue depth scanner.time-upper
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.timeout scanner.time-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.timeout scanner.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.timeout scanner.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.timeout_scanner.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-aqueduct-lite.store.timeout scanner.time-upper
\verb|statsd|, \verb| {\{ \verb| HOSTNAME | \} \}. \verb|statsd|. latency-authzd.mysql.conn | time-average | time
statsd,{{ HOSTNAME }}.statsd.latency-authzd.mysql.conn time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-authzd.mysql.conn_time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-authzd.mysql.conn time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-authzd.mysql.conn_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-authzd.mysql.conn time-upper
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response duration-average
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response duration-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response_duration-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response duration-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response_duration-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response duration-upper
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response_size-average
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response size-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response size-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response size-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response_size-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-authzd.response_size-upper
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.cpu time-average
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.cpu time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.cpu_time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.cpu time-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-qitauth.unicorn.other.cpu time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.cpu time-upper
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.allocations-average
statsd, {{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.allocations-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.qc.allocations-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.allocations-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.allocations-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.allocations-upper
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.time-average
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.time-percentile-50
statsd, \{\{\ HOSTNAME\ \}\}. statsd. latency-gitauth. unicorn. other.gc. time-percentile-90 to the control of th
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.gc.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle time-average
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.idle_time-upper
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.response time-average
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.response time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.response_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.response time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-gitauth.unicorn.other.response_time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-average
statsd, {{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.gist-maintenance-queries-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-average
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.dgit.maintenance-queries-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu time-percentile-50
```

```
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu_time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.cpu_time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.allocations-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.gc.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle_time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.idle_time-upper
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.memcached.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.mysql.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.response time-average
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.anon.response time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.response time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.response_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.anon.response time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu_time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.cpu_time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.allocations-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.gc.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle_time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle_time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.idle time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.memcached.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.memcached.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.memcached.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.memcached.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.memcached.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysql.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysql.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysql.time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysgl.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysql.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.mysql.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response_time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response_time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.api.response time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.browser.requests_per_second-average
```

```
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.requests_per_second-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.requests per second-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.requests per_second-percentile-99
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.requests per second-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.browser.response time-average
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.response time-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.response time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.browser.response time-percentile-95
{\tt statsd, \{\{ \ HOSTNAME \ \}\}. statsd. latency-github.unicorn.browser.response\_time-percentile-99.}
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.browser.response time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu_time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu_time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.cpu time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.allocations-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.gc.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle_time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle time-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.idle time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.memcached.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.memcached.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.memcached.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.memcached.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.memcached.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.mysql.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.response time-average
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.response_time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.response_time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.response time-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-github.unicorn.other.response time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-github.unicorn.other.response time-upper
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-average
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-hookshot.queue.pop-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.apiversions-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.apiversions-percentile-50
statsd, \{\{\ HOSTNAME\ \}\}. statsd. latency-kafka-lite.broker. handle.apiversions-percentile-90, the state of the state of
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.apiversions-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.apiversions-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.apiversions-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.fetch-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.findcoordinator-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.heartbeat-upper
```

```
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.joingroup-percentile-50
statsd, \{\{\ HOSTNAME\ \}\}. statsd. latency-kafka-lite.broker. handle.joingroup-percentile-90, the state of t
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.joingroup-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.joingroup-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.joingroup-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-average
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.leavegroup-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.listoffset-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.metadata-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetcommit-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetcommit-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetcommit-percentile-90
statsd, \{\{\ HOSTNAME\ \}\}. statsd. latency-kafka-lite. broker. handle. offsetcommit-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetcommit-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetcommit-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.offsetfetch-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.produce-upper
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-average
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.syncgroup-upper
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.client.request.time-average
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.client.request.time-percentile-50
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.client.request.time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.agueduct.client.reguest.time-percentile-95
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.client.request.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-average
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.aqueduct.worker.job.receive.time-upper
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request duration-average
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request_duration-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request_duration-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request duration-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request duration-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.freno.request duration-upper
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs_upgrade_backfill_scheduler-average
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs upgrade backfill scheduler-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs_upgrade_backfill_scheduler-percentile-90
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs upgrade backfill scheduler-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs_upgrade_backfill_scheduler-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.hcs upgrade backfill scheduler-upper
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn time-average
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn time-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn_time-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn_time-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn_time-percentile-99
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.mysql.conn time-upper
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-average
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-percentile-50
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-percentile-90
statsd, {{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-percentile-95
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-percentile-99
```

statsd,{{ HOSTNAME }}.statsd.latency-kafka-lite.broker.handle.joingroup-average

```
statsd,{{ HOSTNAME }}.statsd.latency-token-scanning-service.scratch.return.bytes-upper
statsd,{{ HOSTNAME }}.statsd.objects-babeld2hydro.version
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp_connections-CLOSED
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp_connections-CLOSE_WAIT
tcpconns, {{ HOSTNAME }}.tcpconns-all.tcp connections-CLOSING
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp_connections-ESTABLISHED
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp connections-FIN WAIT1
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp connections-FIN WAIT2
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp connections-LAST ACK
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp_connections-LISTEN
tcpconns, {{ HOSTNAME }}.tcpconns-all.tcp connections-SYN RECV
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp_connections-SYN_SENT
tcpconns,{{ HOSTNAME }}.tcpconns-all.tcp connections-TIME WAIT
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-CLOSED
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-CLOSE_WAIT
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-CLOSING
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp connections-ESTABLISHED
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-FIN_WAIT1
tcpconns, {{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp connections-FIN WAIT2
tcpconns, {{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-LAST ACK
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp connections-LISTEN
tcpconns,{{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp_connections-SYN_RECV
tcpconns, {{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp connections-SYN SENT
tcpconns, {{ HOSTNAME }}.tcpconns-{{ PORT }}-local.tcp connections-TIME WAIT
vmem,{{ HOSTNAME }}.vmem.vmpage action-dirtied
vmem,{{ HOSTNAME }}.vmem.vmpage_action-written
vmem,{{ HOSTNAME }}.vmem.vmpage faults
vmem, {{ HOSTNAME }}.vmem.vmpage io-memory
vmem,{{ HOSTNAME }}.vmem.vmpage io-swap
vmem,{{ HOSTNAME }}.vmem.vmpage_number-active_anon
vmem,{{ HOSTNAME }}.vmem.vmpage number-active file
vmem,{{ HOSTNAME }}.vmem.vmpage number-anon pages
vmem,{{ HOSTNAME }}.vmem.vmpage number-anon transparent hugepages
vmem,{{ HOSTNAME }}.vmem.vmpage number-bounce
vmem,{{ HOSTNAME }}.vmem.vmpage number-dirty
vmem,{{ HOSTNAME }}.vmem.vmpage number-dirty background threshold
vmem,{{ HOSTNAME }}.vmem.vmpage number-dirty threshold
vmem,{{ HOSTNAME }}.vmem.vmpage_number-file_hugepages
vmem,{{ HOSTNAME }}.vmem.vmpage number-file pages
vmem,{{ HOSTNAME }}.vmem.vmpage number-file pmdmapped
vmem,{{ HOSTNAME }}.vmem.vmpage_number-foll_pin_acquired
vmem,{{ HOSTNAME }}.vmem.vmpage_number-foll_pin_released
vmem,{{ HOSTNAME }}.vmem.vmpage number-free cma
vmem,{{ HOSTNAME }}.vmem.vmpage number-free pages
vmem,{{ HOSTNAME }}.vmem.vmpage number-inactive anon
vmem,{{ HOSTNAME }}.vmem.vmpage number-inactive file
vmem,{{ HOSTNAME }}.vmem.vmpage number-isolated anon
vmem,{{ HOSTNAME }}.vmem.vmpage number-isolated file
vmem,{{ HOSTNAME }}.vmem.vmpage_number-kernel_misc_reclaimable
vmem,{{ HOSTNAME }}.vmem.vmpage_number-kernel_stack
vmem, {{ HOSTNAME }}.vmem.vmpage number-mapped
vmem,{{ HOSTNAME }}.vmem.vmpage number-mlock
vmem,{{ HOSTNAME }}.vmem.vmpage_number-page_table_pages
vmem,{{ HOSTNAME }}.vmem.vmpage number-shmem
vmem,{{ HOSTNAME }}.vmem.vmpage number-shmem hugepages
vmem,{{ HOSTNAME }}.vmem.vmpage number-shmem pmdmapped
vmem,{{ HOSTNAME }}.vmem.vmpage_number-slab_reclaimable
vmem,{{ HOSTNAME }}.vmem.vmpage number-slab unreclaimable
vmem,{{ HOSTNAME }}.vmem.vmpage number-unevictable
vmem, {{ HOSTNAME }}.vmem.vmpage number-unstable
vmem,{{ HOSTNAME }}.vmem.vmpage number-vmscan immediate_reclaim
vmem,{{ HOSTNAME }}.vmem.vmpage number-vmscan write
vmem,{{ HOSTNAME }}.vmem.vmpage_number-writeback
vmem,{{ HOSTNAME }}.vmem.vmpage number-writeback temp
vmem,{{ HOSTNAME }}.vmem.vmpage number-zone active anon
vmem,{{ HOSTNAME }}.vmem.vmpage number-zone active file
vmem,{{ HOSTNAME }}.vmem.vmpage_number-zone_inactive_anon
vmem,{{ HOSTNAME }}.vmem.vmpage number-zone inactive file
vmem,{{ HOSTNAME }}.vmem.vmpage_number-zone_unevictable
vmem,{{ HOSTNAME }}.vmem.vmpage number-zone write pending
vmem, {{ HOSTNAME }}.vmem.vmpage number-zspages
```