

# Security log events

**In this article**

About security log events

account

artifact

billing

business

checks

codespaces

copilot

dependabot\_alerts

dependabot\_alerts\_new\_repos

dependabot\_repository\_access

dependabot\_security\_updates

dependabot\_security\_updates\_new\_repos

dependency\_graph

dependency\_graph\_new\_repos

environment

hook

integration

integration\_installation

marketplace\_agreement\_signature

marketplace\_listing

migration

oauth\_access

oauth\_application

oauth\_authorization

org

pages\_protected\_domain

passkey

payment\_method

personal\_access\_token

profile\_picture

project

project\_field

project\_view

protected\_branch

public\_key

repo

repository\_image

repository\_invitation

repository\_ruleset

security\_key

sponsors

successor\_invitation

two\_factor\_authentication

user

user\_status

workflows

Learn about security log events recorded for your personal account.

**Note:** This article contains the events that may appear in your user account's security log. For the events that can appear in an organization's audit log, see "[Audit log events for your organization](#)."

## About security log events

The name for each audit log entry is composed of a category of events, followed by an operation type. For example, the `repo.create` entry refers to the `create` operation on the `repo` category. The reference information in this article is grouped by categories.

### account

Action	Description
<code>account.plan_change</code>	The account's plan changed.

### artifact

Action	Description
<code>artifact.destroy</code>	A workflow run artifact was manually deleted.

### billing

Action	Description
<code>billing.change_billing_type</code>	The way the account pays for GitHub was changed.
<code>billing.change_email</code>	The billing email address changed.

### business

Action	Description
<code>business.set_actions_fork_pr_approvals_policy</code>	The setting for requiring approvals for workflows from public forks was changed for an enterprise.
<code>business.set_actions_retention_limit</code>	The retention period for GitHub Actions artifacts and logs was changed for an enterprise.

business.set\_fork\_pr\_workflows\_policy

The policy for fork pull requests is changed.

## checks

Action	Description
checks.auto_trigger_disabled	Automatic creation of check suites was disabled on a repository in the organization or enterprise.
checks.auto_trigger_enabled	Automatic creation of check suites was enabled on a repository in the organization or enterprise.
checks.delete_logs	Logs in a check suite were deleted.

## codespaces

Action	Description
codespaces.allow_permissions	A codespace using custom permissions from its devcontainer.json file was launched.
codespaces.connect	A codespace was started.
codespaces.create	A codespace was created
codespaces.destroy	A user deleted a codespace.
codespaces.trusted_repositories_access_update	Triggered when you change your personal account's access and security setting for Codespaces.

## copilot

Action	Description
copilot.cfb_seat_added	A seat was added to the Copilot for Business subscription for a user and they have received access to GitHub Copilot.
copilot.cfb_seat_assignment_created	A seat assignment was newly created for a user.
copilot.cfb_seat_assignment_refreshed	A seat assignment that was previously pending cancellation was re-assigned and the user will retain access to GitHub Copilot.
copilot.cfb_seat_assignment_reused	A seat assignment was re-created for a user who already had a seat with no pending cancellation date.
copilot.cfb_seat_assignment_unassigned	A seat was unassigned from a user and they will lose access to GitHub Copilot at the end of the billing cycle.
copilot.cfb_seat_cancelled	A seat was canceled from the Copilot for Business subscription and the user no longer has access to GitHub Copilot.

has access to GitHub Copilot.

`copilot.cfb_seat_cancelled_by_staff`

A seat was canceled from the Copilot for Business subscription manually by GitHub and the user no longer has access to GitHub Copilot.

## dependabot\_alerts [🔗](#)

Action	Description
<code>dependabot_alerts.disable</code>	Dependabot alerts were disabled for all existing repositories.
<code>dependabot_alerts.enable</code>	Dependabot alerts were enabled for all existing repositories.

## dependabot\_alerts\_new\_repos [🔗](#)

Action	Description
<code>dependabot_alerts_new_repos.disable</code>	Dependabot alerts were disabled for all new repositories.
<code>dependabot_alerts_new_repos.enable</code>	Dependabot alerts were enabled for all new repositories.

## dependabot\_repository\_access [🔗](#)

Action	Description
<code>dependabot_repository_access.repositories_updated</code>	The repositories that Dependabot can access were updated.

## dependabot\_security\_updates [🔗](#)

Action	Description
<code>dependabot_security_updates.disable</code>	Dependabot security updates were disabled for all existing repositories.
<code>dependabot_security_updates.enable</code>	Dependabot security updates were enabled for all existing repositories.

## dependabot\_security\_updates\_new\_repos [🔗](#)

Action	Description
<code>dependabot_security_updates_new_repos.disable</code>	Dependabot security updates were disabled for all new repositories.
<code>dependabot_security_updates_new_repos.enable</code>	Dependabot security updates were enabled for all new repositories.

## dependency\_graph

Action	Description
<code>dependency_graph.disable</code>	The dependency graph was disabled for all existing repositories.
<code>dependency_graph.enable</code>	The dependency graph was enabled for all existing repositories.

## dependency\_graph\_new\_repos

Action	Description
<code>dependency_graph_new_repos.disable</code>	The dependency graph was disabled for all new repositories.
<code>dependency_graph_new_repos.enable</code>	The dependency graph was enabled for all new repositories.

## environment

Action	Description
<code>environment.add_protection_rule</code>	A GitHub Actions deployment protection rule was created via the API.
<code>environment.create_actions_secret</code>	A secret was created for a GitHub Actions environment.
<code>environment.delete</code>	An environment was deleted.
<code>environment.remove_actions_secret</code>	A secret was deleted for a GitHub Actions environment.
<code>environment.remove_protection_rule</code>	A GitHub Actions deployment protection rule was deleted via the API.
<code>environment.update_actions_secret</code>	A secret was updated for a GitHub Actions environment.
<code>environment.update_protection_rule</code>	A GitHub Actions deployment protection rule was updated via the API.

## hook

Action	Description
<code>hook.active_changed</code>	A hook's active status was updated.
<code>hook.config_changed</code>	A hook's configuration was changed.
<code>hook.create</code>	A new hook was added.
<code>hook.destroy</code>	A hook was deleted.

hook.events\_changed

A hook's configured events were changed.

## integration [↗](#)

Action	Description
integration.create	An integration was created.
integration.destroy	An integration was deleted.
integration.manager_added	A member of an enterprise or organization was added as an integration manager.
integration.manager_removed	A member of an enterprise or organization was removed from being an integration manager.
integration.remove_client_secret	A client secret for an integration was removed.
integration.revoke_all_tokens	All user tokens for an integration were requested to be revoked.
integration.revoke_tokens	Token(s) for an integration were revoked.
integration.transfer	Ownership of an integration was transferred to another user or organization.

## integration\_installation [↗](#)

Action	Description
integration_installation.create	An integration was installed.
integration_installation.destroy	An integration was uninstalled.
integration_installation.repositories_added	Repositories were added to an integration.
integration_installation.repositories_removed	Repositories were removed from an integration.
integration_installation.suspend	An integration was suspended.
integration_installation.unsuspend	An integration was unsuspended.
integration_installation.version_updated	Permissions for an integration were updated.

## marketplace\_agreement\_signature [↗](#)

Action	Description
marketplace_agreement_signature.create	The GitHub Marketplace Developer Agreement was signed.

## marketplace\_listing [↗](#)

Action	Description
marketplace_listing.approve	A listing was approved for inclusion in GitHub Marketplace.
marketplace_listing.change_category	A category for a listing for an app in GitHub Marketplace was changed.
marketplace_listing.create	A listing for an app in GitHub Marketplace was created.
marketplace_listing.delist	A listing was removed from GitHub Marketplace.
marketplace_listing.redraft	A listing was sent back to draft state.
marketplace_listing.reject	A listing was not accepted for inclusion in GitHub Marketplace.

## migration [↗](#)

Action	Description
migration.create	A migration file was created for transferring data from a source location (such as a GitHub.com organization or a GitHub Enterprise Server instance) to a target GitHub Enterprise Server instance.

## oauth\_access [↗](#)

Action	Description
oauth_access.create	An OAuth access token was generated.
oauth_access.destroy	An OAuth access token was deleted.
oauth_access.regenerate	An OAuth access token was regenerated.
oauth_access.update	An OAuth access token was updated.

## oauth\_application [↗](#)

Action	Description
oauth_application.create	An OAuth application was created.
oauth_application.destroy	An OAuth application was deleted.
oauth_application.generate_client_secret	An OAuth application's secret key was generated.
oauth_application.remove_client_secret	An OAuth application's secret key was deleted.
oauth_application.reset_secret	The secret key for an OAuth application was reset.
oauth application.revoke all tokens	All user tokens for an OAuth application were

requested to be revoked.

oauth\_application.revoke\_tokens

Token(s) for an OAuth application were revoked.

oauth\_application.transfer

An OAuth application was transferred from one account to another.

## oauth\_authorization

Action	Description
oauth_authorization.create	An authorization for an OAuth application was created.
oauth_authorization.destroy	An authorization for an OAuth application was deleted.

## org

Action	Description
org.add_member	A user joined an organization.
org.add_outside_collaborator	An outside collaborator was added to a repository.
org.advanced_security_disabled_for_new_repos	GitHub Advanced Security was disabled for new repositories in an organization.
org.advanced_security_disabled_on_all_repos	GitHub Advanced Security was disabled for all repositories in an organization.
org.advanced_security_enabled_for_new_repos	GitHub Advanced Security was enabled for new repositories in an organization.
org.advanced_security_enabled_on_all_repos	GitHub Advanced Security was enabled for all repositories in an organization.
org.remove_member	A member was removed from an organization, either manually or due to a two-factor authentication requirement.
org.set_actions_fork_pr_approvals_policy	The setting for requiring approvals for workflows from public forks was changed for an organization.
org.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs in an organization was changed.
org.set_fork_pr_workflows_policy	The policy for workflows on private repository forks was changed.
org.update_member	A person's role was changed from owner to member or member to owner.
org.update_member_repository_creation_permission	The create repository permission for organization members was changed.
org.update_member_repository_invitation_policy	An organization owner changed the policy



org.update\_member\_repository\_invitation\_permission

An organization owner changed the policy setting for organization members inviting outside collaborators to repositories.

## pages\_protected\_domain [↗](#)

Action	Description
pages_protected_domain.create	A GitHub Pages verified domain was created for an organization or enterprise.
pages_protected_domain.delete	A GitHub Pages verified domain was deleted from an organization or enterprise.
pages_protected_domain.verify	A GitHub Pages domain was verified for an organization or enterprise.

## passkey [↗](#)

Action	Description
passkey.register	A new passkey was added.
passkey.remove	A new passkey was removed.

## payment\_method [↗](#)

Action	Description
payment_method.create	A new payment method was added, such as a new credit card or PayPal account.
payment_method.remove	A payment method was removed.
payment_method.update	An existing payment method was updated.

## personal\_access\_token [↗](#)

Action	Description
personal_access_token.access_granted	A fine-grained personal access token was granted access to resources.
personal_access_token.access_revoked	A fine-grained personal access token was revoked. The token can still read public organization resources.
personal_access_token.create	Triggered when you create a fine-grained personal access token.
personal_access_token.credential_regenerated	Triggered when you regenerate a fine-grained personal access token.
personal_access_token.credential_revoked	A fine-grained personal access token was

revoked by GitHub Advanced Security.

`personal_access_token.destroy`

Triggered when you delete a fine-grained personal access token.

`personal_access_token.request_cancelled`

A pending request for a fine-grained personal access token to access organization resources was canceled.

`personal_access_token.request_created`

Triggered when a fine-grained personal access token was created to access organization resources and the organization requires approval before the token can access organization resources.

`personal_access_token.request_denied`

A request for a fine-grained personal access token to access organization resources was denied.

`personal_access_token.update`

A fine-grained personal access token was updated.

## profile\_picture [↗](#)

### Action

### Description

`profile_picture.update`

A profile picture was updated.

## project [↗](#)

### Action

### Description

`project.access`

A project board visibility was changed.

`project.close`

A project board was closed.

`project.create`

A project board was created.

`project.delete`

A project board was deleted.

`project.link`

A repository was linked to a project board.

`project.open`

A project board was reopened.

`project.rename`

A project board was renamed.

`project.unlink`

A repository was unlinked from a project board.

`project.update_org_permission`

The project's base-level permission for all organization members was changed or removed.

`project.update_team_permission`

A team's project board permission level was changed or when a team was added or removed from a project board.

`project.update_user_permission`

A user was added to or removed from a project board or had their permission level changed.

## project\_field [↗](#)

Action	Description
project_field.create	A field was created in a project board.
project_field.delete	A field was deleted in a project board.

## project\_view [↗](#)

Action	Description
project_view.create	A view was created in a project board.
project_view.delete	A view was deleted in a project board.

## protected\_branch [↗](#)

Action	Description
protected_branch.update_merge_queue_enforcement_level	Enforcement of the merge queue was modified for a branch.

## public\_key [↗](#)

Action	Description
public_key.create	An SSH key was added to a user account or a deploy key was added to a repository.
public_key.delete	An SSH key was removed from a user account or a deploy key was removed from a repository.
public_key.unverification_failure	A user account's SSH key or a repository's deploy key was unable to be unverified.
public_key.unverify	A user account's SSH key or a repository's deploy key was unverified.
public_key.update	A user account's SSH key or a repository's deploy key was updated.
public_key.verification_failure	A user account's SSH key or a repository's deploy key was unable to be verified.
public_key.verify	A user account's SSH key or a repository's deploy key was verified.

## repo [↗](#)

Action	Description
--------	-------------

repo.access	The visibility of a repository changed.
repo.actions_enabled	GitHub Actions was enabled for a repository. Can be viewed using the UI, This event is not included when you access the audit log using the REST API.
repo.add_member	A collaborator was added to a repository.
repo.add_topic	A topic was added to a repository.
repo.advanced_security_disabled	GitHub Advanced Security was disabled for a repository.
repo.advanced_security_enabled	GitHub Advanced Security was enabled for a repository.
repo.archived	A repository was archived.
repo.change_merge_setting	Pull request merge options were changed for a repository.
repo.code_scanning_analysis_deleted	Code scanning analysis for a repository was deleted.
repo.code_scanning_configuration_for_branch_deleted	A code scanning configuration for a branch of a repository was deleted.
repo.config.disable_collaborators_only	The interaction limit for collaborators only was disabled.
repo.config.disable_contributors_only	The interaction limit for prior contributors only was disabled in a repository.
repo.config.disable_sockpuppet_disallowed	The interaction limit for existing users only was disabled in a repository.
repo.config.enable_collaborators_only	The interaction limit for collaborators only was enabled in a repository Users that are not collaborators or organization members were unable to interact with a repository for a set duration.
repo.config.enable_contributors_only	The interaction limit for prior contributors only was enabled in a repository Users that are not prior contributors, collaborators or organization members were unable to interact with a repository for a set duration.
repo.config.enable_sockpuppet_disallowed	The interaction limit for existing users was enabled in a repository New users aren't able to interact with a repository for a set duration Existing users of the repository, contributors, collaborators or organization members are able to interact with a repository.
repo.create	A repository was created.
repo.create_actions_secret	A GitHub Actions secret was created for a repository.
repo.create_integration_secret	An integration secret was created for a repository.
repo.destroy	A repository was deleted.

repo.destroy	A repository was deleted.
repo.pages_cname	A GitHub Pages custom domain was modified in a repository.
repo.pages_create	A GitHub Pages site was created.
repo.pages_destroy	A GitHub Pages site was deleted.
repo.pages_https_redirect_disabled	HTTPS redirects were disabled for a GitHub Pages site.
repo.pages_https_redirect_enabled	HTTPS redirects were enabled for a GitHub Pages site.
repo.pages_private	A GitHub Pages site visibility was changed to private.
repo.pages_public	A GitHub Pages site visibility was changed to public.
repo.pages_soft_delete	A GitHub Pages site was soft-deleted because its owner's plan changed.
repo.pages_soft_delete_restore	A GitHub Pages site that was previously soft-deleted was restored.
repo.pages_source	A GitHub Pages source was modified.
repo.register_self_hosted_runner	A new self-hosted runner was registered.
repo.remove_actions_secret	A GitHub Actions secret was deleted for a repository.
repo.remove_integration_secret	An integration secret was deleted for a repository.
repo.remove_member	A collaborator was removed from a repository.
repo.remove_self_hosted_runner	A self-hosted runner was removed.
repo.remove_topic	A topic was removed from a repository.
repo.rename	A repository was renamed.
repo.set_actions_fork_pr_approvals_policy	The setting for requiring approvals for workflows from public forks was changed for a repository.
repo.set_actions_retention_limit	The retention period for GitHub Actions artifacts and logs in a repository was changed.
repo.set_fork_pr_workflows_policy	Triggered when the policy for workflows on private repository forks is changed.
repo.staff_unlock	An enterprise owner or GitHub staff (with permission from a repository administrator) temporarily unlocked the repository.
repo.temporary_access_granted	Temporary access was enabled for a repository.
repo.transfer	A user accepted a request to receive a transferred repository.
repo.transfer_outgoing	A repository was transferred to another

repo.transfer_outgoing	A repository was transferred to another repository network.
repo.transfer_start	A user sent a request to transfer a repository to another user or organization.
repo.unarchived	A repository was unarchived.
repo.update_actions_access_settings	The setting to control how a repository was used by GitHub Actions workflows in other repositories was changed.
repo.update_actions_secret	A GitHub Actions secret was updated.
repo.update_actions_settings	A repository administrator changed GitHub Actions policy settings for a repository.
repo.update_default_branch	The default branch for a repository was changed.
repo.update_integration_secret	An integration secret was updated for a repository.
repo.update_member	A user's permission to a repository was changed.

## repository\_image [🔗](#)

Action	Description
repository_image.create	An image to represent a repository was uploaded.
repository_image.destroy	An image to represent a repository was deleted.

## repository\_invitation [🔗](#)

Action	Description
repository_invitation.accept	An invitation to join a repository was accepted.
repository_invitation.cancel	An invitation to join a repository was canceled.
repository_invitation.create	An invitation to join a repository was sent.
repository_invitation.reject	An invitation to join a repository was declined.

## repository\_ruleset [🔗](#)

Action	Description
repository_ruleset.create	A repository ruleset was created.
repository_ruleset.destroy	A repository ruleset was deleted.
repository_ruleset.update	A repository ruleset was edited.

# security\_key

Action	Description
<code>security_key.register</code>	A security key was registered for an account.
<code>security_key.remove</code>	A security key was removed from an account.

# sponsors

Action	Description
<code>sponsors.agreement_sign</code>	A GitHub Sponsors agreement was signed on behalf of an organization.
<code>sponsors.custom_amount_settings_change</code>	Custom amounts for GitHub Sponsors were enabled or disabled, or the suggested custom amount was changed.
<code>sponsors.fiscal_host_change</code>	The fiscal host for a GitHub Sponsors listing was updated.
<code>sponsors.repo_funding_links_file_action</code>	The FUNDING file in a repository was changed.
<code>sponsors.sponsored_developer_approve</code>	A GitHub Sponsors account was approved.
<code>sponsors.sponsored_developer_create</code>	A GitHub Sponsors account was created.
<code>sponsors.sponsored_developer_disable</code>	A GitHub Sponsors account was disabled.
<code>sponsors.sponsored_developer_profile_update</code>	The profile for GitHub Sponsors account was edited.
<code>sponsors.sponsored_developer_redraft</code>	A GitHub Sponsors account was returned to draft state from approved state.
<code>sponsors.sponsored_developer_request_approval</code>	An application for GitHub Sponsors was submitted for approval.
<code>sponsors.sponsored_developer_tier_description_update</code>	The description for a sponsorship tier was changed.
<code>sponsors.sponsored_developer_update_newsletter_send</code>	Triggered when you send an email update to your sponsors.
<code>sponsors.sponsor_sponsorship_cancel</code>	A sponsorship was canceled.
<code>sponsors.sponsor_sponsorship_create</code>	A sponsorship was created, by sponsoring an account.
<code>sponsors.sponsor_sponsorship_payment_complete</code>	After you sponsor an account and a payment has been processed, the sponsorship payment was marked as complete.
<code>sponsors.sponsor_sponsorship_preference_change</code>	The option to receive email updates from a sponsored account was changed.
<code>sponsors.sponsor_sponsorship_tier_change</code>	A sponsorship was upgraded or downgraded.
<code>sponsors.sponsor_tier_change</code>	A GitHub Sponsorship tier changed across for a

sponsors.update_tier_repository	A GitHub Sponsors tier changed access for a repository.
sponsors.update_tier_welcome_message	The welcome message for a GitHub Sponsors tier for an organization was updated.
sponsors.waitlist_join	You join the waitlist to join GitHub Sponsors.
sponsors.withdraw_agreement_signature	A signature was withdrawn from a GitHub Sponsors agreement that applies to an organization.

## successor\_invitation [↗](#)

Action	Description
successor_invitation.accept	Triggered when you accept a succession invitation.
successor_invitation.cancel	Triggered when you cancel a succession invitation.
successor_invitation.create	Triggered when you create a succession invitation.
successor_invitation.decline	Triggered when you decline a succession invitation.
successor_invitation.revoke	Triggered when you revoke a succession invitation.

## two\_factor\_authentication [↗](#)

Action	Description
two_factor_authentication.disabled	Two-factor authentication was disabled for a user account.
two_factor_authentication.enabled	Two-factor authentication was enabled for a user account.
two_factor_authentication.password_reset_fallback_sms	A one-time password code was sent to a user account fallback phone number.
two_factor_authentication.recovery_codes_regenerated	Two factor recovery codes were regenerated for a user account.
two_factor_authentication.sign_in_fallback_sms	A one-time password code was sent to a user account fallback phone number.
two_factor_authentication.update_fallback	The two-factor authentication fallback for a user account was changed.

## user [↗](#)

Action	Description
--------	-------------



<code>user.add_email</code>	An email address was added to a user account.
<code>user.async_delete</code>	An asynchronous job was started to destroy a user account, eventually triggering a <code>user.delete</code> event.
<code>user.audit_log_export</code>	Audit log entries were exported.
<code>user.block_user</code>	A user was blocked by another user.
<code>user.change_password</code>	A user changed their password.
<code>user.codespaces_trusted_repo_access_granted</code>	Triggered when you allow the codespaces you create for a repository to access other repositories owned by your personal account.
<code>user.codespaces_trusted_repo_access_revoked</code>	Triggered when you disallow the codespaces you create for a repository to access other repositories owned by your personal account.
<code>user.create</code>	A new user account was created.
<code>user.creation_rate_limit_exceeded</code>	The rate of creation of user accounts, applications, issues, pull requests or other resources exceeded the configured rate limits, or too many users were followed too quickly.
<code>user.delete</code>	A user account was destroyed by an asynchronous job.
<code>user.demote</code>	A site administrator was demoted to an ordinary user account.
<code>user.destroy</code>	A user deleted his or her account, triggering <code>user.async_delete</code> .
<code>user.failed_login</code>	A user tried to sign in with an incorrect username, password, or two-factor authentication code.
<code>user.forgot_password</code>	A user requested a password reset.
<code>user.hide_private_contributions_count</code>	A user changed the visibility of their private contributions. The number of contributions to private repositories on the user's profile are now hidden.
<code>user.login</code>	A user signed in.
<code>user.promote</code>	An ordinary user account was promoted to a site administrator.
<code>user.recreate</code>	A user's account was restored.
<code>user.remove_email</code>	An email address was removed from a user account.
<code>user.rename</code>	A username was changed.
<code>user.reset_password</code>	A user reset their account password.
<code>user.show_private_contributions_count</code>	A user changed the visibility of their private contributions. The number of contributions to

private repositories on the user's profile are now shown.

<code>user.sign_in_from_unrecognized_device</code>	A user signed in from an unrecognized device.
<code>user.sign_in_from_unrecognized_device_and_location</code>	A user signed in from an unrecognized device and location.
<code>user.suspend</code>	A user account was suspended.
<code>user.two_factor_challenge_failure</code>	A 2FA challenge issued for a user account failed.
<code>user.two_factor_challenge_success</code>	A 2FA challenge issued for a user account succeeded.
<code>user.two_factor_recover</code>	A user used their 2FA recovery codes.
<code>user.two_factor_recovery_codes_downloaded</code>	A user downloaded 2FA recovery codes for their account.
<code>user.two_factor_recovery_codes_printed</code>	A user printed 2FA recovery codes for their account.
<code>user.two_factor_recovery_codes_viewed</code>	A user viewed 2FA recovery codes for their account.
<code>user.two_factor_requested</code>	A user was prompted for a two-factor authentication code.
<code>user.unblock_user</code>	A user was unblocked by another user.
<code>user.unsuspend</code>	A user account was unsuspended.

## user\_status

Action	Description
<code>user_status.destroy</code>	Triggered when you clear the status on your profile.
<code>user_status.update</code>	Triggered when you set or change the status on your profile.

## workflows

Action	Description
<code>workflows.approve_workflow_job</code>	A workflow job was approved.
<code>workflows.delete_workflow_run</code>	A workflow run was deleted.
<code>workflows.disable_workflow</code>	A workflow was disabled.
<code>workflows.enable_workflow</code>	A workflow was enabled, after previously being disabled by <code>disable_workflow</code> .
<code>workflows.reject_workflow_job</code>	A workflow job was rejected.

Legal