

Autolinked references and URLs

In this article

- URLs
- Issues and pull requests
- Labels
- Commit SHAs
- Custom autolinks to external resources
- Further reading

References to URLs, issues, pull requests, and commits are automatically shortened and converted into links.

URLs

GitHub Enterprise Cloud automatically creates links from standard URLs.

Visit `https://github.com`

Visit <https://github.com>

For more information on creating links, see "[Basic writing and formatting syntax](#)."

Issues and pull requests

Within conversations on GitHub Enterprise Cloud, references to issues and pull requests are automatically converted to shortened links.

Note: Autolinked references are not created in wikis or files in a repository.

Reference type	Raw reference	Short link
Issue or pull request URL	https://github.com/jlord/sheetsee.js/issues/26	#26
# and issue or pull request number	#26	#26
GH- and issue or pull request number	GH-26	GH-26
Username/Repository# and issue or pull request number	jlord/sheetsee.js#26	jlord/sheetsee.js#26
Organization_name/Repository# and issue or pull request number	github-linguist/linguist#4039	github-linguist/linguist#4039

If you reference an issue, pull request, or discussion in a list, the reference will unfurl to show the title and state instead. For more information about task lists, see "[About task lists](#)."

Labels

When referencing the URL of a label in Markdown, the label is automatically rendered. Only labels of the same repository are rendered, URLs pointing to a label from a different repository are rendered as any [URL](#).

The URL of a label can be found by navigating to the labels page and clicking on a label. For example, the URL of the label "enhancement" in our public [docs repository](#) is

```
https://github.com/github/docs/labels/enhancement
```

Note: If the label name contains a period (.), the label will not automatically render from the label URL.

Commit SHAs

References to a commit's SHA hash are automatically converted into shortened links to the commit on GitHub Enterprise Cloud.

Reference type	Raw reference	Short link
Commit URL	https://github.com/jlord/sheetsee.js/commit/a5c3785ed8d6a35868bc169f07e40e889087fd2e	a5c3785
SHA	a5c3785ed8d6a35868bc169f07e40e889087fd2e	a5c3785
User@SHA	jlord@a5c3785ed8d6a35868bc169f07e40e889087fd2e	jlord@a5c3785
Username/Repository@SHA	jlord/sheetsee.js@a5c3785ed8d6a35868bc169f07e40e889087fd2e	jlord/sheetsee.js@a5c3785

Custom autolinks to external resources

If custom autolink references are configured for a repository, then references to external resources, like a JIRA issue or Zendesk ticket, convert into shortened links. To know which autolinks are available in your repository, contact someone with admin permissions to the repository. For more information, see "[Configuring autolinks to reference external resources](#)."

Further reading

- "[Basic writing and formatting syntax](#)"

Legal

