Q



The REST API is now versioned. For more information, see "About API versioning."

Gitignore

Use the REST API to get .gitignore templates that can be used to ignore files and directories.

About gitignore @

When you create a new repository on your GitHub Enterprise Server instance via the API, you can specify a <u>.gitignore template</u> to apply to the repository upon creation. You can use the REST API to get .gitignore templates from the GitHub Enterprise Server <u>.gitignore repository</u>.

You can use the application/vnd.github.raw custom media type when getting a gitignore template. For more information, see "Media types."

Get all gitignore templates &

Works with <u>GitHub Apps</u>

List all templates available to pass as an option when <u>creating a repository</u>.

HTTP response status codes for "Get all gitignore templates"

Status code	Description
200	ОК
304	Not modified

Code samples for "Get all gitignore templates"



Response

Example response Response schema
Status: 200

```
[ "Actionscript", "Android", "AppceleratorTitanium", "Autotools", "Bancha", "C", "C++" ]
```

Get a gitignore template &

Works with <u>GitHub Apps</u>

The API also allows fetching the source of a single template. Use the raw <u>media type</u> to get the raw contents.

Parameters for "Get a gitignore template"

Headers

accept string
Setting to application/vnd.github+json is recommended.

Path parameters

name string Required

HTTP response status codes for "Get a gitignore template"

Status code	Description
200	ОК
304	Not modified

Code samples for "Get a gitignore template"



Response

Example response Response schema

Status: 200

{ "name": "C", "source": "# Object files\n*.o\n\n# Libraries\n*.lib\n*.a\n\n# Shared objects (inc. Windows DLLs)\n*.dl\n*.so\n*.so.*\n*.dylib\n\n# Executables\n*.exe\n*.out\n*.app\n" }

Legal

© 2023 GitHub, Inc. <u>Terms</u> <u>Privacy</u> <u>Status</u> <u>Pricing</u> <u>Expert services</u> <u>Blog</u>