



BRAND BOOK | MASTER DIRECTION

Born from the Aviatrix. Built on engineering. Powered by intelligence.

Engineering Insight. Smarter Sourcing. Stronger Fleets.

VERSION 1.0 | OCTOBER 2026



Using this book

The source of truth for the current AvTriX direction

This guide protects the selected identity while turning it into a practical system for documents, digital products and commercial communication.

01 Apply consistently

Use the rules as a connected system, not as isolated styling choices.

02 Keep copper selective

Copper signals insight, value and decision points. Navy carries the brand.

03 Escalate exceptions

When a use case falls outside this guide, return to the core narrative and production master.

IDENTITY STATUS

Direction locked

The name, narrative, palette, three wings, flight path, X device and selected Aviatrix reference remain unchanged.

Production pending

Final vector master artwork is still required before manufacture, signage or trademark filing.

03

Brand foundation

A clear story gives every visual and verbal choice a reason.

Born from the Aviatix. Built on engineering. Powered by intelligence.

The brand idea

— One narrative, one commercial promise

Born from the Aviatrix.
Built on engineering.
Powered by intelligence.

COMMERCIAL PROMISE

Engineering Insight. Smarter Sourcing. Stronger Fleets.

EDITORIAL LINE

Insight informed by experience.

The AvTrix name

Derived from Aviatrix: a woman who flies

AVIATRIX

AVTRIX

The shortened name keeps the spirit of the original word while creating a sharper, contemporary form suited to engineering, procurement and intelligence.

NAME PRINCIPLES

01 Say it with confidence

Pronounce AvTrix as a single name. The Aviatrix origin can be introduced in brand storytelling.

02 Protect the capital T and X

Use AvTrix in prose and lockups. The X may carry copper emphasis in display settings.

03 Avoid invented acronyms

The meaning is authentic and human. Do not retrofit the letters into a technical acronym.

Brand story

Experience in flight becomes intelligence on the ground

01 The Aviatrix

The name begins with capability, resolve and a direct relationship with flight.

02 Engineering judgement

Technical understanding turns part numbers, records and constraints into dependable decisions.

03 Commercial intelligence

Market knowledge and evidence improve sourcing choices and support stronger fleet outcomes.



X

Positioning

Engineering-led aviation procurement and fleet intelligence

AvTriX brings engineering judgement into aviation sourcing and fleet decisions, helping operators, asset owners and supply partners act with better context and greater confidence.

Where we play

Components, technical records, supplier intelligence, procurement analysis and fleet-level decision support.

How we win

Evidence, engineering literacy, disciplined sourcing and clear communication that connects technical detail to commercial action.

What we avoid

Commodity-broker language, vague innovation claims, decorative aviation clichés and intelligence without traceable judgement.

Purpose and promise

Why AvTrix exists and what clients should expect

PURPOSE

To make aviation decisions stronger by connecting technical understanding with commercial intelligence.

PROMISE

**Engineering Insight.
Smarter Sourcing.
Stronger Fleets.**

Every engagement should make the decision clearer, the sourcing route better informed or the fleet position more resilient.

Values

Standards that shape the work

- | | | |
|----|-----------------------------|---|
| 01 | Technical integrity | We respect the engineering facts and make uncertainty visible. |
| 02 | Informed judgement | Experience gives context to data and discipline to recommendations. |
| 03 | Commercial clarity | We make sourcing choices understandable, comparable and actionable. |
| 04 | Responsible pace | Urgency never replaces verification, traceability or sound judgement. |
| 05 | Independent thinking | We challenge assumptions and follow the evidence to the right answer. |

Core audiences

Technical and commercial decision-makers across aviation

Operators and airlines

Need dependable component, supplier and fleet insight under operational pressure.

Lessors and asset owners

Need technical context that protects asset value and improves portfolio decisions.

MRO and engineering teams

Need sourcing partners who understand configuration, records and airworthiness constraints.

Suppliers and manufacturers

Need credible routes to market, clearer demand signals and informed commercial positioning.

Capability architecture

The commercial story moves from insight to action to fleet outcome

01

Engineering intelligence

Interpret part, configuration, records and technical risk with engineering context.

ENGINEERING INSIGHT

02

Procurement

Source more intelligently through supplier knowledge, market evidence and structured comparison.

SMARTER SOURCING

03

Fleet intelligence

Connect component decisions to availability, reliability, lifecycle and asset performance.

STRONGER FLEETS

Messaging hierarchy

Use each line for a distinct job

MASTER NARRATIVE

Born from the Aviatrix. Built on engineering. Powered by intelligence.

Brand introductions, About pages, launch material

COMMERCIAL PROMISE

Engineering Insight. Smarter Sourcing. Stronger Fleets.

Proposals, capability statements, sales decks

EDITORIAL LINE

Insight informed by experience.

Reports, articles, research and thought leadership

POSITIONING

Engineering-led aviation procurement and fleet intelligence.

Profile copy, metadata, company descriptions

Tone of voice

Calm authority with engineering clarity

Informed

Show the reasoning and the evidence behind the view.

Direct

Use precise language and clear recommendations.

Measured

State uncertainty, limits and trade-offs without drama.

Human

Let experience and judgement be present without becoming personal theatre.

AV

VOICE

Writing examples

What AvTriX sounds like in practice

USE

We found three viable sourcing routes. One carries a documentation risk that needs engineering review.

Availability has improved, but lead-time confidence remains uneven across approved suppliers.

Our recommendation reflects configuration fit, records quality and total acquisition risk.

AVOID

We deliver next-generation, end-to-end aviation solutions.

Our unique ecosystem unlocks game-changing procurement value.

AvTriX leverages cutting-edge data to transform everything.

Identity system

The identity balances human origin, technical precision and confident restraint.

Born from the Aviatix. Built on engineering. Powered by intelligence.

Logo system

One identity with a controlled set of expressions

AvTriX

WORDMARK

SELECTED AVIATRIX MASTER SYMBOL

Use the approved elegant profile, three wings and flight path from the selected reference board. Do not substitute or redraw from memory.

- | | | |
|----|------------------|---|
| 01 | Primary | Aviatrix symbol + AvTriX wordmark |
| 02 | Secondary | Horizontal lockup for documents and web |
| 03 | Wordmark | AvTriX with the copper X |
| 04 | Symbol | Aviatrix + three wings + flight path |
| 05 | Micro | Simplified production master for small use |
| 06 | X device | Standalone graphic device, never a substitute signature |

Logo lockups


Choose the simplest version that preserves recognition

The logo consists of the word "AvTriX" in a sans-serif font. "AvTri" is in dark blue and "X" is in orange.

PRIMARY HORIZONTAL

The logo consists of the word "AvTriX" in a sans-serif font. "AvTri" is in white and "X" is in orange.

REVERSED WORDMARK

The logo consists of the words "AVIATRIX" and "SYMBOL" stacked vertically in a bold, sans-serif font.

SYMBOL-ONLY

The logo consists of a large, stylized white "X" centered on a solid orange background.


X DEVICE

Preferred order

1. Full signature
2. Horizontal lockup
3. Wordmark
4. Symbol or micro mark
5. X device as supporting graphic

Clear space and minimum size

Give the mark room to carry authority



Use the cap height of the wordmark X as the minimum clear space on every side.

MINIMUM SIZES

PRINT

Full signature 35 mm

Wordmark 24 mm

Micro mark 8 mm

DIGITAL

Full signature 180 px


Wordmark 120 px

Micro mark 24 px

Final thresholds must be confirmed against the vector masters and small-size optical tests.


Core colour palette

Navy carries authority. Copper reveals value. Cream gives space.




AvTriX Navy

#1A1F25




Heritage Copper

#B8864F




Aviatrix Copper

#CBA36A



Signal Cream

#FCFAF6



Engineering Sand

#F5EDDF

Recommended balance

60% navy / 25% cream and sand / 10% white space / 5% copper emphasis

Approved gradients


Use gradients as light and depth, never as decoration

Copper beam



0% #B8864F 55% #CBA36A 100% #F5EDDF

Navy depth



0% #101318 55% #1A1F25 100% #2B333C

Cream horizon



0% #F5EDDF 70% #FCFAF6 100% #FFFFFF

Allowed: covers, section dividers, photography overlays and selective data emphasis. Avoid rainbow blends, high-saturation effects and gradients inside small body text.

Typography

A technical sans serif supported by an editorial voice

BAHNSCHRIFT

PRIMARY | HEADINGS, DATA, NAVIGATION

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 0123456789

RECOMMENDED HIERARCHY

Display 38-56 pt
Section title 28-36 pt
Body 16-20 pt
Caption 10-12 pt

Georgia

EDITORIAL | NARRATIVE AND QUOTATIONS

*Insight informed by experience.
Engineering context turns information
into judgement.*

Use sentence case. Keep line lengths measured. Use bold weight for decisions, not for entire paragraphs. Never outline, stretch or artificially condense type.

Graphic language

Motion and precision without visual noise

01 Three wings

A repeated three-part rhythm representing engineering insight, sourcing and fleet strength.

03 X device

A point of convergence and decision. Use as a crop, aperture or emphasis field.

02 Flight path

A fine directional line used to connect evidence, decisions and outcomes.

04 Copper signal

A small, deliberate highlight for insight, selection, risk or recommended action.

Three wings, flight path and X

The devices form a single visual grammar



THREE WINGS

Keep the three elements aligned and directional. Do not add a fourth wing or turn the device into generic speed lines.



FLIGHT PATH

Use a single fine route with one clear destination. Avoid loops, map clichés and decorative dotted paths.



X DEVICE

Use for convergence, framing or emphasis. The X must support the signature, not compete with it.

Aviatrix imagery

Human authority grounded in real aviation environments

Show capability before glamour.

People

Confident, observant and technically credible. Natural expressions, working environments, restrained styling.

Aircraft


Structural detail, wing geometry, maintenance environments and fleet scale. Avoid tourism imagery.

Light

Navy shadows, cream daylight and selective copper warmth. Keep skin tones and metal surfaces natural.

Composition

Strong negative space, precise crops and quiet horizons that support editorial typography.



Iconography

Functional, precise and visually quiet



Engineering

component, records,
configuration, inspection



Procurement

supplier, quote, lead time,
availability



Fleet

aircraft, utilisation,
reliability, lifecycle



Status

verified, caution, action,
restricted

CONSTRUCTION

Use a consistent 24 px grid, 1.5–2 px stroke, rounded line joins and simple silhouettes. Fill only selected or critical states.


COLOUR

Navy by default. Copper for active insight and decision points. Green and red remain functional status colours, not brand accents.

Engineering and data visualisation

Data should help a decision, show confidence and keep technical context visible.

- 01 Start with the question**
Title charts with the decision or comparison they support.
- 02 Use copper for the answer**
Highlight the selected route, risk or insight. Keep context in muted navy and grey.
- 03 Show confidence**
Include source, date, units, assumptions and status where they affect interpretation.
- 04 Prefer clarity**
Use direct labels and simple scales. Avoid 3D charts, decorative gauges and unexplained scores.



Corporate document system

Reports should feel engineered, not decorated

Signature document

Component Intelligence Report

A decision-ready report connecting part identity, configuration, records, supplier landscape, market position, sourcing options and recommended action.

CORE TEMPLATES

Letterhead and correspondence
Quotation and RFQ
Capability statement
Proposal and pitch deck

Supplier communication
Procurement analysis
Fleet intelligence report
Engineering brief

DOCUMENT RHYTHM

01 Decision first

Open with the recommendation, status or question.

02 Evidence next

Show technical and commercial evidence with traceable sources.

03 Action clear

Close with ownership, timing and unresolved conditions.

Website and digital product

Structure the experience around Engineering Intelligence, Procurement and Fleet Intelligence.

Navigation

Keep the main routes few and explicit. Surface capabilities, insights, the Aviatix story and platform access.

Product UI

Navy dominates. Copper identifies decisions, selected states and high-value insight. Cream supports long-form reading.

Data

Tables, filters and charts must remain legible under pressure. Status and confidence should never rely on colour alone.

Applications

Consistency comes from restraint across every touchpoint

01

Report covers

Large title, strong negative space, one copper signal.

02

Proposals

Clear decision structure and disciplined evidence.

03

Presentations

Editorial pacing with data-led conclusions.

04

LinkedIn

One idea per post, strong crop, minimal copy.

05

Email

Wordmark, contact details and no decorative banners.

06

Business cards

Navy field, cream type, copper X or edge detail.

The logo should sign the work. It should not become the work.

Guardrails and production handoff

Protect the selected identity at every scale

DO

- Use the approved Aviatrix master
- Keep proportions and clear space
- Lead with navy and cream
- Use copper for insight and emphasis
- Write with calm technical authority
- Verify technical and commercial claims

DON'T

- Trace or reinterpret the concept mark
- Stretch, rotate or add effects
- Turn copper into a dominant background
- Use generic flight or speed clichés
- Make unsupported superlative claims
- Present concept files as production vectors

Production requirement

The selected AI-generated logo board is concept artwork. Before production, commission precise vector master artwork, standardise the Aviatrix geometry, confirm typefaces and gradient stops, test small sizes, and export controlled SVG, EPS, PDF and PNG masters.