Results Hypothesis Set 2

Contingency Tables

Contingency Tables

| | S2B.times | | | |
|----------------|-----------|---|---|-------|
| Neuroticism_14 | 0 | 1 | 4 | Total |
| high | 9 | 2 | 0 | 11 |
| low | 11 | 1 | 1 | 13 |
| middle | 19 | 0 | 1 | 20 |
| Total | 39 | 3 | 2 | 44 |
| | | | | |

Note. Each cell displays the observed counts

Chi-Squared Tests

| | Value | df | р |
|----|-------|----|-------|
| X² | 4.427 | 4 | 0.351 |
| N | 44 | | |

Note. Continuity correction is available only for 2x2 tables.

Contingency Tables

| | S6B.times | | | |
|----------------|-----------|---|---|-------|
| Neuroticism_14 | 0 | 1 | 4 | Total |
| high | 9 | 2 | 0 | 11 |
| low | 11 | 0 | 2 | 13 |
| middle | 15 | 2 | 3 | 20 |
| Total | 35 | 4 | 5 | 44 |

Note. Each cell displays the observed counts

Chi-Squared Tests

| | Value | df | р |
|----|-------|----|-------|
| X² | 3.969 | 4 | 0.410 |
| N | 44 | | |

Note. Continuity correction is available only for 2x2 tables.