














Command Prompt

Usage: ping [-n count | -v TOS | -t] target

C:\>ipconfig

FastEthernet0 Connection: (default port)

Connection-specific DNS Suffix...:
Link-local IPv6 Address.....: FE80::209:7CFF:FE69:A5E7
IPv6 Address.....: ::
IPv4 Address.....: 50.0.0.40
Subnet Mask.....: 255.0.0.0
Default Gateway.....: ::
0.0.0.0

Bluetooth Connection:

Connection-specific DNS Suffix...:
Link-local IPv6 Address.....: ::
IPv6 Address.....: ::
IPv4 Address.....: 0.0.0.0
Subnet Mask.....: 0.0.0.0
Default Gateway.....: ::
0.0.0.0

C:\>ping 50.0.0.40

Pinging 50.0.0.40 with 32 bytes of data:

Reply from 50.0.0.40: bytes=32 time=9ms TTL=128
Reply from 50.0.0.40: bytes=32 time=3ms TTL=128
Reply from 50.0.0.40: bytes=32 time=3ms TTL=128
Reply from 50.0.0.40: bytes=32 time=10ms TTL=128

Ping statistics for 50.0.0.40:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 3ms, Maximum = 10ms, Average = 6ms

C:\>