

Generative Artificial Intelligence for Requirements Engineering in Software Development – Analysis of the State-of-the-Art

Jannis Lang^{1[0009-0000-6997-1487]} and Prof. Dr. Mahsa Fischer^{2[0009-0000-6004-6789]}

^{1,2} Hochschule Heilbronn, Max-Planck-Str. 39, 74081 Heilbronn, Germany
Hochschule Heilbronn, Max-Planck-Str. 39, 74081 Heilbronn, Germany
Jlang3@stud.hs-heilbronn.de, mahsa.fischer@hs-heilbronn.de

Abstract. Efficient and accurate requirement specification for software development projects is crucial for a company's success. Generative AI has the potential to support the RE process in software development. This study examines the state-of-the-art of generative AI applications in RE through a systematic literature review. A combination of the methodology by Brocke and the forward and backward search approach by Webster and Watson was applied. The identified 37 relevant publications were analysed using a concept matrix based on Webster and Watson. The results indicate that generative AI is particularly useful in requirement elicitation, analysis, and specification, whereas requirement validation and industrial applications remain underexplored. The main challenges arise from ethical, data privacy, and practical implementation issues. The study highlights a research gap concerning the practical adoption of generative AI in industrial RE processes.

Keywords: Requirements Engineering, Generative AI, State-of-the-art, Literature Review, Software Development.

1 Problem Statement

Requirements Engineering (RE) serves as the foundation of every software development project [5]. Efficient and accurate requirement specification is therefore essential for a company's success [42]. However, due to the use of natural language, requirements are prone to errors and are often incomplete or inconsistent [4]. Moreover, natural language presents a challenge for automation by traditional computing algorithms [11]. The manual creation of requirements is also time-consuming [2]. Generative Artificial Intelligence (AI) offers potential to efficiently support the RE process in software development due to its ability to process natural language [2, 14].

2 Objective and Research Question

The objective of this study is to determine the state-of-the-art in the use of generative AI for RE in software development projects through a systematic literature review based on Brocke [7], supplemented by forward and backward searches and a concept matrix according to Webster and Watson [45]. The aim is to provide a comprehensive overview of the current research landscape. Accordingly, the research question of this study is: What is the state-of-the-art in the research on the use of generative AI for RE in software development projects?

3 Theoretical Foundations

This chapter outlines the theoretical foundations of RE for software development and generative AI, providing essential background knowledge on the research domain.

3.1 Requirements Engineering for Software Development

Every software development project aims to solve a real-world problem. RE is responsible for analysing this problem and its context. Thus, not only the goal of software development but also the specification of the system's behaviour and environment is crucial. Additionally, future system modifications must be considered [3]. RE forms the technical foundation for software construction by systematically compiling relevant requirements into requirement catalogues [1]. Requirements Engineers utilize various documentation techniques, including models and text-based requirement specifications [48]. The RE process consists of four key activities: requirement elicitation, requirement analysis, requirement specification, and requirement validation. During elicitation, the requirements of all relevant stakeholders are gathered. Analysis involves consolidating, refining, and classifying requirements to prevent conflicts and redundancies. Specification ensures that requirements are documented in a standardized, complete, consistent, and unambiguous format. Finally, validation involves comparing the requirements with stakeholder expectations, resolving conflicts, and evaluating feasibility [1]. Zmitrowicz [48] adds requirements management as an additional RE activity. This includes structured requirement administration, covering definition, classification, and version control [48].

3.2 Generative Artificial Intelligence

Generative AI refers to AI systems capable of creating new content, such as text, images, audio files, or source code for software development [46], rather than merely analysing existing data as traditional AI does. Notable models include GPT (Generative Pre-trained Transformer) by OpenAI and BERT by Google [33]. Generative AI systems are based on Machine Learning and Deep Learning, trained on large datasets [46]. ChatGPT, for instance, utilizes Transformer networks, which have significantly improved the performance of language models. Transformer networks determine context

relevance not solely by word position in a sequence, but by semantic relationships. This approach is known as Attention [24]. Generative AI is widely applied for task automation and solving complex problems that would otherwise require significant human effort [43]. It is used in medicine, e.g., for early disease detection [6], and in education, for language learning and writing assistance [33]. In the business sector, generative AI is employed in customer service, data analysis, customer behaviour prediction, and marketing campaigns [10]. However, integrating generative AI into corporate environments poses security challenges. Many AI tools lack sufficient data protection mechanisms for handling sensitive information [9]. Additionally, the rapid advancement of generative AI raises ethical and societal concerns, particularly regarding content authenticity and interpretability. The decision-making process of AI models is often opaque, which can lead to trust issues and biases if the training data contains systemic distortions. Consequently, effective governance mechanisms are needed to ensure AI quality and fairness [10]. Ongoing research aims to enhance model performance and interpretability, ensuring more robust and reliable AI systems [10, 43].

4 Methodological Approach

For the literature analysis, a combination of the methodology proposed by Brocke [7] and the approach by Webster and Watson [45] was used. This combination was chosen because Brocke [7] provides a detailed framework for the initial phase of literature search, while Webster and Watson [45] emphasize forward and backward searches. Following the literature search, the identified publications are analyzed using a concept matrix according to Webster and Watson [45], allowing the works to be thematically structured, synthesized, and discussed. In doing so, the diverse and interdisciplinary aspects of the existing literature are taken into account. According to Brocke [7], a literature review typically follows five phases: defining the scope, conceptualizing the topic, conducting the literature search, analysing and synthesizing the literature, and developing a research agenda.

5 Literature Analysis

The scope of the analysis is defined by focusing on research results with the goal of synthesizing new insights. A methodical approach is applied, maintaining a neutral perspective and addressing specialized researchers. All relevant academic studies are considered. The conceptualization of the topic has already been outlined in Chapter 3. The next step is the literature search, for which the databases listed in Table 1 were used.

Table 1. Literature Databases.

#	Database Name	Abbreviation
L1	ACM Digital Library	ACM
L2	AIS Electronic Library	AISel
L3	ArXiv e-Print archive	ArXiv
L4	IEEE Xplore Digital Library	IEEE
L5	ProQuest	PQ
L6	ScienceDirect	SD
L7	Springer Link	SL

In these databases, search filters were applied as listed in Table 2.

Table 2. Search Filters.

Filter Criteria	
Access	Free/Open Access
Language	German, English
Publication Date	2023-2025
Type	Book Chapters, Research Paper, Conference Paper
Discipline	Computer Science; Engineering; Business Management

The results of the literature search, including search queries and filters, are summarized in Table 3. The table also includes the results from forward and backward searches following Webster and Watson [45].

Table 3. Number of Literature Sources.

Sources	(“Generative AI”) AND (“Requirements Engineering”)	(“State-of-the-art”) AND (“Requirements Engineering”) AND (“Generative AI”)
ACM Digital Library	128	97
AIS Electronic Library	123	74
ArXiv e-Print archive	172	18
IEEE Xplore Digital Library	161	14
ProQuest	88	58
ScienceDirect	21	7
Springer Link	1994	981
Total search results	2687	1249
After removing duplicates	2592	1188
After academic relevance screening	117	109
After abstract review	35	32
After assessing content relevance	15	21
Additional sources from forward/backward search	3	0
Relevant publications	18	21
Total relevant publications	39	
After removing duplicates	37	

A total of 37 relevant publications were identified after removing duplicates, which were subsequently analysed. Although all analysed studies focus on generative AI for RE, they explore different aspects of this research field. Table 4 provides an overview of the identified concepts.

Table 4. Concept Matrix based on Webster and Watson [45]

	Require- ment Elici- tation	Require- ment Analy- sis	Require- ment Speci- fication	Require- ment Vali- dation	AI Applica- tions in the RE Process	Industrial Use of AI in RE
[2]						X
[4]		X				
[5]		X		X		
[8]	X					
[9]					X	X
[11]					X	
[12]		X			X	
[13]		X				
[14]		X		X		
[15]					X	X
[16]	X					
[17]		X				
[18]				X		
[19]					X	
[20]			X			
[21]		X				
[22]	X	X				
[23]	X	X	X	X	X	
[25]		X				
[26]	X					
[27]					X	
[28]		X				
[29]					X	
[30]			X			
[31]			X			
[32]	X					
[34]					X	
[35]			X			
[36]					X	
[37]	X					
[38]	X					
[39]	X	X				
[40]		X				
[41]	X					
[42]			X			
[44]		X				
[47]		X				

From Table 4, it is evident that most studies focus on requirement elicitation and analysis using generative AI. Ten studies analyse requirement elicitation, while 15 explore requirement analysis. Additionally, ten studies investigate potential AI applications in the RE process. Requirement specification is covered in six publications,

whereas requirement validation (four studies) and industrial applications of AI in RE (three studies) are the least researched areas. According to Brocke [7], a literature synthesis should be followed by the development of a research agenda to identify open research questions. These aspects are further elaborated in Chapter 8.

6 Results

According to Alpar [1], the RE process in software development consists of four key activities: requirement elicitation, requirement analysis, requirement specification, and requirement validation. The 37 analysed publications all focus on the application of generative AI for RE. Ten studies examine the potential use cases of generative AI in core RE activities. The results indicate that generative AI is particularly useful for requirement elicitation, analysis, and specification [29, 34]. Other studies analyse specific RE activities and assess the applicability and effectiveness of generative AI. Requirement elicitation and analysis are the most frequently researched topics. Within requirement elicitation, studies explore various aspects of the topic. Some works analyse the extent to which generative AI can act as an interactive partner for customers, generating structured requirements [8, 32]. The interaction with the AI takes place in natural language and is improved compared to conventional models, as the AI asks clarifying questions, which makes user inputs more precise [8]. As a result, an accuracy of 84% was achieved [32]. Others evaluate ChatGPT's ability to generate requirements autonomously using different prompt techniques [38-39]. Further studies investigate how generative AI can assist customers in formulating their requirements. In this context, interview scripts or user stories are generated by the AI [16, 26]. The results show that the artifacts created by the AI contribute to improved customer requirements and stimulate their creativity [26]. Requirement analysis focuses on consolidating, distinguishing, and classifying requirements to prevent overlaps and conflicts [1]. The relevant studies examine automated requirement classification using generative AI [17, 21], identification of incomplete, inconsistent, variable, duplicate, or conflicting requirements [5, 13, 40], and requirement prioritization [22, 47]. In the classification of requirements, generative AI models achieve a sensitivity of up to 0.88 [4], whereas in the detection of variability in requirements, they reach a sensitivity of up to 0.81 [13]. While requirement specification is somewhat less frequently studied, requirement validation has received minimal attention. This aligns with findings regarding the general applications of generative AI in the RE process. Studies on requirement specification primarily focus on transforming natural language requirements into structured formats and interpreting UML diagrams using generative AI [20, 31]. For the transformation of user stories into UML sequence diagrams, an accuracy of 70–80% was achieved [20]. In requirement validation, requirements are compared against stakeholder expectations, conflicts are resolved, and feasibility is assessed [1]. The relevant studies in this area investigate how generative AI can enhance stakeholder communication. A potential solution is the use of generative AI for automated interview script generation, ensuring structured and goal-oriented communication [5, 18]. Research on the industrial use of

generative AI in the RE process remains limited. The few existing studies report a general increase in productivity through the use of generative AI, but also highlight challenges related to data protection and the reliability of AI-generated results. In industrial contexts, the interaction between humans and AI is of central importance. In the reviewed publications, the technology is predominantly perceived positively by users; it is also noted that it can potentially enhance collaboration and communication within teams. At the same time, the AI-generated results are often met with skepticism due to the 'black-box' nature of the models, and difficulties in formulating appropriate prompts have been reported. Against this background, the need for targeted training in the use of generative AI is emphasized [9]. Furthermore, the complexity of industrial requirements represents an additional challenge, as generative AI models are typically trained on publicly available datasets [2].

7 Critical Reflection

The findings of the literature analysis align with previous research, which considers generative AI particularly advantageous for automatable and structured processes within the RE process. At the same time, the observation that validation and industrial applications have been less frequently researched is consistent with existing studies that identify ethical, data protection, and application-related challenges as central obstacles. A key contribution of this study is the detailed analysis using a concept matrix, which allows for a clear distinction between research fields and reveals existing gaps. However, the literature analysis has certain limitations. The selection of specific databases may have influenced the scope of the identified studies. Additionally, the rapid advancements in generative AI could soon render current findings obsolete. Furthermore, the focus on published research means that industrial applications were not systematically analysed, leading to a research gap concerning practical implementations.

8 Conclusion and Outlook

The literature analysis identified 37 publications that reflect the state-of-the-art on the use of generative AI for RE in software development projects. The studies were analysed using a concept matrix based on Webster and Watson [45]. The findings indicate that generative AI is particularly useful for requirement elicitation and analysis, which are also the most extensively researched areas. These results align with previous studies on AI applications in RE. There are also relevant use cases for generative AI in requirement specification. However, requirement validation is less suitable for AI-driven automation, which explains its limited presence in research. The same applies to industrial applications of generative AI in RE, which have received relatively little attention. Nonetheless, existing studies suggest that the use of generative AI in industry can lead to increased productivity, while also introducing new challenges. Currently, many studies are still focused on the development of generative AI models and prompt engineering for RE. Future studies should explore how generative AI can be specifically applied

to requirement validation. Moreover, the practical use of generative AI should be examined more extensively. This includes investigating the reasons for its currently limited adoption and developing solutions that facilitate broader integration of generative AI in industrial contexts.

References

1. Alpar, P. *et al.* (2023) 'Phasenmodelle in der Softwareentwicklung,' in *Springer eBooks*, pp. 389–448. https://doi.org/10.1007/978-3-658-40352-2_13.
2. Bashir, S. (2024) 'Towards AI-centric Requirements Engineering for Industrial Systems,' *Proceedings of the 2024 IEEE/ACM 46th International Conference on Software Engineering: Companion Proceedings (ICSE-Companion '24)*, pp. 242–246. <https://doi.org/10.1145/3639478.3639811>.
3. Bennaceur, A. *et al.* (2023) 'Responsible Software Engineering: Requirements and Goals,' in *Introduction to Digital Humanism*, pp. 299–315. https://doi.org/10.1007/978-3-031-45304-5_20.
4. Beqiri, L. *et al.* (2024) 'Classifying Ambiguous Requirements: An Explainable Approach in Railway Industry,' *2024 IEEE 32nd International Requirements Engineering Conference Workshops (REW)*, pp. 12–21. <https://doi.org/10.1109/rew61692.2024.00007>.
5. Biswas, C. and Das, S. (2024) 'ARIA-QA: AI-agent based requirements inspection and analysis through question answering,' *Innovations in Systems and Software Engineering* [Preprint]. <https://doi.org/10.1007/s11334-024-00589-8>.
6. Bouzid, A., Narciso, P. and Ma, W. (2024) *Generative AI for executives*, *Apress eBooks*. <https://doi.org/10.1007/979-8-8688-0950-7>.
7. Brocke, J.V. *et al.* (2009) 'Reconstructing the Giant: on the importance of rigour in documenting the literature search process,' *European Conference on Information Systems*, pp. 2206–2217. <http://dblp.uni-trier.de/db/conf/ecis/ecis2009.html#BrockeSNRPC09>.
8. Busany, N. *et al.* (2024) 'Automating Business Intelligence Requirements with Generative AI and Semantic Search,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2412.07668>.
9. Coutinho, M. *et al.* (2024) 'The Role of Generative AI in Software Development Productivity: A Pilot Case Study,' *Proceedings of the 1st ACM International Conference on AI-Powered Software (AIware 2024)*, pp. 131–138. <https://doi.org/10.1145/3664646.3664773>.
10. Cronin, I. (2024) *Understanding Generative AI business Applications*, *Apress eBooks*. <https://doi.org/10.1007/979-8-8688-0282-9>.
11. Dehn, S. *et al.* (2023) 'On identifying possible artificial intelligence applications in requirements engineering processes,' *Forschung Im Ingenieurwesen*, 87(1), pp. 497–506. <https://doi.org/10.1007/s10010-023-00657-8>.
12. Fan, A. *et al.* (2023) 'Large Language Models for Software Engineering: Survey and Open Problems,' *2023 IEEE/ACM International Conference on Software Engineering: Future of Software Engineering (ICSE-FoSE)*, pp. 31–53. <https://doi.org/10.1109/icsefose59343.2023.00008>.
13. Fantechi, A., Gnesi, S. and Semini, L. (2024) 'Exploring LLMs' ability to detect variability in requirements,' in *Lecture notes in computer science*, pp. 178–188. https://doi.org/10.1007/978-3-031-57327-9_11.
14. Fischer, M. and Lanquillon, C. (2024) 'Evaluation of Generative AI-Assisted Software Design and Engineering: A User-Centered Approach,' in *Lecture notes in computer science*, pp. 31–47. https://doi.org/10.1007/978-3-031-60606-9_3.

15. Gao, C. *et al.* (2024) 'The current challenges of software engineering in the era of large language models,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2412.14554>.
16. Görer, B. and Aydemir, F.B. (2023) 'Generating Requirements Elicitation Interview Scripts with Large Language Models,' 2023 IEEE 31st International Requirements Engineering Conference Workshops (REW), pp. 44–51. <https://doi.org/10.1109/rew57809.2023.00015>.
17. Han, L., Zhou, Q. and Li, T. (2023) 'Improving Requirements Classification Models Based on Explainable Requirements Concerns,' 2023 IEEE 31st International Requirements Engineering Conference Workshops (REW), pp. 95–101. <https://doi.org/10.1109/rew57809.2023.00023>.
18. Hasso, H., Fischer-Starcke, B. and Geppert, H. (2024) 'Quest-RE QUestion Generation and Exploration STrategy for Requirements Engineering,' 2024 IEEE 32nd International Requirements Engineering Conference Workshops (REW), pp. 1–9. <https://doi.org/10.1109/rew61692.2024.00006>.
19. Hess, A. *et al.* (2024) 'Opportunities and Limitations of AI in Human-Centered Design A research Preview,' in *Lecture notes in computer science*, pp. 149–158. https://doi.org/10.1007/978-3-031-57327-9_9.
20. Jahan, M. *et al.* (2024) 'Automated Derivation of UML Sequence Diagrams from User Stories: Unleashing the Power of Generative AI vs. a Rule-Based Approach,' Proceedings of the ACM/IEEE 27th International Conference on Model Driven Engineering Languages and Systems (MODELS '24), 56, pp. 138–148. <https://doi.org/10.1145/3640310.3674081>.
21. Kaur, K. and Kaur, P. (2024) 'The application of AI techniques in requirements classification: a systematic mapping,' *Artificial Intelligence Review*, 57(3). <https://doi.org/10.1007/s10462-023-10667-1>.
22. Kifetew, F., Perini, A. and Susi, A. (2023) 'Requirements Engineering,' in *Natural computing series*, pp. 67–91. https://doi.org/10.1007/978-981-19-9948-2_3.
23. Krishna, A. and Meda, V. (2024) 'AI infusion in software build and development,' in *Apress eBooks*, pp. 137–179. https://doi.org/10.1007/979-8-8688-1044-2_6.
24. Langer, J. and Schmid, U. (2024) 'Generative KI, (in German)' in *Ars digitalis*, pp. 125–136. https://doi.org/10.1007/978-3-658-44248-4_10.
25. Luitel, D., Nejati, S. and Sabetzadeh, M. (2024) 'Requirements-driven slicing of Simulink models using LLMs,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2405.01695>.
26. Marczak-Czajka, A. and Cleland-Huang, J. (2023) 'Using ChatGPT to Generate Human-Value User Stories as Inspirational Triggers,' 2023 IEEE 31st International Requirements Engineering Conference Workshops (REW), pp. 52–61. <https://doi.org/10.1109/rew57809.2023.00016>.
27. Marques, N., Silva, R.R. and Bernardino, J. (2024) 'Using ChatGPT in Software Requirements Engineering: A Comprehensive Review,' *Future Internet*, 16(6), p. 180. <https://doi.org/10.3390/fi16060180>.
28. Mehder, S. and Aydemir, F.B. (2022) 'Classification of Issue Discussions in Open Source Projects Using Deep Language Models,' 2022 IEEE 30th International Requirements Engineering Conference Workshops (REW) [Preprint]. <https://doi.org/10.1109/rew56159.2022.00040>.
29. Mehraj, A., Zhang, Z. and Systä, K. (2024) 'A tertiary study on AI for Requirements Engineering,' in *Lecture notes in computer science*, pp. 159–177. https://doi.org/10.1007/978-3-031-57327-9_10.
30. Müller, S. (2024) *The role of modelling in organization and business informatics*. <https://publikationsserver.thm.de/xmlui/handle/123456789/351>.

31. Naimi, L. et al. (2024) 'Automating software documentation: Employing LLMS for precise use case description,' *Procedia Computer Science*, 246, pp. 1346–1354. <https://doi.org/10.1016/j.procs.2024.09.568>.
32. Nakata, T. et al. (2024) 'Needs Companion: a novel approach to continuous user needs sensing using virtual agents and large language models,' *Sensors*, 24(21), p. 6814. <https://doi.org/10.3390/s24216814>.
33. Narciso, P. (2024) *Generative AI in education*, Apress eBooks. <https://doi.org/10.1007/979-8-8688-0844-9>.
34. Niebisch, T. and Kawelke, J. (2024) 'Bonus: Künstliche Intelligenz und Anforderungsmanagement, (in German)' in *Springer eBooks*, pp. 249–292. https://doi.org/10.1007/978-3-662-68871-7_11.
35. Norheim, J.J. et al. (2024) 'Challenges in applying large language models to requirements engineering tasks,' *Design Science*, 10. <https://doi.org/10.1017/dsj.2024.8>.
36. Norheim, J.J. and Rebentisch, E. (2024) 'Structuring Natural Language Requirements with Large Language Models,' *2024 IEEE 32nd International Requirements Engineering Conference Workshops (REW)*, pp. 68–71. <https://doi.org/10.1109/rew61692.2024.00013>.
37. Rajbhoj, A. et al. (2024) 'Accelerating Software Development Using Generative AI: ChatGPT Case Study,' *Proceedings of the 17th Innovations in Software Engineering Conference (ISEC '24)*, pp. 1–11. <https://doi.org/10.1145/3641399.3641403>.
38. Ronanki, K. et al. (2024) 'Requirements Engineering Using Generative AI: Prompts and Prompting Patterns,' in *Generative AI for Effective Software Development*, pp. 109–127. https://doi.org/10.1007/978-3-031-55642-5_5.
39. Ronanki, K., Berger, C. and Horkoff, J. (2023) 'Investigating ChatGPT's potential to assist in requirements elicitation processes,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2307.07381>.
40. Saleem, S., Asim, M.N. and Dengel, A. (2024) 'PassionNet: an innovative framework for duplicate and conflicting requirements identification,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2412.01657>.
41. Sivakumar, M. et al. (2024) 'Exploring the Capabilities of Large Language Models for the Generation of Safety Cases: the Case of GPT-4,' *2024 IEEE 32nd International Requirements Engineering Conference Workshops (REW)*, pp. 35–45. <https://doi.org/10.1109/rew61692.2024.00010>.
42. Tabassum, M.R. et al. (2024) 'Using LLMs for Use Case Modelling of IoT Systems: An Experience Report,' *Proceedings of the ACM/IEEE 27th International Conference on Model Driven Engineering Languages and Systems (MODELS Companion '24)*, pp. 611–619. <https://doi.org/10.1145/3652620.3687810>.
43. Taulli, T. (2023) *Generative AI*, Apress eBooks. <https://doi.org/10.1007/978-1-4842-9367-6>.
44. Wang, C. et al. (2024) 'Assessing UML Models by ChatGPT: Implications for Education,' *arXiv (Cornell University)* [Preprint]. <https://doi.org/10.48550/arxiv.2412.17200>.
45. Webster, J., & Watson, R. T. (2002) 'Analyzing the Past to Prepare for the Future: Writing a Literature Review,' *MIS Quarterly*, 26(2), pp. xiii–xxiii. <http://www.jstor.org/stable/413231>.
46. Wecke, B. (2024) *Generative KI als neues Teammitglied im Marketing* (in German), *Essentials*. <https://doi.org/10.1007/978-3-658-44179-1>.
47. Wu, L. (2023) 'Agile design and AI integration: Revolutionizing MVP development for superior product design,' *International Journal of Education and Humanities*, 9(1), pp. 226–230. <https://doi.org/10.54097/ijeh.v9i1.9417>.

J. Lang and M. Fischer

48. Zmitrowicz, K. (2024) 'Requirements Engineering,' in *Business Analysis Done Right*, pp. 197–302. https://doi.org/10.1007/978-3-031-62194-9_4.