

Problem Scenario:

There is a parent organization called “**Acmeshell Group**”, which has two child companies named **QuickTechie** and **BlueWorld** . Both the company’s employee information is given in two separate text file as below.

Quicktechie.txt

- 1, Michael, California
- 2, Kris, London
- 3, Martin, Hong Kong
- 4, Carol, Canada
- 5, Sita, India

Blueworld.txt

- 6, John, New York
- 7, Ben, London
- 8, Carl, Tokyo
- 9, Smith, Singapore
- 10, Will, Jordon

Ques 1 : Which command will you use to check all available command line options on HDFS
hdfs dfs

Ques 2: Get help on individual commands.

Hdfs dfs -help <comand>

Ques 3: Create a new empty directory named Employee using command line on hdfs.

hdfs dfs -mkdir Employee

Ques 4: Create a file named quicktechie.txt with the data on local system.

touch quicktechie.txt

Ques 5: Create a file named Blueworld.txt with the data given on local system.

touch Blueworld.txt

Ques 6: Put both the files using command line in hdfs.

hdfs dfs -put quicktechie.txt /

hdfs dfs -put Blueworld.txt /

Ques 7: Merge all the files in Employee directory and name it as MergedEmployee.txt

hdfs dfs -getmerge quicktechie.txtt Blueworld.txt

MergedEmployee.txt

hdfs dfs -put MergedEmployee.txt Employee

Ques 8: Read the content of the file.

hdfs dfs -cat Employee/MergedEmployee.txt

Ques 9: Copy the file using command line and make a new file named Copied.txt in local.

hdfs dfs -copyToLocal Employee/MergedEmployee.txt

Copied.txt

Ques 10: Add content in the new file created using Hue.

Ques 11. Get the file back from HDFS to local file system.

hdfs dfs -copyToLocal Copied.txt Copied.txt