	Logo & V & Y & Y & Y & Y & Y & Y & Y & Y & Y	J
12 1.	ETAILS NAME OF THE PORT OF THE PORT OF THE PROPERTY OF THE PRO	
Salar Carried		
,	TAILS LIPA HIP 12 SELISA KIND 13 SEL	y
, C5 ^(x)		
7823 N	Name so the setting the settin	20SE
6	VIKAS Roll Number 15 15 15 15 15 15 15 15 15 15 15 15 15	レ
	KUB23CSE159	, \
54759		129 t
	CPERIMENT 1255 F. S.	/
Titl	CHOCOLATE JAR AND SELLIS AND SELL	, C
, ,	CHOCOLATE JAR (LUR) CELTS A LUR) CELTS A LUR CE	7852p
29	Fig. 12 Series Tibers Elike States Ed Fig. 12 Series Tibers Elike .	
10SENS L	Description of the second of t	159
7	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick chocolates one by one from each chocolate jar, till the jar is empty, and then repeat the same with the rest of the jars.	54759
Bi	Your task is to fine and return an integer value representing the total number of chocolates that student A will have, after all the chocolates have been picked from all the jars.	
59 1187	Note: Once a jar is done A will start taking the chocolates from the new jar.	JBZ
	Input Format:	1
(SE)	input1: An integer value N representing the number of jars.	
,823C5E1	input2: An integer array representing the quantity of chocolates in each jar.	305K)
,	Output Format:	V-
3/159		, 3
56	picked.	(2) to
C	Example:	
KNB725CE	Input:	10°
	3	582°
59	10 20 30	
3C5E759	Output:	1/25 00
,	21	
KIB2	Explanation:	4
+		WANGE S
	Jar 2: 20 chocolates -> A-7, B-7, C-6	2
	Jar 3: 30 chocolates -> A-10, B-10,C-10	Λ.
	so A gets a total of 4+7+10=21 chocolates.	135 CS(K)
S	Source Code: Sourc	ル
		1/2/
	No. 12-Ser. Company of the Company o	120/4

```
def total_chocolates_for_A(chocolates):
    total_chocolates_A = 0

# Iterate through each jar
for jar in chocolates:
    # Full cycles where A gets 1 chocolate per cycle
    total_chocolates_A += jar // 3

# If there are leftover chocolates and A gets 1 more
    if jar % 3 >= 1:
        total_chocolates_A += 1

return total_chocolates_A += 1

return total_chocolates_A
jar=int(input())
chocolates=list(map(int,input(). split ()))
print(total_chocolates_for_A(chocolates))

RESULT

7 / 5 Test Cases Passed | 100 %
```