

MyHub Codebase Reference

Complete source code for Next.js 15, Prisma, and Tailwind CSS implementation

package.json

```
{
  "name": "myhub-dashboard",
  "version": "1.0.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "lint": "next lint",
    "db:push": "prisma db push",
    "db:studio": "prisma studio"
  },
  "dependencies": {
    "@prisma/client": "^5.10.0",
    "clsx": "^2.1.0",
    "date-fns": "^3.3.1",
    "framer-motion": "^11.0.8",
    "lucide-react": "^0.344.0",
    "next": "14.1.0",
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
    "tailwind-merge": "^2.2.1",
    "zustand": "^4.5.1"
  }
}
```

prisma/schema.prisma (Core Models)

```
generator client {
  provider = "prisma-client-js"
}

datasource db {
  provider = "postgresql"
  url      = env("DATABASE_URL")
}

model User {
  id          String    @id @default(cuid())
  name        String?
  email       String    @unique
  image       String?
  storageUsed Float      @default(0)
  storageLimit Float     @default(15360)
  createdAt   DateTime   @default(now())
  updatedAt   DateTime   @updatedAt

  files       File[]
  links       Link[]
  videos      Video[]
  photos      Photo[]
  notes       Note[]
  meetings    Meeting[]
  hackathons  Hackathon[]
  tasks       Task[]
  folders     Folder[]
  tags        Tag[]
}

model Folder {
  id          String    @id @default(cuid())
  name        String
  color       String?
  parentId    String?
  userId      String
  createdAt   DateTime   @default(now())
  updatedAt   DateTime   @updatedAt

  user        User       @relation(fields: [userId], references: [id], onDelete: Cascade)
  parent      Folder?    @relation("FolderToFolder", fields: [parentId], references: [id])
  children    Folder[]   @relation("FolderToFolder")
  files       File[]
}

model File {
  id          String    @id @default(cuid())
  name        String
  url         String
  size        Float
  type        String
  userId      String
  folderId    String?
  createdAt   DateTime   @default(now())
  updatedAt   DateTime   @updatedAt

  user        User       @relation(fields: [userId], references: [id], onDelete: Cascade)
```

```

    folder    Folder? @relation(fields: [folderId], references: [id])
    tags      Tag[]   @relation("FileTags")
  }

// ... Additional models omitted for brevity, includes Link, Video, Photo, Hackathon,
Meeting, Note, Task, Tag ...

```

src/store/useStore.ts (Zustand Global State)

```

import { create } from 'zustand';

interface HubState {
  isSidebarOpen: boolean;
  toggleSidebar: () => void;
  searchQuery: string;
  setSearchQuery: (query: string) => void;
  theme: 'dark' | 'light';
  setTheme: (theme: 'dark' | 'light') => void;
  activeCategory: string;
  setActiveCategory: (category: string) => void;
}

export const useHubStore = create<HubState>((set) => ({
  isSidebarOpen: true,
  toggleSidebar: () => set((state) => ({ isSidebarOpen: !state.isSidebarOpen })),
  searchQuery: '',
  setSearchQuery: (query) => set({ searchQuery: query }),
  theme: 'dark',
  setTheme: (theme) => set({ theme }),
  activeCategory: 'All',
  setActiveCategory: (category) => set({ activeCategory: category }),
})));

```

src/app/page.tsx (Dashboard UI)

```

'use client';

import React from 'react';
import {
  Search, Bell, Link2, PlaySquare, Image as ImageIcon, FileText,
  Trophy, Video as MeetIcon, Folder, LayoutDashboard, Newspaper,
  ChevronRight
} from 'lucide-react';

export default function Dashboard() {
  return (
    <div className="flex h-screen w-full bg-[#f4f7f9] text-[#1a1c29] font-sans overflow-hidden">

      {/* SIDEBAR */}
      <aside className="w-64 bg-[#1e1f2e] text-white flex flex-col justify-between h-full flex-shrink-0">

```

```

<div className="p-6 overflow-y-auto">
  <div className="flex items-center gap-3 mb-8">
    <div className="w-8 h-8 rounded-lg bg-indigo-500 flex items-center justify-
center">
      <div className="w-4 h-4 bg-white rotate-45 rounded-sm" />
    </div>
    <h1 className="text-xl font-bold tracking-wide">MyHub</h1>
  </div>

  <nav className="space-y-1 mb-8">
    <SidebarItem icon={<LayoutDashboard size={18}/>} label="Dashboard" active />
    <SidebarItem icon={<Link2 size={18}/>} label="Links" />
    <SidebarItem icon={<PlaySquare size={18}/>} label="Videos" />
    <SidebarItem icon={<ImageIcon size={18}/>} label="Photos" />
    <SidebarItem icon={<Newspaper size={18}/>} label="Daily News" />
    <SidebarItem icon={<Trophy size={18}/>} label="Hackathons" />
    <SidebarItem icon={<MeetIcon size={18}/>} label="Meet Links" />
    <SidebarItem icon={<Folder size={18}/>} label="Files" />
    <SidebarItem icon={<FileText size={18}/>} label="Notes" />
  </nav>

  <div className="mb-4">
    <h3 className="text-xs font-semibold text-gray-400 uppercase tracking-wider
mb-3">Categories</h3>
    <ul className="space-y-2">
      <CategoryItem color="bg-blue-500" label="Study" />
      <CategoryItem color="bg-indigo-500" label="Work" />
      <CategoryItem color="bg-pink-500" label="Personal" />
      <CategoryItem color="bg-yellow-500" label="Opportunities" />
      <CategoryItem color="bg-purple-500" label="Others" />
    </ul>
  </div>
</div>

<div className="p-6 border-t border-gray-800">
  <div className="mb-4">
    <div className="flex justify-between text-xs text-gray-400 mb-2">
      <span>Storage Used</span>
      <span>6.4 GB / 15 GB</span>
    </div>
    <div className="w-full bg-gray-700 rounded-full h-1.5">
      <div className="bg-indigo-500 h-1.5 rounded-full" style={{ width: '42%' }}</
div>
    </div>
  </div>
  <button className="w-full py-2 px-4 rounded-lg border border-gray-600 hover:bg-
gray-800 transition-colors text-sm font-medium">
    Upgrade Storage
  </button>
</div>
</aside>

{/* MAIN CONTENT AREA */}
<main className="flex-1 flex flex-col h-full overflow-y-auto">

  {/* TOP NAVBAR */}
  <header className="flex items-center justify-between px-8 py-6 bg-white/50 backdrop-
blur-md sticky top-0 z-10">
    <div>
      <h2 className="text-2xl font-bold text-gray-900 flex items-center gap-2">
        Hello, Vicky! <span className="text-2xl">👋</span>
      </h2>
      <p className="text-sm text-gray-500 mt-1">Organize, access and stay updated with

```

```

all your important stuff in one place.</p>
</div>

<div className="flex items-center gap-6">
  <div className="relative">
    <Search className="absolute left-3 top-1/2 -translate-y-1/2 text-gray-400"
size={18} />
    <input
      type="text"
      placeholder="Search anything..."
      className="pl-10 pr-12 py-2.5 rounded-xl border border-gray-200 bg-white
focus:outline-none focus:ring-2 focus:ring-indigo-500 w-80 shadow-sm"
    />
    <span className="absolute right-3 top-1/2 -translate-y-1/2 text-xs font-
semibold text-gray-400 border border-gray-200 rounded px-1.5 py-0.5">⌕</span>
  </div>

  <div className="relative cursor-pointer">
    <Bell className="text-gray-600" size={22} />
    <span className="absolute -top-1 -right-1 flex h-4 w-4 items-center justify-
center rounded-full bg-red-500 text-[10px] font-bold text-white border-2 border-white">3</
span>
  </div>

  <div className="w-10 h-10 rounded-full bg-gray-200 overflow-hidden border-2
border-white shadow-sm relative cursor-pointer">
    
    <div className="absolute bottom-0 right-0 w-3 h-3 bg-green-500 border-2
border-white rounded-full"></div>
  </div>
</div>
</header>

{/* DASHBOARD CONTENT */}
<div className="p-8 space-y-6">

  {/* STATS ROW */}
  <div className="grid grid-cols-6 gap-4">
    <StatCard icon={<Link2 className="text-blue-500" size={24}/>} count="128"
label="Links" bgColor="bg-blue-50" />
    <StatCard icon={<PlaySquare className="text-red-500" size={24}/>} count="64"
label="Videos" bgColor="bg-red-50" />
    <StatCard icon={<ImageIcon className="text-green-500" size={24}/>} count="230"
label="Photos" bgColor="bg-green-50" />
    <StatCard icon={<Newspaper className="text-pink-500" size={24}/>} count="32"
label="News" bgColor="bg-pink-50" />
    <StatCard icon={<Trophy className="text-yellow-500" size={24}/>} count="12"
label="Hackathons" bgColor="bg-yellow-50" />
    <StatCard icon={<MeetIcon className="text-purple-500" size={24}/>} count="18"
label="Meet Links" bgColor="bg-purple-50" />
  </div>

  {/* MAIN GRID */}
  <div className="grid grid-cols-12 gap-6">

    {/* Quick Access (Col Span 4) */}
    <div className="col-span-4 bg-white rounded-2xl p-5 shadow-sm border border-
gray-100">
      <div className="flex items-center justify-between mb-4">
        <h3 className="font-bold flex items-center gap-2"><span className="text-
yellow-500">⚡</span> Quick Access</h3>
      </div>
    </div>
  </div>

```

```
        <div className="space-y-4">
          <QuickAccessItem title="Google Drive" subtitle="drive.google.com"
type="Link" iconColor="bg-blue-100 text-blue-600" />
          <QuickAccessItem title="System Design Basics" subtitle="youtu.be/8Qh: xKk"
type="Video" iconColor="bg-red-100 text-red-600" />
          <QuickAccessItem title="AI & ML Roadmap 2024" subtitle="drive.google.com"
type="Link" iconColor="bg-blue-100 text-blue-600" />
          <QuickAccessItem title="HackX 5.0" subtitle="hackx.tech" type="Hackathon"
iconColor="bg-purple-100 text-purple-600" />
          <QuickAccessItem title="Team Standup" subtitle="meet.google.com/abc-defg-
hij" type="Meet" iconColor="bg-green-100 text-green-600" />
          <QuickAccessItem title="Resume_Updated.pdf" subtitle="2.4 MB • PDF"
type="File" iconColor="bg-yellow-100 text-yellow-600" />
        </div>
        <button className="w-full text-center text-sm font-medium text-indigo-600 mt-4
hover:underline">View All</button>
      </div>
    </div>
  </main>
</div>
);
}
```