

CareConnect Desktop Accessibility Conformance Report

WCAG 2.1 Edition (Based on VPAT® Version 2.5Rev)

Name of Product/Version	CareConnect Desktop (Electron) 1.0.0
Report Date	October 7, 2026
Prepared by	SWEN 661 Team 2 — The Acuity Health Group (Upneet Bir, Victor Lee, Justin Zhang)
Product Description	CareConnect is a medical companion for care recipients living with short-term memory loss and for the people who care for them, extended in this project for users who are deaf or hard of hearing. The desktop client is an Electron application (React 18 renderer, sandboxed main process) built for Windows 10/11, with a macOS build for the team member developing on a Mac. Its governing rule is that anything communicated through sound is also communicated visually or in text: there is no voice-call affordance, alerts are silent visual banners and flashes that always carry words, and the Notify action replaces “give me a ring” with a visual flash and a written record. The desktop adds a persistent sidebar, a native menu bar with Alt mnemonics, a single table of keyboard shortcuts shared by the menu, the renderer and a printable shortcut card, Windows Action Center notifications, and Windows Contrast Themes support. Pages covered: Splash, Sign In, Sign Up, Home, My Day, Appointments (with Export to calendar), Medicines, Memories, Contacts, Message thread (with Notify), Accessibility Settings, and the Keyboard Shortcuts dialog.
Contact Information	GitHub repository: https://github.com/viclee1/careconnect-swen661 (desktop/ folder)
Notes	This report covers the desktop (Electron) client only. The web and mobile clients have their own reports. Defects marked “fixed” were found during this evaluation and corrected before the report date.

Evaluation Methods Used	- Automated testing: axe-core 4.14 (the engine inside axe DevTools) run in Chromium against the renderer on the Vite dev server, rule sets wcag2a, wcag2aa, wcag21a, wcag21aa and best-practice plus the label-in-name rule, on 14 screens and states at two window sizes (28 scans). Every “needs review” contrast result was measured separately (157 measurements). Script: desktop/scripts/a11y-audit.mjs. - Automated accessibility tests in the unit suite: jest-axe on every page of the real application shell, plus regression tests for each defect fixed (src/renderer/__tests__/accessibility.test.tsx). - Keyboard-only testing: 73 scripted checks with no mouse input — Tab and Shift+Tab through every screen with a focus-indicator check at every stop, every keyboard shortcut, arrow keys, Enter, Space, Escape, focus trapping and focus return, reflow at 200% and 400% zoom, and WCAG 1.4.12 text spacing (desktop/scripts/a11y-keyboard.mjs), followed by a manual keyboard-only pass of the installed application. - Screen-reader testing: inspection of the Chromium accessibility tree for every screen (what VoiceOver and NVDA are given), followed by a manual pass with VoiceOver on macOS and NVDA on Windows recorded in the screen-reader notes and demonstration video. - Platform settings: Windows Contrast Themes (forced-colors), macOS Increase Contrast (prefers-contrast), Reduce Motion, and Ctrl/Cmd zoom. - Source-code review of every renderer component against the criteria below.
--------------------------------	---

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.1 (applied to software following W3C WCAG2ICT guidance)	Level A (Yes); Level AA (Yes); Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

Supports	The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
Partially Supports	Some functionality of the product does not meet the criterion.
Does Not Support	The majority of product functionality does not meet the criterion.
Not Applicable	The criterion is not relevant to the product.
Not Evaluated	The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.1 Report

Summary of results:

- Level A: 30 criteria — 26 Supports, 4 Not Applicable.
- Level AA: 20 criteria — 3 Not Applicable, 16 Supports, 1 Partially Supports.
- Automated scan: 0 axe-core violations across 28 scans (down from 55 before fixes). Keyboard: 73 of 73 scripted checks pass. Unit suite: 498 tests, 96.8% statement coverage.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Supports	Every icon that sits beside text is hidden from assistive technology; icon-only controls (toolbar Back, Refresh, Home, contrast, alerts and shortcut buttons) have accessible names. Avatars repeat the visible name and are hidden. Vibration rhythms are named in text, with the drawn glyph hidden. The application has no photographs or images of text.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Not Applicable	The application contains no prerecorded audio or video.
1.2.2 Captions (Prerecorded) (Level A)	Not Applicable	No prerecorded media.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)	Not Applicable	No prerecorded media.
1.3.1 Info and Relationships (Level A)	Supports	One h1 per page with h2 sections; landmarks for the skip link target, the “Main” navigation, main and a single top-level contentinfo (the status bar was moved out of main during this audit). Lists, tables with captions and column headers, a fieldset and legend for medicines, a radio group for segmented choices, and programmatic labels on every field. Field errors on Sign In and Sign Up are now tied to their fields with aria-describedby and aria-invalid (fixed).
1.3.2 Meaningful Sequence (Level A)	Supports	Reading and focus order follow the visual order on every page; verified by the Tab-order sweep and the accessibility tree.

Criteria	Conformance Level	Remarks and Explanations
1.3.3 Sensory Characteristics (Level A)	Supports	No instruction depends on shape, position, colour or sound. Alerts are described in words ("Sends a visual flash and vibration — no sound").
1.4.1 Use of Color (Level A)	Supports	Status is always a word plus a shape: switches print On/Off, the current sidebar item is filled, outlined, bold and marked aria-current, waiting counts say "waiting", completed tasks are struck through and ticked, and errors are written out.
1.4.2 Audio Control (Level A)	Supports	The application plays no audio. Alerts are visual by design.
2.1.1 Keyboard (Level A)	Supports	Every function is reachable with the keyboard: native buttons, inputs, switches (checkbox role="switch"), sliders and a roving-tabindex radio group. My Day tasks were a div with role="button" and are now native toggle buttons; the conversation history and the shortcut card are now focusable so they scroll without a mouse (fixed). 73 of 73 keyboard checks pass.
2.1.2 No Keyboard Trap (Level A)	Supports	Tab moves through and out of every page. The only contained focus is the modal Keyboard Shortcuts dialog, which Escape or its Close button leaves, returning focus to the control that opened it.
2.1.4 Character Key Shortcuts (Level A)	Supports	Every shortcut uses Ctrl or Cmd (Alt for Back on Windows); there are no single-character shortcuts.
2.2.1 Timing Adjustable (Level A)	Supports	Nothing has a time limit, and no in-window message disappears on a timer. The 0.9-second Notify flash is a supplementary cue: the alert is also written into the conversation and posted as a Windows notification that stays in Action Center.
2.2.2 Pause, Stop, Hide (Level A)	Supports	No content moves, blinks or updates automatically for more than five seconds. The Notify flash lasts 0.9 seconds and the vibration-pattern lamp plays only when asked, for the length of one rhythm.
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	The Notify flash is one slow fade, not a strobe, and becomes a steady panel under Reduce Motion. The vibration-pattern lamp is a 20-pixel dot, far below the small-area limit for a general flash.
2.4.1 Bypass Blocks (Level A)	Supports	"Skip to main content" is the first Tab stop on every page and moves focus into main; landmarks allow screen-reader navigation.

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A)	Supports	The window is titled "<Page> — CareConnect" ("Conversation with Joyce — CareConnect" in a thread). Previously only Accessibility Settings set a title (fixed).
2.4.3 Focus Order (Level A)	Supports	Focus order is logical. Opening the shortcut card moves focus into it and closing returns focus; dismissing the export banner returns focus to Export to calendar; a failed Sign In or Sign Up moves focus to the first field to fix (added).
2.4.4 Link Purpose (In Context) (Level A)	Supports	The only link is the skip link. Buttons are named by their visible text.
2.5.1 Pointer Gestures (Level A)	Supports	No multipoint or path-based gestures; everything is a single click.
2.5.2 Pointer Cancellation (Level A)	Supports	Controls activate on click (button release). The shortcut card's backdrop closed the dialog on mouse-down; it now closes only when press and release both happen on the backdrop (fixed).
2.5.3 Label in Name (Level A)	Supports	Every control's accessible name contains its visible text. Seven controls did not — the Settings sidebar item (named "Accessibility"), the status-bar shortcut button, Notify, contact rows, vibration-pattern rows, My Day tasks and the appointment OK button — and all were fixed.
2.5.4 Motion Actuation (Level A)	Not Applicable	No function is operated by device motion.
3.1.1 Language of Page (Level A)	Supports	The document declares lang="en".
3.2.1 On Focus (Level A)	Supports	Focus never changes context.
3.2.2 On Input (Level A)	Supports	Changing a setting saves it in place and typing in Contacts search filters the list (announced as a status message); neither changes context.
3.3.1 Error Identification (Level A)	Supports	Sign In and Sign Up name each field in error in text, announce a summary as an alert, mark the field aria-invalid and give it the error as its description (linking fixed). The message composer does the same for an empty or over-length message.

Criteria	Conformance Level	Remarks and Explanations
3.3.2 Labels or Instructions (Level A)	Supports	Every form field has a visible label, except the message composer and the toolbar search, which have a persistent programmatic label and a placeholder giving the same words. Settings rows explain each option in text.
4.1.1 Parsing (Level A)	Supports	React produces well-formed markup with unique ids (used). A div nested in a button on Home was replaced with a span (fixed). (This criterion is obsolete in WCAG 2.2 and always satisfied for HTML.)
4.1.2 Name, Role, Value (Level A)	Supports	All controls are native or carry the correct role and state. Fixed: sidebar buttons had no name below a 960-pixel window width (labels were display:none); the toolbar contrast toggle exposed no state and now has aria-pressed; My Day tasks are native toggle buttons with aria-pressed.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not Applicable	The video call in this build is a simulated preview with no live audio. Captions are on by default in it, and caption size, colour and visibility are adjustable in Accessibility Settings, ready for a live implementation.
1.2.5 Audio Description (Prerecorded) (Level AA)	Not Applicable	No prerecorded media.
1.3.4 Orientation (Level AA)	Supports	Content is not locked to any orientation; the layout adapts to any window shape.
1.3.5 Identify Input Purpose (Level AA)	Supports	Name, email and password fields carry autocomplete="name", "email", "current-password" and "new-password".
1.4.3 Contrast (Minimum) (Level AA)	Supports	All text meets 4.5:1 (3:1 for large text). Three failures were fixed: the sidebar alerts label (3.98:1, now 5.96:1), the medication badge (2.01:1, now 9.75:1) and completed My Day tasks, which were faded with opacity. All 157 contrast results axe could not decide were measured and pass.
1.4.4 Resize Text (Level AA)	Supports	Every length is in rem, and Ctrl/Cmd + zooms the whole layout to 200% with no loss of content (verified on every page at 640 CSS pixels).

Criteria	Conformance Level	Remarks and Explanations
1.4.5 Images of Text (Level AA)	Supports	No images of text are used.
1.4.10 Reflow (Level AA)	Supports	At 400% zoom (320 CSS pixels) no page scrolls horizontally. The splash header, the Home/My Day toolbar and banner, the status bar, long page titles and vibration-pattern rows now wrap, and the narrow sidebar no longer clips the brand and greeting (fixed).
1.4.11 Non-text Contrast (Level AA)	Supports	The focus ring is 8.5:1 on light surfaces and white on dark ones; switches, sliders and radio groups are drawn in the primary colour. Text-field, composer, search-box and check-circle borders were 1.42:1 and now use a 3.96:1 control border (fixed).
1.4.12 Text Spacing (Level AA)	Supports	With line height 1.5, paragraph spacing 2, letter spacing 0.12 and word spacing 0.16 applied, no text is clipped or overlaps on any signed-in page (scripted check).
1.4.13 Content on Hover or Focus (Level AA)	Supports	No custom content appears on hover or focus. The only tooltip is the operating system's own title tooltip on the account initials.
2.4.5 Multiple Ways (Level AA)	Supports	Every page can be reached from the sidebar, from the native Go menu, and by keyboard shortcut (listed in the Help menu's shortcut card); Home also links to the next task's page.
2.4.6 Headings and Labels (Level AA)	Partially Supports	Headings and field labels describe their topic or purpose. Exceptions: the sidebar "3 alerts" item and the toolbar "Alerts" button open Accessibility Settings rather than a list of alerts, and the toolbar "Search CareConnect" field on Home and My Day does not search yet (prototype placeholders, see Known Limitations).
2.4.7 Focus Visible (Level AA)	Supports	One focus ring is defined once and never removed, recoloured on dark surfaces and restated for Windows Contrast Themes. The toolbar search field had no indicator and now draws the ring round the whole box (fixed). Verified at every Tab stop on every page.
3.1.2 Language of Parts (Level AA)	Not Applicable	No passage is in a language other than English.
3.2.3 Consistent Navigation (Level AA)	Supports	The sidebar keeps the same items in the same order on every signed-in page, and the status bar now appears on all of them rather than only Home and My Day (fixed).

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA)	Supports	Components with the same function look and read the same everywhere: alert banners, status badges, the shortcut buttons and Back.
3.3.3 Error Suggestion (Level AA)	Supports	Every error says how to fix it ("Please enter a valid email address.", the composer's 500-character limit and current length); load failures offer Try again.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Supports	No legal or financial transactions and no deletion of stored data. Task and medicine check-offs and every setting can be reversed at once.
4.1.3 Status Messages (Level AA)	Supports	Status messages use live regions without taking focus: the contact search result count, the export confirmation, the Notify flash, loading messages and vibration-pattern playback (role="status"), and sign-in errors (role="alert").

Table 3: Success Criteria, Level AAA

Level AAA criteria were not evaluated.

Known Limitations and Workarounds

Limitation	Detail	WCAG 2.1	Workaround
Placeholder alert entries.	The sidebar "3 alerts" item, the toolbar "Alerts" button and the status bar's "3 active alerts" show a fixed count and open Accessibility Settings, not a list of alerts.	2.4.6	Alerts themselves appear as banners on Home and My Day and in each conversation. Accessibility Settings → Visual Alerts configures them.
Toolbar search does not search yet.	The "Search CareConnect" field on Home and My Day accepts text but returns no results.	2.4.6	Use Contacts (Ctrl/Cmd + 6), then Find (Ctrl/Cmd + F), or the sidebar and Go menu to reach any page.
In-app contrast toggle is not remembered.	The toolbar contrast button on Home and My Day applies the high-contrast palette for the session only.	—	Turn on Windows Contrast Themes or macOS Increase Contrast; CareConnect follows both on every page and remembers nothing it needs to.

Limitation	Detail	WCAG 2.1	Workaround
Icon-only sidebar in narrow windows.	Below a 960-pixel window width the sidebar shows icons without visible labels. Screen readers still announce every name.	—	Widen the window, or open the shortcut card (Ctrl/Cmd + /), which lists every page by name with its shortcut.
Fixed orientation text.	The sidebar greeting and date and the status bar's "Zoom 100%" are fixed prototype values.	—	The operating system clock shows the real date and time; View → Actual Size resets zoom.
Prototype sign-in and simulated calls.	Sign In accepts any well-formed email and password, and the video call is a simulation without live audio, so live captions (1.2.4) cannot be evaluated yet.	1.2.4 (future)	Captions are on by default in the simulated call and are configurable in Accessibility Settings → Captions.

Legal Disclaimer

This report was prepared by students for SWEN 661 coursework and describes a prototype. It reflects the state of the desktop client on the report date, as evaluated by the methods listed above, and is not a certification of conformance.