UNIVERSITY OF ECONOMICS — VARNA

FACULTY OF INFORMATICS

DEPARTMENT OF INFORMATICS

TERM PAPER

on the topic of

Database Development for the Needs of a Photo Studio

for the course of Databases

PREPARED BY:

Victor Marinov, Roll No. ******,

Denis Demir, Roll No. ******,

Group **, Year II, Major: MWT

SUPERVISED BY:

Assoc. Prof. Ivan Kuyumdzhiev, PhD,

Chief Assist. Prof. Olga Marinova, PhD,

Assist. Prof. Mihaela Ilieva

Varna, 2025

Table of Contents

Section I. Description of the Domain 3

1. Characteristics of the Domain 3

2. Business Rules 4

Section II. Model of the Database 4

1. Initial E–R model 4

2. Refined Relational Model 5

Section III. Initialization of the Database 6

1. Creation of the Database and Tables (Relations) 6

2. Populating the Tables with Data 8

Section IV. Data Extraction and Modification Queries 9

1. Unpaid Projects Report 9

2. Projects Filtered by Type Report 9

3. Sessions without Assigned Teams Report 10

4. Total Monthly Income for the Current Year Report 11

5. Average Revenue by Project Types for the Current Year Report 12

6. Top Clients Report 12

7. Available Employees by Skill and Date Report 14

8. Adding a Project 15

9. Price Conversion 16

10. Project Cancellation 16

Appendix No. 1. SQL Script for Populating the Tables with Sample Data 19

Section I.
Description of the Domain

1. Characteristics of the Domain

VD Studio is a photo studio that provides various photography and videography services operating primarily within Northeastern Bulgaria. For the purposes of its business processes management the photo studio requires a database that shall facilitate the management of the undertaken by the photo studio projects and the personnel allocation based on individual employee skills.

To comprehensively address the operational requirements of the photo studio, the database must capture specific details for every project like the identity of the client who commissioned the project, a concise project name, the reference number and date of the formal contract, the type of the project (e.g., graduation yearbooks, wedding packages, commercial product photography, etc.), the price that shall be paid by the client and whether it is already paid, data about the project's completion, and any supplementary notes.

Each project undertaken by the photo studio comprises a variable number of sessions, each conducted at a designated location and time. For every session, the studio management assigns various personnel to fulfill specific roles (e.g., photographers, lighting technicians, and sound engineers).

The database shall store for every client that is natural person such data as name, contact telephone number and email address, town, and residential address. For every client that is a legal entity is needed to be stored such data as legal name, contact telephone number and email address, town and legal address of registration, company number (Unified Identification Code), and VAT number.

For each employee of the photo studio, it is required to be stored in the database data like name and surname, email address, telephone number, town and residential address as well as the employee's skills. It is imperative to account for the fact that an individual employee may possess multiple skills. Furthermore, the system shall account for varying levels of proficiency in these skills (e.g., beginner

level, basic level, advanced level, etc.). The database shall also track the employment status of each employee, indicating whether they remain in an active labor relationship with the studio or have terminated their employment.

2. Business Rules

Based on the such defined characteristics of the domain, the following set of business rules can be derived:

1. Each client may assign multiple projects to the photo studio, but each project is assigned by exactly one specific client.
2. Each project may include several sessions, whereas each session is conducted within only one project.
3. Each session is carried out by multiple employees of the photo studio, and conversely, each employee participates in multiple sessions.

Section II.
Model of the Database

1. Initial E–R model

The characteristics of the domain outlined in the preceding section and the business rules derived from them facilitate the definition of the following set of primary entity types: clients, projects, sessions, and employees.

Between these entity types can be identified the following relationships:

1. between clients and projects, there is a relationship defined as “Clients assign projects,” which is of the one-to-many type;
2. between projects and sessions, there is a relationship defined as “Projects consist of (include) sessions,” which is of the one-to-many type;
3. between sessions and employees, there is a relationship defined as “Sessions are carried out by employees,” which is of the many-to-many type.

Based on the entity types and relationships listed above, an E–R (entity–relationship) database model can be constructed, as presented in Figure 1.



Figure 1. Initial E–R model of the database

The E–R model in Figure 1. suggests the following guidelines for its future refinement during the construction of the relational database model:

1. resolving the many-to-many relationship between `Sessions` and `Employees`;
2. separating the multi-valued `team` attribute;
3. separating the multi-valued `skills` attribute;
4. separating the `type` attribute to increase the level of data normalization.

2. Refined Relational Model

The aforementioned guidelines have been implemented by establishing the following additional relations: `Project_types`, `Session_teams`,

`Employee_skills`, and `Skills`. Based on the actions performed thus far, a refined relational database model has been constructed, as presented in Figure 2.



Figure 2. Refined relational model of the database

Section III.
Initialization of the Database

1. Creation of the Database and Tables (Relations)

Utilizing SQL (Structured Query Language), and specifically Transact-SQL, the following script has been developed for the purpose of creating the database and the tables (relations):

```
CREATE DATABASE VD_Studio
GO

USE VD_Studio
```

```sql
GO

CREATE TABLE Clients (
    client_id INT NOT NULL IDENTITY PRIMARY KEY,
    name VARCHAR(50) NOT NULL,
    phone VARCHAR(15) NOT NULL,
    email VARCHAR(50) UNIQUE,
    town VARCHAR(50),
    address VARCHAR(50),
    company_number VARCHAR(13) CHECK(LEN(company_number) IN (9, 13)),
    VAT_number CHAR(11)
)

CREATE TABLE Project_types (
    type_id TINYINT NOT NULL IDENTITY PRIMARY KEY,
    name VARCHAR(50) NOT NULL UNIQUE
)

CREATE TABLE Projects (
    project_id INT NOT NULL IDENTITY PRIMARY KEY,
    type_id TINYINT NOT NULL REFERENCES Project_types(type_id),
    client_id INT NOT NULL REFERENCES Clients(client_id),
    name VARCHAR(100),
    contract_number INT,
    contract_date DATE,
    price MONEY,
    is_paid BIT NOT NULL DEFAULT 0,
    is_completed BIT NOT NULL DEFAULT 0,
    additional_notes VARCHAR(MAX)
)

CREATE TABLE Sessions (
    session_id INT NOT NULL IDENTITY PRIMARY KEY,
    project_id INT NOT NULL REFERENCES Projects(project_id),
    location VARCHAR(100),
    date_and_time DATETIME
)

CREATE TABLE Employees (
    employee_id INT NOT NULL IDENTITY PRIMARY KEY,
```

```sql
    name VARCHAR(30) NOT NULL,
    surname VARCHAR(30) NOT NULL,
    email VARCHAR(50) NOT NULL UNIQUE,
    phone VARCHAR(15) NOT NULL,
    town VARCHAR(50) NOT NULL,
    address VARCHAR(50) NOT NULL,
    is_active BIT NOT NULL DEFAULT 1
)

CREATE TABLE Session_teams (
    session_id INT NOT NULL REFERENCES Sessions(session_id),
    employee_id INT NOT NULL REFERENCES Employees(employee_id),
    role VARCHAR(50) NOT NULL,
    PRIMARY KEY (session_id, employee_id)
)

CREATE TABLE Skills (
    skill_id TINYINT NOT NULL IDENTITY PRIMARY KEY,
    name VARCHAR(20) NOT NULL UNIQUE
)

CREATE TABLE Employee_skills (
    employee_id INT NOT NULL REFERENCES Employees(employee_id),
    skill_id TINYINT NOT NULL REFERENCES Skills(skill_id),
    level_of_skill TINYINT CHECK(level_of_skill BETWEEN 1 AND 5),
    PRIMARY KEY (employee_id, skill_id)
)

GO
```

2. Populating the Tables with Data

To achieve a more effective visualization of query execution in the subsequent section, let us populate the tables with sample data by executing the SQL script provided in Appendix No. 1.

Section IV.
Data Extraction and Modification Queries

To demonstrate the functionalities of the constructed database, let us examine a suite of SQL scripts implementing key business scenarios specific to the photo studio's scope of activity. The developed queries encompass the full spectrum of CRUD (create, read, update, delete) operations.

1. Unpaid Projects Report

To facilitate the tracking of the photo studio's financial receivables, it is necessary to generate a report of all projects that have not yet been settled by their respective clients.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

SELECT * FROM Projects
WHERE is_paid = 0
GO
```

The execution of the script yields the following result:

Results | Messages

	project_id	type_id	client_id	name	contract_number	contract_date	price	is_paid	is_completed	additional_notes
1	2	2	2	Абитуриентски албум на 12 „А" клас, ПАЕГ - София	96	2024-04-20	140,00	0	0	NULL
2	7	3	2	Семейна фотосесия в парк „Запад", София – Атанас...	112	2025-03-14	250,00	0	0	На открито
3	10	2	5	Абитуриентски албум на 12 „Б" клас, ФСГ - Добрич	126	2025-05-16	300,00	0	0	Пакет "Премиум"

Figure 3. Result of the execution of the query for unpaid projects report

2. Projects Filtered by Type Report

For the purpose of planning the photo studio's workload, it is necessary to generate a report on all projects pertaining to the graduation yearbooks type.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

DECLARE @type_to_filter VARCHAR(50)
SET @type_to_filter = 'Абитуриентски албуми'

SELECT p.* FROM Projects AS p
JOIN Project_types AS pt ON p.type_id = pt.type_id
WHERE pt.name = @type_to_filter
GO
```

The execution of the script yields the following result:

Results | Messages

	project_id	type_id	client_id	name	contract_number	contract_date	price	is_paid	is_completed	additional_notes
1	2	2	2	Абитуриентски албум на 12 „А" клас, ПАЕГ - София	96	2024-04-20	140,00	0	0	NULL
2	10	2	5	Абитуриентски албум на 12 „Б" клас, ФСГ - Добрич	126	2025-05-16	300,00	0	0	Пакет "Премиум"

Figure 4. Result of the execution of the query for projects filtered by type report

3. Sessions without Assigned Teams Report

In connection with the process of allocating personnel into teams for each session, information shall be provided for all sessions to which a staff team has yet not been assigned.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

SELECT s.* FROM Sessions AS s
LEFT JOIN Session_teams AS st ON s.session_id = st.session_id
WHERE st.session_id IS NULL
GO
```

The execution of the script yields the following result:

Results | Messages

	session_id	project_id	location	date_and_time
1	15	5	Студио Добрич	2025-12-23 11:00:00.000

Figure 5. Result of the execution of the query for sessions without assigned teams report

4. Total Monthly Income for the Current Year Report

To ensure the provision of information support for the photo studio's management, a report detailing total project revenue by months for the current year shall be provided. The results shall be presented in chronological order.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

SELECT
    MONTH(contract_date) AS 'Month',
    SUM(price) AS 'Total income'
FROM Projects
WHERE YEAR(contract_date) = YEAR(GETDATE())
GROUP BY MONTH(contract_date)
ORDER BY Month
GO
```

The execution of the script yields the following result:

Results | Messages

	Month	Total income
1	1	450,00
2	2	150,00
3	3	250,00
4	5	300,00
5	10	2000,00
6	11	1850,00
7	12	440,00

Figure 6. Result of the execution of the query for total monthly income for the current year report

5. Average Revenue by Project Types for the Current Year Report

To identify the photo studio's key business domains, information concerning the average project revenue for the current year shall be provided, categorized by project types. The result shall be presented in descending order relative to the average revenue.

The following SQL script can be used to implement the query:

```
USE VD_Studio
GO

SELECT
    pt.name AS 'Type',
    AVG(price) AS 'Average price'
FROM Project_types AS pt
JOIN Projects AS p ON pt.type_id = p.type_id
WHERE YEAR(p.contract_date) = YEAR(GETDATE())
GROUP BY pt.name
ORDER BY AVG(price) DESC
GO
```

The execution of the script yields the following result:

Results | Messages

	Type	Average price
1	Сватбена фотография	1925,00
2	Рекламна фотография за продукт	450,00
3	Абитуриентски албуми	300,00
4	Семейна фотосесия	255,00
5	Детска фотосесия	165,00

Figure 7. Result of the execution of the query for average revenue by project types for the current year report

6. Top Clients Report

In connection with the implementation of a loyalty program aimed at providing discounts to the photo studio's strategic clients, a list of top clients shall be generated. Top clients are defined as those who have accumulated an aggregate

turnover over the past year exceeding the average turnover of the studio's client base. The list shall include the identifiers, names, towns, and total accumulated turnover for these top clients, and shall be sorted in descending order based on the accumulated total turnover.

The following SQL script can be used to implement the query:

```
USE VD_Studio
GO

SELECT
    c.client_id AS 'Client ID',
    c.name AS 'Name',
    c.town AS 'Town',
    SUM(p.price) AS 'Total revenue'
FROM Clients AS c
JOIN Projects AS p ON c.client_id = p.client_id
WHERE DATEDIFF(YEAR, p.contract_date, GETDATE()) = 0
GROUP BY c.client_id, c.name, c.town
HAVING SUM(p.price) > (
    SELECT AVG(client_total_revenue) AS client_average_revenue
    FROM (
        SELECT c.client_id, SUM(p.price) AS client_total_revenue
        FROM Clients AS c
        JOIN Projects AS p ON c.client_id = p.client_id
        WHERE DATEDIFF(YEAR, p.contract_date, GETDATE()) = 0
        GROUP BY c.client_id
    ) AS sum_calculation
)
ORDER BY SUM(p.price) DESC
GO
```

The execution of the script yields the following result:

Results | Messages

	Client ID	Name	Town	Total revenue
1	4	Минка Александрова Иванова	гр. Свети Влас	2000,00
2	6	"Галин и Теди" СД	гр. Варна	1850,00

Figure 8. Result of the execution of the query for top clients report

7. Available Employees by Skill and Date Report

Owing to the occurrence of a force majeure circumstance, it is necessary to provide information regarding all photographers that are available on December 23, 2025.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

DECLARE @skill_to_look_for VARCHAR(20)
SET @skill_to_look_for = 'Фотография'

DECLARE @date_to_look_for DATE
SET @date_to_look_for = '2025-12-23'

SELECT e.* FROM Employees AS e
JOIN Employee_skills AS es ON e.employee_id = es.employee_id
JOIN Skills AS s ON es.skill_id = s.skill_id
WHERE
    e.is_active = 1 AND
    s.name = @skill_to_look_for AND
    e.employee_id NOT IN (
        SELECT st.employee_id FROM Sessions AS ssn
        JOIN Session_teams AS st ON ssn.session_id = st.session_id
        WHERE DATEDIFF(DAY, @date_to_look_for, date_and_time) = 0
    )

GO
```

The execution of the script yields the following result:

Results | Messages

	employee_id	name	surname	email	phone	town	address	is_active
1	1	Михаела	Мицова	mihaela.m@vd_studio.bg	+359899300101	гр. Варна	ул. Кайсия, № 9	1
2	2	Георги	Велев	velevg@vd_studio.bg	+359894748454	гр. Добрич	ул. Искър, № 75	1
3	4	Деян	Недялков	nedqlkov.d@vd_studio.bg	+359887636521	гр. Добрич	ул. Роза, № 86	1

Figure 9. Result of the execution of the query for available employees by skill and date report

8. Adding a Project

Contract No. 178, dated December 15, 2025, has been executed with Atanas Mihaylov Atanasov (Атанас Михайлов Атанасов) for a Christmas-themed family photo shoot in the amount of BGN 300.00. The project has been designated the title "Christmas with the Atanasov Family" ("Коледа в семейство Атанасови"). A record for the project is to be created within the database.

The following SQL script can be used to implement the query:

```
USE VD_Studio
GO

INSERT INTO Projects
    (
        type_id,
        client_id,
        name,
        contract_number,
        contract_date,
        price
    )
VALUES
    (
        3,
        2,
        'Коледа в семейство Атанасови',
        178,
        '2025-12-15',
        300.00
    )

GO
```

Executing the query produces the following result:

```
Messages

(1 row affected)

Completion time: 2025-12-15T10:02:44.1303767+02:00
```

Figure 10. Result of the execution of the query for adding a project

9. Price Conversion

In connection with the adoption of the euro as the sole official currency of the Republic of Bulgaria, the pricing of all outstanding projects shall be converted accordingly.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

UPDATE Projects
SET price = price / 1.95583
WHERE is_paid = 0
GO
```

Executing the query produces the following result:

```
Messages

(4 rows affected)

Completion time: 2025-12-15T10:05:44.2027924+02:00
```

Figure 11. Result of the execution of the query for price conversion

10. Project Cancellation

Owing to the client's withdrawal from Project No. 6, all records pertaining to this project and its associated sessions shall be deleted.

The following SQL script can be used to implement the query:

```sql
USE VD_Studio
GO

DECLARE @project_to_delete_id INT
SET @project_to_delete_id = 6

BEGIN TRANSACTION

BEGIN TRY
    DELETE FROM Session_teams
    WHERE session_id IN (
        SELECT session_id
        FROM Sessions
        WHERE project_id = @project_to_delete_id
    )

    DELETE FROM Sessions
    WHERE project_id = @project_to_delete_id

    DELETE FROM Projects
    WHERE project_id = @project_to_delete_id

    COMMIT TRANSACTION
    PRINT 'Deleted successfully!'
END TRY
BEGIN CATCH
    ROLLBACK TRANSACTION

    PRINT 'An error occurred!'
    SELECT ERROR_MESSAGE() AS ErrorMessage
END CATCH

GO
```

Executing the query produces the following result:

```
Messages

(1 row affected)

(1 row affected)

(1 row affected)
Deleted successfully!

Completion time: 2025-12-15T10:08:35.3579981+02:00
```

Figure 12. Result of the execution of the query for project cancellation

Appendix No. 1.

SQL Script for Populating the Tables with Sample Data

```
USE VD_Studio
GO

INSERT INTO Clients
    ( name, phone, email, town, address, company_number, VAT_number )
VALUES
    (
        '"Господинови" ООД',
        '+35952551151',
        'gospodin@gmail.com',
        'гр. Суворово',
        'ул. Григор Димитров, № 1',
        '897235786',
        'BG897235786'
    ),
    (
        'Атанас Михайлов Атанасов',
        '+359878781644',
        'nasatanas_@gmail.com',
        'гр. София',
        'кв. Факултета, бл. 1, вх. А, ап. 1, ет. 1 ',
        NULL,
        NULL
    ),
    (
        'Снежина Янкова Желева',
        '+48735753999',
        'snej@abv.bg',
        'гр. Добрич',
        'кв. Балик, бл. 12, вх. Г, ап. 4, ет. 2',
        NULL,
        NULL
    ),
    (
        'Минка Александрова Иванова',
        '+359886996111',
```

```
        'mina_zamina@abv.bg',
        'гр. Свети Влас',
        'ул. Свети Власий, № 44',
        NULL,
        NULL
    ),
    (
        'Димитър Киров Костадинов ',
        '+359894843272',
        'dimo111@gmail.com',
        'гр. Добрич',
        'ул. Преслава, № 11',
        NULL,
        NULL
    ),
    (
        '"Галин и Теди" СД',
        '+359888875757',
        'td666666@hotmail.com',
        'гр. Варна',
        'ул. Орфей, № 188',
        '235245523',
        NULL
    )

INSERT INTO Project_types ( name )
VALUES
    ( 'Рекламна фотография за продукт' ),
    ( 'Абитуриентски албуми'           ),
    ( 'Семейна фотосесия'              ),
    ( 'Сватбена фотография'            ),
    ( 'Детска фотосесия'               )


INSERT INTO Projects
    (
        type_id,
        client_id,
        name,
        contract_number,
```

```
        contract_date,
        price,
        is_paid,
        is_completed,
        additional_notes
    )
VALUES
    (
        1,
        1,
        'Каталожна продуктова фотосесия – Господинови ООД',
        101,
        '2024-11-10',
        750.00,
        1,
        1,
        '25 обработени кадъра'
    ),
    (
        2,
        2,
        'Абитуриентски албум на 12 „А“ клас, ПАЕГ - София',
        96,
        '2024-04-20',
        140.00,
        0,
        0,
        NULL
    ),
    (
        3,
        3,
        'Семейна фотосесия „Желева“ – Коледна тематика',
        342,
        '2025-12-01',
        260.00,
        1,
        0,
        '15 обработени снимки'
    ),
```

```
    (
        4,
        6,
        'Сватбен ден – Галин & Теди – Свети Влас',
        289,
        '2025-11-05',
        1850.00,
        1,
        0,
        'Цялостно заснемане и видео'
    ),
    (
        5,
        5,
        'Детска фотосесия „Първи рожден ден“ – Костадинови',
        541,
        '2025-12-05',
        180.00,
        1,
        1,
        NULL
    ),
    (
        1,
        3,
        'Рекламни продуктови снимки за онлайн магазин – Желева',
        12,
        '2025-01-12',
        450.00,
        1,
        0,
        NULL
    ),
    (
        3,
        2,
        'Семейна фотосесия в парк „Запад“, София – Атанасови',
        112,
        '2025-03-14',
        250.00,
```

```
        0,
        0,
        'На открито'
    ),
    (
        4,
        4,
        'Сватбена фотосесия – Минка & Галин – Свети Влас',
        211,
        '2025-10-01',
        2000.00,
        1,
        0,
        'Цял ден снимане'
    ),
    (
        5,
        1,
        'Детска фотосесия за първокласник',
        50,
        '2025-02-03',
        150.00,
        1,
        1,
        NULL
    ),
    (
        2,
        5,
        'Абитуриентски албум на 12 „Б“ клас, ФСГ - Добрич',
        126,
        '2025-05-16',
        300.00,
        0,
        0,
        'Пакет "Премиум"'
    )

INSERT INTO Sessions ( project_id, location, date_and_time )
VALUES
```

```
    ( 1,  'Студио Варна',                      '2024-11-11 12:00' ),
    ( 8,  'Тракийски скали',                   '2025-04-24 08:00' ),
    ( 3,  'Студио Добрич',                     '2025-12-12 16:15' ),
    ( 4,  'ресторант Ривера, Добрич',          '2025-11-08 14:00' ),
    ( 5,  'ресторант Европа, Добрич',          '2025-12-23 17:00' ),
    ( 10, 'Градски парк "Св. Георги", Добрич', '2025-05-20 15:00' ),
    ( 2,  'София - Борисова градина',          '2025-04-25 18:00' ),
    ( 6,  'Студио Варна',                      '2025-01-15 10:00' ),
    ( 7,  'Парк "Запад", София',               '2025-03-16 14:30' ),
    ( 9,  'Студио Варна',                      '2025-02-05 09:00' ),
    ( 1,  'Студио Варна',                      '2024-11-12 10:00' ),
    ( 8,  'Хотел "Марина"',                    '2025-10-02 17:00' ),
    ( 3,  'Литературен музей, Добрич',         '2025-12-15 13:00' ),
    ( 4,  'Свети Влас - плаж',                 '2025-11-09 10:00' ),
    ( 5,  'Студио Добрич',                     '2025-12-23 11:00' )

INSERT INTO Employees
    ( name, surname, email, phone, town, address, is_active )
VALUES
    (
        'Михаела',
        'Мицова',
        'mihaela.m@vd_studio.bg',
        '+359899300101',
        'гр. Варна',
        'ул. Кайсия, № 9',
        1
    ),
    (
        'Георги',
        'Велев',
        'velevg@vd_studio.bg',
        '+359894748454',
        'гр. Добрич',
        'ул. Искър, № 75',
        1
    ),
    (
        'Николай',
        'Зафиров',
```

```
        'niki@vd_studio.bg',
        '+359877555123',
        'гр. София',
        'ул. Лилиум, № 16',
        1
    ),
    (
        'Деян',
        'Недялков',
        'nedqlkov.d@vd_studio.bg',
        '+359887636521',
        'гр. Добрич',
        'ул. Роза, № 86',
        1
    ),
    (
        'Деян',
        'Стоев',
        'stoev@vd_studio.bg',
        '+359886947513',
        'гр. Варна',
        'ул. Дунав, № 33',
        0
    )

INSERT INTO Session_teams ( session_id, employee_id, role )
VALUES
    ( 1,  1, 'фотограф'      ),
    ( 1,  2, 'асистент'      ),
    ( 2,  1, 'фотограф'      ),
    ( 2,  3, 'осветление'    ),
    ( 3,  3, 'фотограф'      ),
    ( 4,  1, 'фотограф'      ),
    ( 4,  2, 'асистент'      ),
    ( 5,  3, 'фотограф'      ),
    ( 6,  4, 'фотограф'      ),
    ( 7,  4, 'фотограф'      ),
    ( 8,  3, 'дрон оператор' ),
    ( 9,  3, 'фотограф'      ),
    ( 10, 1, 'фотограф'      ),
```

```sql
    ( 11, 1, 'фотограф'      ),
    ( 11, 2, 'осветление'    ),
    ( 12, 1, 'фотограф'      ),
    ( 12, 3, 'видеооператор' ),
    ( 13, 3, 'фотограф'      ),
    ( 14, 1, 'фотограф'      ),
    ( 14, 2, 'асистент'      )

INSERT INTO Skills ( name )
VALUES
    ( 'Фотография'     ),
    ( 'Видеообработка' ),
    ( 'Осветление'     ),
    ( 'Photoshop'      ),
    ( 'Дрон оператор'  )

INSERT INTO Employee_skills ( employee_id, skill_id, level_of_skill )
VALUES
    ( 1, 1, 5 ),
    ( 1, 3, 4 ),
    ( 1, 4, 4 ),
    ( 2, 1, 4 ),
    ( 2, 3, 5 ),
    ( 3, 1, 4 ),
    ( 3, 4, 3 ),
    ( 3, 5, 2 ),
    ( 4, 1, 5 ),
    ( 4, 4, 5 )

GO
```