



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49



50–89



90–100



METRICS

[Expand view](#)

▲ First Contentful Paint

21.8 s

▲ Total Blocking Time

1,020 ms

▲ Speed Index

35.1 s
[View Treemap](#)


DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 21,520 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	374.9 KiB	32,230 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	2,230 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	2,870 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	2,230 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	2,230 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	960 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	960 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,600 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	960 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	960 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	960 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	960 ms
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1.9 KiB	960 ms
...css/style.css (ifce.edu.br)	3.2 KiB	960 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	3,500 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.7 KiB	960 ms
...brasil_gov_facetada/resourceplone.formwidget.ContentTreeCon....js (ifce.edu.br)	24.6 KiB	1,600 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapbootstrap....js (ifce.edu.br)	8.3 KiB	960 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	2,870 ms
...brasil_gov_facetada/resourcesl_scriptsSocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,600 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	960 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	960 ms

⚠ Properly size images — Potential savings of 100 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	326.7 KiB	99.6 KiB
 div.galleria -stage > div.galleria -images > div.galleria -image > img 	...@@@images/image (ifce.edu.br)	74.4 KiB 45.0 KiB
 Revista do IFCE 2022 	...@@@images/b785bc18-a0e5-494f-a182- ae1ae78398d0.png (ifce.edu.br)	130.4 KiB 32.2 KiB
 Programa de Bolsa Permanê ncia 	...@@@images/aceb554a-89f8-4c12-a4f6- 38dc2062fec9.jpeg (ifce.edu.br)	46.3 KiB 11.6 KiB
 qr-code- mec 	...@@@images/9b20a87f-e2c0-4b58-9553- 00c31c365616.jpeg (ifce.edu.br)	23.5 KiB 5.8 KiB
 orgaos <img src="http s://ifce.	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB 5.0 KiB

URL	Resource Size	Potential Savings
 http://www.orgaosparceiros.edu.br/imagens/orgaosparceiros.jpg	1.2 MB	1.2 MB

▲ Reduce unused JavaScript — Potential savings of 1,359 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). [LCP]

Show 3rd-party resources (13)

URL		Transfer Size	Potential Savings
YouTube	Video	865.8 KiB	584.7 KiB
...en_US/base.js	(www.youtube.com)	771.0 KiB	533.5 KiB
...www-embed-player.vflset/www-embed-player.js	(www.youtube.com)	94.8 KiB	51.2 KiB
Twitter	Social	494.7 KiB	359.5 KiB
...chunks/3.6238497....js	(platform.twitter.com)	160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=...	(platform.twitter.com)	102.8 KiB	99.2 KiB
...chunks/modules.20f98d7....js	(platform.twitter.com)	93.5 KiB	55.5 KiB
...chunks/0.9098e7e....js	(platform.twitter.com)	76.0 KiB	49.2 KiB
...chunks/4.1579d56....js	(platform.twitter.com)	62.2 KiB	43.1 KiB
ifce.edu.br	1st Party	252.6 KiB	177.6 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js	(ifce.edu.br)	138.3 KiB	87.3 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js	(ifce.edu.br)	78.6 KiB	65.1 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js	(ifce.edu.br)	35.8 KiB	25.2 KiB
Facebook	Social	250.5 KiB	176.4 KiB
...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz	(static.xx.fbcdn.net)	107.3 KiB	71.8 KiB
/pt_BR/all.js?hash=7a9d948...	(connect.facebook.net)	85.9 KiB	56.9 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz	(static.xx.fbcdn.net)	30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz	(static.xx.fbcdn.net)	26.8 KiB	20.8 KiB

URL	Transfer Size	Potential Savings
Google Tag Manager Tag-Manager	148.3 KiB	60.7 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	31.0 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.8 KiB

▲ Serve images in next-gen formats — Potential savings of 590 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

URL	Resource Size	Potential Savings	
ifce.edu.br 1st Party	915.1 KiB	590.3 KiB	
...@@@images/image (ifce.edu.br)	436.3 KiB	265.2 KiB	
 Revista do IFCE 2022 	...@@@images/b785bc18-a0e5-494f-a182- ae1ae78398d0.png (ifce.edu.br)	130.4 KiB	115.0 KiB
...@@@images/image (ifce.edu.br)	135.4 KiB	80.7 KiB	
 orgaos 	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB	45.1 KiB
 div.galleria -stage > div.galleria -images > div.galleria -image > img <img src="https://ifce.edu.br/parac uru/imagens/galeria-de-"	...@@@images/image (ifce.edu.br)	74.4 KiB	38.6 KiB

URL	Resource Size	Potential Savings
<pre> foto s/paracuru site.jpg@@1... style="display: block; opacity: 1; min-width: 0px; min-height: 0px;" width="372" height="215">  </pre> <p>Programa de Bolsa Permanência</p> <p></p> <pre> </pre>	38dc2062fec9.jpeg (ifce.edu.br)	46.3 KiB 21.9 KiB
<pre> mapa.png </pre> 	imagens_menu_rapido/mapa.png (ifce.edu.br)	16.8 KiB 13.0 KiB
<pre> qr-code- mec <img src="http s://ifce. edu.br/qr-code- mec/@@images/9b20a87f-e2c0-4b58-9553- 00c31c365616.jpeg (ifce.edu.br) </pre> 	...@@@images/9b20a87f-e2c0-4b58-9553-00c31c365616.jpeg (ifce.edu.br)	23.5 KiB 10.7 KiB

▲ Reduce initial server response time — Root document took 650 ms ^

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br 1st Party	650 ms
/paracuru (ifce.edu.br)	650 ms

▲ Reduce JavaScript execution time — 5.7 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (15)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube Video	3,571 ms	3,142 ms	205 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	1,892 ms	1,780 ms	30 ms
...en_US/base.js (www.youtube.com)	1,455 ms	1,263 ms	156 ms
/embed/GDWR9ouHI8Y (www.youtube.com)	224 ms	99 ms	18 ms
ifce.edu.br 1st Party	1,710 ms	549 ms	41 ms
/paracuru (ifce.edu.br)	945 ms	14 ms	7 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	642 ms	436 ms	34 ms
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	123 ms	98 ms	0 ms
Twitter Social	1,110 ms	875 ms	106 ms
...chunks/6.902e7a2....js (platform.twitter.com)	532 ms	526 ms	1 ms
/widgets.js (platform.twitter.com)	207 ms	172 ms	16 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	193 ms	30 ms	66 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	72 ms	68 ms	1 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	54 ms	32 ms	19 ms
...chunks/2.691622e....js (platform.twitter.com)	52 ms	46 ms	2 ms
Facebook Social	722 ms	370 ms	67 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	392 ms	169 ms	25 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	259 ms	164 ms	13 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	71 ms	38 ms	29 ms
Unattributable	613 ms	69 ms	0 ms
Unattributable	613 ms	69 ms	0 ms
Google Tag Manager Tag-Manager	265 ms	230 ms	26 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	142 ms	125 ms	14 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	123 ms	105 ms	12 ms
Google Analytics Analytics	71 ms	62 ms	3 ms

URL	Total CPU Time	Script Evaluation	Script Parse
/analytics.js (www.google-analytics.com)	71 ms	62 ms	3 ms

▲ Minimize main-thread work — 8.6 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) [TBT]

Category	Time Spent
Script Evaluation	5,476 ms
Other	1,138 ms
Script Parsing & Compilation	605 ms
Style & Layout	592 ms
Garbage Collection	286 ms
Rendering	257 ms
Parse HTML & CSS	196 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 3,350 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#) [TBT]

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	972 KiB	2,649 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,465 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,159 ms
/embed/GDWR9ouHl8Y (www.youtube.com)	39 KiB	24 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?sY6Yow (www.youtube.com)	0 KiB	0 ms
Twitter [Social]	613 KiB	492 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	472 ms

Resource Type	Resource URL	Transfer Size	Main-Thread Blocking Time
Third-Party			
	...screen-name/%5BscrenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	10 ms
	/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	10 ms
	...chunks/3.6238497....js (platform.twitter.com)	161 KiB	0 ms
	...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	0 ms
	...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
	...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
	...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms
	/widgets.js (platform.twitter.com)	28 KiB	0 ms
	...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
	...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
	/js/timeline.e108540....js (platform.twitter.com)	3 KiB	0 ms
	...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
	...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
	...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
	...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
	/settings?session_id=2b63245... (syndication.twitter.com)	1 KiB	0 ms
	...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
	...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
	/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
Facebook Social		304 KiB	143 ms
	/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	88 KiB	90 ms
	/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	52 ms
	...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms
	...pt_BR/5lFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
	...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
	...t39.30808-6/277....jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	12 KiB	0 ms
	...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
	...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
	/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
	...t39.30808-1/273....jpg?stp=... (scontent-atl3-2.xx.fbcdn.net)	2 KiB	0 ms
	...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
	...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Tag Manager Tag-Manager		150 KiB	63 ms
	/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	57 ms
	/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	6 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Analytics [Analytics]	21 KiB	2 ms
/analytics.js (www.google-analytics.com)	21 KiB	2 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs [Utility]	63 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j...js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts [Cdn]	23 KiB	0 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu...woff2 (fonts.gstatic.com)	11 KiB	0 ms
JSDelivr CDN [Cdn]	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads [Ad]	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms

⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT]

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	972 KiB	2,649 ms
YouTube Embedded Player (Video)	972 KiB	2,649 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,159 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,465 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/GDWR9ouHI8Y (www.youtube.com)	39 KiB	24 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

▲ Largest Contentful Paint element — 33,460 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP






Element
 qr-code-mec

Phase	% of LCP	Timing
TTFB	3%	930 ms
Load Delay	75%	25,250 ms
Load Time	22%	7,240 ms
Render Delay	0%	40 ms

▲ Avoid large layout shifts — 14 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift impact
 GRADUAÇÕES IFCE vai ofertar mais de 3.300 vagas no SISU 2023. Oportunidades ... <div class="row">	0.242

Element	Layout shift impact
 <p>NAPNE Paracuru sedia VIII Encontro dos NAPNES evento aconteceu nos dias 23 a ...</p> <pre data-bbox="477 287 1144 316"><div class="cell width-5 position-0" data-panel=""></pre>	0.134
 <p>GRADUAÇÕES IFCE vai ofertar mais de 3.300 vagas no SISU 2023.1 Oportunidades ...</p> <pre data-bbox="477 512 1144 541"><div class="cell width-16 position-0" data-panel=""></pre>	0.051
 <p>Central de Atendimento</p> <pre data-bbox="525 691 1224 788"></pre>	0.009
 <p>Central de Atendimento</p> <pre data-bbox="525 923 1208 974"><li id="portalservicos-suporte" class="portalservicos-item"></pre>	0.008
 <p>Sistemas</p> <pre data-bbox="525 1140 906 1170"></pre>	0.008
 <p>Sistemas</p> <pre data-bbox="525 1365 1224 1417"><li id="portalservicos-intranet" class="portalservicos-item"></pre>	0.008
 <p>qr-code-mec</p> <pre data-bbox="477 1574 732 1603"></pre>	0.006
 <p>Contatos</p> <pre data-bbox="525 1814 890 1843"></pre>	0.004
 <p>IFCE</p> <pre data-bbox="462 2016 938 2046"><div id="portal-title" class="corto"></pre>	0.001

Element	Layout shift impact
	0.000
	0.000
	0.000
	0.000

1

```
<a href="https://ifce.edu.br/qr-code-mec/view"
class="button-nav" style="top: 104px;">
```

2

```
<a href="https://ifce.edu.br/programa-de-gestao-e-
desempenho/view" class="button-nav" style="top:
104px;">
```

3

```
<a href="https://ifce.edu.br/revista-do-ifce-2022/view"
class="button-nav" style="top: 104px;">
```



div.row > div.cell > div#b4c37defde4f40509ba017212b525cf9 >
div.outstanding-header

```
<div class="outstanding-header tile-content">
```

0.000

■ Defer offscreen images — Potential savings of 97 KiB ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

	URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]		97.3 KiB	97.3 KiB
	orgaos mapa.png <img src="https://ifce.edu.br/image	/imagens/orgaosparceiros.jpg (ifce.edu.br) 51.9 KiB	51.9 KiB
	... imagens_menu_rapido/mapa.png (ifce.edu.br)	16.8 KiB	16.8 KiB

URL	Resource Size	Potential Savings
<pre>ns/imagens_menu_rapido/mapa.png g" alt="mapa.png"> GUARAMIRANGAlinklateral.png </pre>	/guaramirangalinklateral.png (ifce.edu.br)	9.8 KiB 9.8 KiB
<pre>dd.portletItem > p > a.internal-link > img.image-inline </pre>	...resolveuid/dfd185e... (ifce.edu.br)	6.1 KiB 6.1 KiB
<pre>dd.portletItem > p > a.external-link > img.image-inline </pre>	...resolveuid/4f52c45... (ifce.edu.br)	6.1 KiB 6.1 KiB
<pre>tr > th > a.internal-link > img.image- inline </pre>	...imagens_m.../Aluno1_.png (ifce.edu.br)	4.2 KiB 4.2 KiB
<pre>servidor.jpg </pre>	...@@@images/6b535e1a-dc1b-4b16-b719- 703cd2f23969.jpeg (ifce.edu.br)	2.4 KiB 2.4 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

■ Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify.](#)

[JavaScript](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.6 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.0 KiB	2.5 KiB

■ Reduce unused CSS — Potential savings of 81 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	35.0 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.7 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

■ Efficiently encode images — Potential savings of 61 KiB ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	488.2 KiB	61.2 KiB
	51.9 KiB	37.0 KiB

URL	Resource Size	Potential Savings
<pre>u.br/image ns/orgaosparceiros.jpg" data- mce- src="../imagens/orgaosparceiros. jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"></pre> ...@@@images/image (ifce.edu.br)	436.3 KiB	24.2 KiB

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br [1st Party]	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

⚠️ Avoid enormous network payloads — Total size was 3,817 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) [LCP]

Show 3rd-party resources (6)

URL	Transfer Size
YouTube [Video]	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
ifce.edu.br [1st Party]	844.6 KiB
...@@@images/image (ifce.edu.br)	436.8 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/image (ifce.edu.br)	135.9 KiB
...@@@images/b785bc18-a0e5-494f-a182-ae1ae78398d0.png (ifce.edu.br)	131.0 KiB
Twitter [Social]	264.5 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	103.6 KiB
Facebook [Social]	108.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — **30 resources found**

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

 Show 3rd-party resources (9)

URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		225 KiB
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	7d	108 KiB
Twitter Social		28 KiB

URL	Cache TTL	Transfer Size
/widgets.js (platform.twitter.com)	30m	28 KiB
Google Analytics [Analytics]		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN [Cdn]		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Facebook [Social]		14 KiB
...t39.30808-6/277...jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	14d	12 KiB
...t39.30808-1/273...jpg?stp=... (scontent-atl3-2.xx.fbcdn.net)	14d	2 KiB
Google/Doubleclick Ads [Ad]		1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

■ Ensure text remains visible during webfont load

^

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#) [FCP] [LCP]

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br [1st Party]	5,270 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	400 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	2,930 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,930 ms
Google Fonts [Cdn]	10 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	1,230 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	1,230 ms

■ Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Show 3rd-party resources (2)

Source

YouTube [Video](#)

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

ifce.edu.br [1st Party](#)

...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js:12:34394 (ifce.edu.br)

■ Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) [CLS](#)

Show 3rd-party resources (1)

URL

ifce.edu.br [1st Party](#)



qr-code-mec

```

```

...@@@images/aceb554a-89f8-4c12-a4f6-
38dc2062fec9.jpeg (ifce.edu.br)



Revista do IFCE 2022

```

```

...@@@images/b785bc18-a0e5-494f-a182-
ae1ae78398d0.png (ifce.edu.br)


brasil.gov.br



```
div#wrapper-barra-brasil >  
span#brasil-vlbras >
```

/imagens/vlbras.gif (barra.brasil.gov.br)

URL




```
span.link-vlibras > img

```

○ Avoids an excessive DOM size — 818 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT


Statistic	Element	Value
Total DOM Elements		818
Maximum DOM Depth	 <pre>div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img </pre>	19
Maximum Child Elements	Institucional ...	24

○ Avoid chaining critical requests — 33 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **10,290.943 ms**

Initial Navigation



```

  ...app/vlibras-plugin.js (cdn.jsdelivr.net) - 19.261 ms, 6.98 KiB
  ...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,611.719 ms, 2.92 KiB
  ...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) - 2,583.486 ms, 2.35 KiB
  ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
    ...fonts/opensans-700-webfont.woff (ifce.edu.br) - 1,925.621 ms, 24.22 KiB
    ...fonts/opensans-400-webfont.woff (ifce.edu.br) - 404.919 ms, 23.43 KiB
    ...fonts/opensans-800-webfont.woff (ifce.edu.br) - 2,934.54 ms, 24.47 KiB
  ...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br) - 2,939.417 ms, 36.48 KiB
  ...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - 2,594.276 ms, 1.58 KiB
  ...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - 2,601.442 ms, 1.48 KiB
  ...brasil_gov_facetada/resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - 2,609.307 ms, 1.48 KiB
  ...css/style.css (ifce.edu.br) - 2,579.954 ms, 3.18 KiB
  ...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br) - 2,584.186 ms, 1.34 KiB
  ...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - 2,605.576 ms, 1.29 KiB
  ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - 3,236.089 ms, 79.27 KiB
  ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - 2,597.106 ms, 2.65 KiB
  ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - 2,595.728 ms, 8.29 KiB
  ...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) - 2,600.087 ms, 8.68 KiB
  ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 2,613.826 ms, 1.68 KiB
  ...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 2,583.729 ms, 1.42 KiB
  ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 4,045.706 ms, 140.94 KiB
  ...brasil_gov_facetada/resourcecalendar_stylescalendar-cacheke....css (ifce.edu.br) - 2,589.427 ms, 1.00 KiB
  ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cacheke....css (ifce.edu.br) - 2,595.21 ms, 3.16 KiB
  ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 2,901.037 ms, 24.64 KiB

```

>User Timing marks and measures — 15 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	10,495.55 ms	765.03 ms
Next.js-hydration	Measure	11,260.58 ms	11.00 ms
mark_pe	Mark	7,447.91 ms	
mark_pot_isc	Mark	7,495.08 ms	
mark_pot_ist	Mark	7,498.67 ms	
mark_pot_csms	Mark	7,502.72 ms	
mark_pot_csmf	Mark	7,503.95 ms	
mark_fs	Mark	7,522.47 ms	

Name	Type	Start Time	Duration
mark_goes	Mark	7,539.79 ms	
mark_ep_init_pr	Mark	7,634.98 ms	
mark_pot_if	Mark	7,979.47 ms	
mark_pot_cms	Mark	7,979.77 ms	
mark_pot_cmf	Mark	7,985.75 ms	
beforeRender	Mark	11,260.58 ms	
afterHydrate	Mark	11,271.58 ms	

● Avoid long main-thread tasks — 20 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) [TBT]

Show 3rd-party resources (16)

URL	Start Time	Duration
YouTube <small>Video</small>		1,876 ms
...en_US/base.js (www.youtube.com)	25,127 ms	542 ms
...en_US/base.js (www.youtube.com)	25,670 ms	522 ms
...en_US/base.js (www.youtube.com)	23,716 ms	336 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	24,052 ms	325 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	11,038 ms	79 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	10,966 ms	72 ms
Twitter <small>Social</small>		520 ms
...chunks/6.902e7a2....js (platform.twitter.com)	23,449 ms	266 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	8,876 ms	126 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	14,538 ms	65 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	8,813 ms	63 ms
Facebook <small>Social</small>		419 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	7,317 ms	197 ms
...r/8ZrPme2EwKH.js?_nc_x=1j3Wp8lg5Kz (static.xx.fbcdn.net)	14,109 ms	141 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	7,236 ms	81 ms

URL		Start Time	Duration
ifce.edu.br	1st Party		411 ms
...++resource++brasil.gov.barra/barra.js	(ifce.edu.br)	59,140 ms	161 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu...js	(ifce.edu.br)	33,545 ms	92 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js	(ifce.edu.br)	26,825 ms	91 ms
/paracuru	(ifce.edu.br)	3,165 ms	67 ms
Google Tag Manager	Tag-Manager		182 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c	(www.googletagmanager.com)	9,494 ms	123 ms
/gtag/js?id=UA-69373146-1	(www.googletagmanager.com)	6,435 ms	59 ms
Google Analytics	Analytics		60 ms
/analytics.js	(www.google-analytics.com)	7,845 ms	60 ms

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Íc...
	<div vw-access-button="" class="active">
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (8) Hide

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#) FCP LCP

- Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) FCP LCP

- Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

- Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

- Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

- Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element



```
qr-code-mec

```

- Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements




```
div.galleria-stage > div.galleria-images > div.galleria-image > img  

```




```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```




```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```




```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```



```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```



```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  


```

⚠️ <frame> or <iframe> elements do not have a title

^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

Failing Elements




```
div.cell > div#c252cab64dad49e09d8f67a13327adbb > div.tile-content > iframe  
<iframe width="100%" height="240"  
src="https://www.youtube.com/embed/GDWR9ouHl8Y" frameborder="0"  
gesture="media" allowfullscreen="">
```

⚠️ Links do not have a discernible name

^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements



```
nav > ul#lista-barra-brasil > li > a#menu-icon  
<a href="#" id="menu-icon">
```



```
div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras  
<a class="logo-vlibras" href="#">
```

⚠️ Image elements have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements



qr-code-mec

```

```



Programa de Bolsa Permanência

```

```



Revista do IFCE 2022

```

```


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements



Twitter

```
<li class="last-item">
```

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○ Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

- Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

- The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

- Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

- User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

- The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

- HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

- Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

- Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

- Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (16)

- [aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

- [role]s have all required [aria-*] attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

- Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

- [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

- [accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- [role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

- Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- [id] attributes on active, focusable elements are unique

All focusable elements must have a unique id to ensure that they're visible to assistive technologies.

[Learn how to fix duplicate ids.](#)

● <html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

● <html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

● Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

● Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

● Lists contain only elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

● List items () are contained within , or <menu> parent elements ^

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Values assigned to `role=""` are valid ARIA roles.

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

NOT APPLICABLE (38)

Hide

- `[aria-*]` attributes match their roles

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

- `button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- `[aria-hidden="true"]` elements do not contain focusable descendants

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

- Elements with the `role=text` attribute do not have focusable descendants.

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

- `[aria-*]` attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

- `[aria-*]` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

- Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

- The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in <dl> elements

Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

- <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- <input type="image"> elements have [alt] text

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

- The document does not use <meta http-equiv="refresh">

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

- <object> elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a <table> element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

○ <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

○ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#)

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Elements with visible text labels have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption.

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

`<td>` elements in a large `<table>` have one or more table headers.

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



Best Practices

GENERAL

Uses deprecated APIs — 1 warning found

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Facebook	Social

Deprecation / Warning

Source

UnloadHandler

...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz:328:820 (static.xx.fbcdn.net)

⚠ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source

Description

ifce.edu.br 1st Party

/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

...resolveuid/dfd185e...:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

...resolveuid/4f52c45...:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

⚠ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

/embed/GDWR9ouHI8Y (www.youtube.com)

ⓘ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).

Name

Version

Bootstrap

>= 2.0.0 & <= 2.3.2

FlotCharts

0.7

jQuery

1.8.3

jQuery UI

1.10.2

Modernizr

2.0.4


Name	Version
jQuery Tools	@VERSION

USER EXPERIENCE

⚠ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
brasil.gov.br			



div#wrapper-barra-brasil > span#brasil-vlibras > span.link-vlibras > img		/imagens/vlibras.gif (barra.brasil.gov.br)	132 x 116	132 x 116	198 x 174
--	---	--	-----------	-----------	-----------

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

PASSED AUDITS (10)

Hide

● Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the

communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

● **Avoids third-party cookies** ^

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies.](#)

● **Allows users to paste into input fields** ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

● **Avoids requesting the geolocation permission on page load** ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

● **Avoids requesting the notification permission on page load** ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

● **Displays images with correct aspect ratio** ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

● **Page has the HTML doctype** ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

● **Properly defines charset** ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

● **Avoids `unload` event listeners** ^

The unload event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use pagehide or visibilitychange events instead. [Learn more about unload event listeners](#)

● Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (1)

URL	Map URL
ifce.edu.br 1st Party	
...brasil_gov_facetada/resources/_scriptssocial_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitt.js.map (ifce.edu.br)
Error: Timed out fetching resource	
Other Google APIs/SDKs Utility	
...th/wAFWjcG1j....js (www.google.com)	

NOT APPLICABLE (1) Hide

○ Fonts with `font-display: optional` are preloaded ^

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

[Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

▲ Image elements do not have [alt] attributes


Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements




```
div.galleria-stage > div.galleria-images > div.galleria-image > img  

```



```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```




```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```




```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```



```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```



```
div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img  

```

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

▲ Links are not crawlable ^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link

Revalidação de diploma

```
<a href="http://" class="state-published" target="_blank">
```

▲ robots.txt is not valid — 1 error found ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL

To appear in search results, crawlers need access to your app.

MOBILE FRIENDLY

■ Tap targets are not sized appropriately — 68% appropriately sized tap targets ^

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets](#).

Tap Target	Size	Overlapping Target
	1 22x20	 Programa de Bolsa Permanência
	3 22x20	 Programa de Bolsa Permanência

Tap Target

Size

Overlapping Target




4
<a
href="https://
ifce.edu.br/ca
mocim/menu/edi
tais-de-cursos-e-concursos/transferenc..."
class="button-nav" style="top: 104px;">

21x20




Programa de Bolsa
Permanência
<a
href="https://ifce
.edu.br/programa-
de-gestao-e-desempenho/view"
rel="internal" class="banner">




Contatos
<a
href="/servico
s/contatos">

71x16




Central de
Atendimento
<a
href="https://s
uap.ifce.edu.br
/centralservicos/chamado_externo_abrir/"
target="_blank">




Ouvíndoría
<a
href="/ouvídori
a">

75x16




Acesso à
informação
<a
href="https://i
fce.edu.br/aces
so-a-informacao/acesso-a-informacao-1/">




Ouvíndoría
<a
href="/ouvídori
a">

75x16




Central de
Atendimento
<a
href="https://s
uap.ifce.edu.br
/centralservicos/chamado_externo_abrir/"
target="_blank">



Central de
Atendimento
<a
href="https://
suap.ifce.edu.
br/centralservicos/chamado_externo_abrir
/" target="_blank">

83x16




Licitações
<a
href="/ifce/pro
ap/licitacoes-
e-compras">



Sobre o IFCE
<a
href="/acesso-
a-informacao-
1/Instituciona
l">

91x16



Comunicação
Social
<a
href="https://i
fce.edu.br/serv
icos/area-de-impressa">









2023.2
<a
href="https://ifce.edu.br/camocim/menu/e
ditais-de-cursos-e-
concursos/transferenc..." rel="internal"
class="banner">

372x20



Programa de Bolsa
Permanência
<a
href="https://ifce
.edu.br/programa-
de-gestao-e-desempenho/view"
rel="internal" class="banner">

Tap Target	Size	Overlapping Target
	4 	 3
	1 	 2
	2 	 3
	Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... 	 ALTO CONTRASTE
	Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... 	 div#portal-searchbox > form#nolivesearchGad... get_form > fieldset.LSBox > input#nolivesearchGad... get <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">
	Comunicação Social 	 Acesso à informação
	Sobre o IFCE <a href="/acesso-"	 div#portal-searchbox > form#nolivesearchGad... get_form >

Tap Target	Size	Overlapping Target
		a-informacao-1/Institucional
	138x16	<pre>fieldset.LSBox > input#nolivesearchGad</pre> <p>get</p> <pre><input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget"></pre>
	71x16	<pre>div#portal-searchbox > form#nolivesearchGad</pre> <p>get_form ></p> <pre>fieldset.LSBox > input#nolivesearchGad</pre> <p>get</p> <pre><input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget"></pre>

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a [300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

- Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

- Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

- Document uses legible font sizes — 85.29% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes.](#)

Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
ifce.edu.br 1st Party	.tile .tile-subtitle	3.38%	11.232px
... brasil_gov_facetada/resourcebrasil.g			

Source	Selector	% of Page Text	Font Size
ov.tilestiles-cachekey....css:2482:22 (ifce.edu.br)			
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles-cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_foto li .banner .title	3.24%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles-cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	1.96%	10.8px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles-cachekey....css:2946:48 (ifce.edu.br)	#content.outstanding-header.outstanding-link	1.76%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles-cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	1.57%	9.6px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.88%	0px
/++resource++brasil.gov.tiles/galleria-classic.css:92:28 (ifce.edu.br)	.galleria-info-title a, .galleria-info-description	0.78%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles-cachekey....css:2881:39 (ifce.edu.br)	.cover-collection-tile.tile-footer a	0.49%	11.232px
<hr/>			
Facebook Social			
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz:15:225 (static.xx.fbcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.64%	11px
<hr/>			
Unattributable			
Legible text		85.29%	≥ 12px

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.

[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)

INSTALLABLE

- ⚠️ Web app manifest or service worker do not meet the installability requirements — 1 reason 

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements](#).

Failure reason

No manifest was fetched

PWA OPTIMIZED

- ⚠️ Is not configured for a custom splash screen **Failures: No manifest was fetched.** 

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens](#).

⚠️ Does not set a theme color for the address bar.

- Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.** 

The browser address bar can be themed to match your site. [Learn more about theming the address bar](#).

● Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) [TBT]

▲ Manifest doesn't have a maskable icon **No manifest was fetched** ^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

○ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility.](#)

○ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

○ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

📅 Captured at Feb 3, 2024, 3:03 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

⚡ Unknown

🌐 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with Ir