



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Expand view](#)

▲ First Contentful Paint

13.9 s


▲ Total Blocking Time

1,100 ms

▲ Speed Index

20.5 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 12,800 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	21,120 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,430 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,850 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,430 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,430 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	600 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,010 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	600 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	600 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	600 ms
...css/style.css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	3,100 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,010 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	600 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	1,850 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,430 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	600 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	600 ms

▲ Reduce unused JavaScript — Potential savings of 1,379 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP

Show 3rd-party resources (13)


URL	Transfer Size	Potential Savings
YouTube Video	865.8 KiB	584.6 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.4 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.2 KiB
Twitter Social	494.8 KiB	359.6 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	102.8 KiB	99.2 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)	93.5 KiB	55.6 KiB
...chunks/0.9098e7e....js (platform.twitter.com)	76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)	62.2 KiB	43.1 KiB
ifce.edu.br 1st Party	276.7 KiB	197.0 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	138.3 KiB	87.8 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	61.6 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.0 KiB	22.3 KiB
Facebook Social	250.5 KiB	176.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	107.3 KiB	72.0 KiB
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	85.9 KiB	57.0 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager	148.2 KiB	60.7 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	31.0 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.7 KiB

▲ Serve images in next-gen formats — Potential savings of 285 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	415.8 KiB	284.6 KiB

	URL	Resource Size	Potential Savings
	<p>Feliz 2024</p> <pre><img src="http s://ifce. edu.br/im 8d34a9218e6c.png (ifce.edu.br)</pre> <p>agens/banner-rotativo/feliz- 2024/@@images/eb8fc0ec-1..."</p> <p>alt="Feliz 2024"></p>	99.1 KiB	85.7 KiB
	<p>Avaliação Institucional 2023</p> <pre><img src="http s://ifce.edu.br/moradanova/ima gens/banner-rotativo/ifce- disponibiliza..."</pre> <p>alt="Avaliação Institucional 2023"></p>	88.5 KiB	71.1 KiB
	<p>orgaos</p> <pre><img src="http s://ifce. edu.br/im agens/orgaosparceiros.jpg"</pre> <p>data-mce- src="../imagens/orgaosparceiro s.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"></p>	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB 45.1 KiB
	<pre>div.cycle- player > div.cycle- slide > a > img</pre> <p>...@@@images/ecba1055-2f22-4134-9d9b- 5cdf30255f31.jpeg (ifce.edu.br)</p> <pre></pre>	67.7 KiB	29.3 KiB
	<p>V Encontro do NAPNE do IFCE</p> <pre><img src="https ://ifce.edu.br/moradanova/home /@@nif/ea6fc9ffb2b84a908d25a2 08d27ada6..." width="400" height="400" class="left"</pre>	...@@@images/69af02e6-8d50-4cff-a5d1- 779dea962c85.jpeg (ifce.edu.br)	35.7 KiB 15.7 KiB

URL	Resource Size	Potential Savings
<pre>alt="V Encontro do NAPNE do IFCE"></pre>  <pre>Sisu 2024 <img src="http s://ifce. edu.br/im dded270cce2c.png (ifce.edu.br)</pre>	33.3 KiB	14.6 KiB
<pre>agens/banner-rotativo/sisu- 2024/@@images/e03bd88f-6c63-4d35-bae5- alt="Sisu 2024"></pre> <pre>mapa.png </pre>	16.8 KiB	13.0 KiB
 <pre>Dia 31 de agosto, das 10h às 20h </pre>	22.9 KiB	10.1 KiB

⚠ Avoid an excessive DOM size — 852 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		852
Maximum DOM Depth	 <pre>div.cycle-carousel-wrap > div.thumb-itens > div.table- align > img <img src="https://ifce.edu.br/moradanova/imagens/ galeria_fotos/campus-de-morada-nova..."</pre>	18
Maximum Child Elements	Institucional ... <pre><ul class="navTree navTreeLevel0"></pre>	24

⚠ Reduce JavaScript execution time — 5.8 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (14)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <small>Video</small>	3,608 ms	3,193 ms	184 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	1,954 ms	1,888 ms	25 ms
...en_US/base.js (www.youtube.com)	1,408 ms	1,179 ms	140 ms
/embed/LyZ_8VqtuFQ (www.youtube.com)	246 ms	126 ms	19 ms
ifce.edu.br <small>1st Party</small>	1,311 ms	478 ms	37 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	660 ms	461 ms	28 ms
/moradanova (ifce.edu.br)	651 ms	18 ms	9 ms
Twitter <small>Social</small>	1,269 ms	988 ms	104 ms
...chunks/1.2a1457a....js (platform.twitter.com)	568 ms	552 ms	10 ms
/widgets.js (platform.twitter.com)	337 ms	269 ms	17 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	163 ms	140 ms	15 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	147 ms	23 ms	57 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	54 ms	4 ms	5 ms
Facebook <small>Social</small>	782 ms	380 ms	61 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	515 ms	180 ms	15 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	200 ms	160 ms	22 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	67 ms	40 ms	24 ms
Unattributable	611 ms	75 ms	0 ms
Unattributable	611 ms	75 ms	0 ms
Google Tag Manager <small>Tag-Manager</small>	250 ms	219 ms	23 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	128 ms	113 ms	13 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	122 ms	106 ms	10 ms
Google Analytics <small>Analytics</small>	84 ms	75 ms	3 ms
/analytics.js (www.google-analytics.com)	84 ms	75 ms	3 ms

⚠ Minimize main-thread work — 8.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) [TBT]

Category	Time Spent
Script Evaluation	5,607 ms
Other	961 ms
Style & Layout	554 ms
Script Parsing & Compilation	553 ms
Garbage Collection	360 ms
Parse HTML & CSS	173 ms
Rendering	171 ms

⚠ Reduce the impact of third-party code — Third-party code blocked the main thread for 3,410 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#) [TBT]

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	2,658 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,557 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,056 ms
/embed/LyZ_8VqtuFQ (www.youtube.com)	40 KiB	45 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?vimZxw (www.youtube.com)	0 KiB	0 ms
Twitter Social	613 KiB	499 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	482 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	9 ms
/widgets.js (platform.twitter.com)	28 KiB	6 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	2 ms
...chunks/3.6238497....js (platform.twitter.com)	161 KiB	0 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	4 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=8034c07... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
Facebook Social	307 KiB	186 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	169 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	88 KiB	17 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms
...pt_BR/5lFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
...t39.30808-6/306....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	16 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/305....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Tag Manager Tag-Manager	150 KiB	48 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	44 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	4 ms
Google Analytics Analytics	21 KiB	17 ms
/analytics.js (www.google-analytics.com)	21 KiB	17 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs Utility	62 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms

⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	2,658 ms
YouTube Embedded Player (Video)	973 KiB	2,658 ms

Product	Transfer Size	Main-Thread Blocking Time
...en_US/base.js (www.youtube.com)	772 KiB	1,056 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,557 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/LyZ_8VqtuFQ (www.youtube.com)	40 KiB	45 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

▲ Largest Contentful Paint element — 21,190 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) [LCP]

Element



V Encontro do NAPNE do IFCE

```

```

Phase

% of LCP

Timing

TTFB

4%

780 ms

Load Delay

77%

16,220 ms

Load Time

16%

3,340 ms

Render Delay

4%

850 ms

▲ Avoid large layout shifts — 10 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) [CLS]

Element

Layout shift impact



V Encontro do NAPNE do IFCE

```
<div class="cell width-5 position-0 " data-panel="">
```







0.218



V Encontro do NAPNE do IFCE PARCERIA Campanha de Doação de Sangue junto ao HE...

0.128

```
<div class="row">
```

Element	Layout shift impact
	
	0.021
	0.012
	0.010
	0.010
	0.010
	0.000
	0.000
	0.000

Properly size images — Potential savings of 77 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	340.5 KiB	76.7 KiB
 <p>Feliz 2024</p> <pre><img src="http s://ifce. edu.br/im 8d34a9218e6c.png (ifce.edu.br)</pre> <p>agens/banner-rotativo/feliz-2024/@@images/eb8fc0ec-1..." alt="Feliz 2024"></p>	99.1 KiB	24.4 KiB
 <p>Avaliação Institucional 2023</p> <pre></pre>	88.5 KiB	21.8 KiB
 <p>div.cycle-player > div.cycle-slide > a > img</p> <pre>...@@@images/ecba1055-2f22-4134-9d9b-5cdf30255f31.jpeg (ifce.edu.br)</pre> <p></p>	67.7 KiB	17.3 KiB
 <p>Sisu 2024</p> <pre><img src="http s://ifce. edu.br/im dded270cce2c.png (ifce.edu.br)</pre> <p>agens/banner-rotativo/sisu-2024/@@images/e03bd88f-6c..." alt="Sisu 2024"></p>	33.3 KiB	8.2 KiB
 <p>orgaos /imagens/orgaosparceiros.jpg (ifce.edu.br)</p> <pre><img src="http s://ifce. edu.br/im agens/orgaosparceiros.jpg"</pre>	51.9 KiB	5.0 KiB

URL	Resource Size	Potential Savings
<pre>data-mce- src="..../imagens/orgaosparceiro s.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"></pre>		
Defer offscreen images — Potential savings of 168 KiB		
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images.		
URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	168.4 KiB	168.4 KiB
 <pre>div.cycle- player > div.cycle- slide > a > img ...@@@images/ecba1055-2f22-4134-9d9b- 5cdf30255f31.jpeg (ifce.edu.br)</pre>	67.7 KiB	67.7 KiB
 <pre>orgaos <img src="http s://ifce. edu.br/im agens/orgaosparceiros.jpg"</pre>	51.9 KiB	51.9 KiB
<pre>data-mce- src="..../imagens/orgaosparceiros .jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"></pre>		
<pre>mapa.png </pre>	16.8 KiB	16.8 KiB
<pre>GUARAMIRANGAlinklateral.png </pre>	9.8 KiB	9.8 KiB

URL	Resource Size	Potential Savings
<pre>dd.portletItem > p > a.external-link > img.image-inline </pre>	...resolveuid/4f52c45... (ifce.edu.br)	6.2 KiB
<pre>dd.portletItem > p > a.internal-link > img.image-inline </pre>	...resolveuid/dfd185e... (ifce.edu.br)	6.1 KiB
<pre>tr > th > a.internal-link > img.image- inline </pre>	...imagens_m.../Aluno1_.png (ifce.edu.br)	4.2 KiB
<div style="border: 1px solid black; width: 100px; height: 100px; position: relative;">  <div style="position: absolute; top: 0; left: 0; width: 100%; height: 100%; background-color: black; opacity: 0.5;"></div> </div> <pre>div.cyc le- carros sel > div.thu mb-itens > div.table-align > img </pre>	...@@images/38217fbc-931a-4392-91ed- d28e6489606a.jpeg (ifce.edu.br)	3.4 KiB
<pre>servidor.jpg </pre>	...@@images/6b535e1a-dc1b-4b16-b719- 703cd2f23969.jpeg (ifce.edu.br)	2.4 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

■ Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify.](#)

[JavaScript](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

■ Reduce unused CSS — Potential savings of 80 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.3 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.0 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.3 KiB

■ Efficiently encode images — Potential savings of 37 KiB ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	51.9 KiB	37.0 KiB
	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB

URL	Resource Size	Potential Savings
<pre> </pre>		

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br [1st Party]	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

💡 Avoid enormous network payloads — Total size was 3,313 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) LCP

Show 3rd-party resources (7)

URL	Transfer Size
YouTube [Video]	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
Twitter [Social]	358.7 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	103.6 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)	94.2 KiB
ifce.edu.br [1st Party]	329.6 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/eb8fc0ec-143e-4dcd-a581-8d34a9218e6c.png (ifce.edu.br)	99.6 KiB
...@@@images/a964c0d8-d2e2-4b2b-a2ae-64f68a2873e7.png (ifce.edu.br)	89.0 KiB
Facebook [Social]	108.6 KiB
...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — **31 resources found**

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

 Show 3rd-party resources (9)

URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		224 KiB
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icons-setas-min.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_azul-claro.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB

URL		Cache TTL	Transfer Size
Twitter [Social]			28 KiB
/widgets.js (platform.twitter.com)		30m	28 KiB
Google Analytics [Analytics]			21 KiB
/analytics.js (www.google-analytics.com)		2h	21 KiB
JSDelivr CDN [Cdn]			21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)		7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)		7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)		7d	3 KiB
Facebook [Social]			17 KiB
...t39.30808-6/306...jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)		14d	16 KiB
...t39.30808-1/305...jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)		14d	2 KiB
Google/Doubleclick Ads [Ad]			1 KiB
/instream/ad_status.js (static.doubleclick.net)		15m	1 KiB

■ Ensure text remains visible during webfont load

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#) [FCP] [LCP]

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br [1st Party]	3,180 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,060 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1,060 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,060 ms
Google Fonts [Cdn]	20 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	20 ms
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	760 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	760 ms

Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Source

YouTube [Video](#)

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) [CLS](#)

Show 3rd-party resources (1)

URL

ifce.edu.br [1st Party](#)



```
div.cycle-player > div.cycle-slide >
a > img

```

...@@@images/ecba1055-2f22-4134-9d9b-5cdf30255f31.jpeg (ifce.edu.br)



```
div.cycle-player > div.cycle-slide >
a > img

```

...@@@images/ecba1055-2f22-4134-9d9b-5cdf30255f31.jpeg (ifce.edu.br)



```
Avaliação Institucional 2023

```

...@@@images/a964c0d8-d2e2-4b2b-a2ae-64f68a2873e7.png (ifce.edu.br)



```
Feliz 2024

```

...@@@images/eb8fc0ec-143e-4dcda581-8d34a9218e6c.png (ifce.edu.br)

URL




Sisu 2024

```
  
div.thumb-itens > div.table-  
align > img  




```
div.cycle-carousel-wrap >
div.thumb-itens > div.table-
align > img

brasil.gov.br



```
div#wrapper-barra-brasil >  
span#brasil-vlibras >  
span.link-vlibras > img  
1st Party</a> | 360 ms     |
| /moradanova (ifce.edu.br)             | 360 ms     |

## Avoid chaining critical requests — 32 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) [FCP](#) [LCP](#)

Maximum critical path latency: **5,865.344 ms**

*Initial Navigation*

```
/moradanova (ifce.edu.br)
 ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - 1,444.28 ms, 2.65 KiB
 ...++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) - 1,425.935 ms, 6.86 KiB
 ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 1,434.014 ms, 1.68 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - 1,439.208 ms, 3.91 KiB
 /static/opensans-bold.woff (barra.brasil.gov.br) - 764.512 ms, 18.43 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - 1,444.664 ms, 1.48 KiB
 ...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - 1,434.43 ms, 1.36 KiB
 ...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br) - 1,436.608 ms, 1.34 KiB
 ...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) - 1,439.371 ms, 2.35 KiB
 ...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - 1,430.927 ms, 1.02 KiB
 ...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - 1,437.22 ms, 1.58 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) - 1,439.634 ms, 8.68 KiB
 ...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,437.894 ms, 2.92 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
 ...fonts/opensans-400-webfont.woff (ifce.edu.br) - 1,057.686 ms, 23.43 KiB
 ...fonts/opensans-800-webfont.woff (ifce.edu.br) - 1,060.774 ms, 24.47 KiB
 ...fonts/opensans-700-webfont.woff (ifce.edu.br) - 1,057.578 ms, 24.22 KiB
 ...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 1,438.244 ms, 1.42 KiB
 ...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - 1,442.512 ms, 1.29 KiB
 ...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br) - 1,424.655 ms, 3.56 KiB
 ...brasil_gov_facetada/resourcecollective.pollscsscollective.....css (ifce.edu.br) - 1,436.666 ms, 1.09 KiB
 ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - 1,631.972 ms, 16.02 KiB
 ...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br) - 1,624.566 ms, 36.48 KiB
/app/vlibras-plugin.js (vlibras.gov.br)
 ...app/vlibras-plugin.js (cdn.jsdelivr.net) - 10.654 ms, 6.99 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 1,618.975 ms, 24.64 KiB
 ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst...js (ifce.edu.br) - 1,445.311 ms, 8.29 KiB
 ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - 1,796.263 ms, 79.26 KiB
 ...css/style.css (ifce.edu.br) - 1,430.509 ms, 3.18 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cacheke....css (ifce.edu.br) - 1,436.471 ms, 3.16 KiB
 ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 1,433.429 ms, 140.94 KiB
 ...brasil_gov_facetada/resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - 1,440.391 ms, 1.48 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) - 1,443.852 ms, 4.41 KiB
 ...brasil_gov_facetada/resourcecalendar_stylescalendar-cacheke....css (ifce.edu.br) - 1,447.756 ms, 1.00 KiB
```

 User Timing marks and measures — 15 user timings ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

| Name                     | Type    | Start Time  | Duration  |
|--------------------------|---------|-------------|-----------|
| Next.js-before-hydration | Measure | 5,588.69 ms | 181.20 ms |
| Next.js-hydration        | Measure | 5,769.89 ms | 11.14 ms  |
| mark_pe                  | Mark    | 3,797.77 ms |           |
| mark_pot_isc             | Mark    | 3,857.12 ms |           |
| mark_pot_ist             | Mark    | 3,861.76 ms |           |
| mark_pot_csms            | Mark    | 3,865.90 ms |           |
| mark_pot_csmf            | Mark    | 3,867.30 ms |           |
| mark_fs                  | Mark    | 3,886.39 ms |           |
| mark_qoes                | Mark    | 3,897.38 ms |           |
| mark_ep_init_pr          | Mark    | 3,983.55 ms |           |
| mark_pot_if              | Mark    | 4,342.96 ms |           |
| mark_pot_cms             | Mark    | 4,343.28 ms |           |
| mark_pot_cmf             | Mark    | 4,353.27 ms |           |
| beforeRender             | Mark    | 5,769.89 ms |           |
| afterHydrate             | Mark    | 5,781.03 ms |           |

## ○ Avoid long main-thread tasks — 20 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (15)

| URL                                                              | Start Time | Duration |
|------------------------------------------------------------------|------------|----------|
| YouTube <small>Video</small>                                     |            | 1,778 ms |
| ...en_US/base.js (www.youtube.com)                               | 22,834 ms  | 583 ms   |
| ...en_US/base.js (www.youtube.com)                               | 23,470 ms  | 513 ms   |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 21,769 ms  | 315 ms   |
| ...en_US/base.js (www.youtube.com)                               | 21,501 ms  | 268 ms   |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 9,801 ms   | 99 ms    |
| ifce.edu.br <small>1st Party</small>                             |            | 514 ms   |
| ...++resource++brasil.gov.barra/barra.js (ifce.edu.br)           | 39,350 ms  | 252 ms   |

| URL                                                                                | Start Time | Duration |
|------------------------------------------------------------------------------------|------------|----------|
| ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) | 17,592 ms  | 114 ms   |
| /moradanova (ifce.edu.br)                                                          | 4,251 ms   | 76 ms    |
| /moradanova (ifce.edu.br)                                                          | 2,150 ms   | 72 ms    |
| Twitter Social                                                                     | 508 ms     |          |
| ...chunks/1.2a1457a....js (platform.twitter.com)                                   | 18,660 ms  | 284 ms   |
| /widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)           | 7,748 ms   | 93 ms    |
| /widgets.js (platform.twitter.com)                                                 | 3,809 ms   | 69 ms    |
| ...chunks/modules.20f98d7....js (platform.twitter.com)                             | 11,667 ms  | 62 ms    |
| Facebook Social                                                                    | 480 ms     |          |
| /plugins/like_box.php?app_id=... (www.facebook.com)                                | 7,417 ms   | 281 ms   |
| ...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)                        | 12,687 ms  | 142 ms   |
| /pt_BR/all.js?hash=7a9d948... (connect.facebook.net)                               | 6,080 ms   | 57 ms    |
| Google Tag Manager Tag-Manger                                                      | 166 ms     |          |
| /gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)               | 8,493 ms   | 109 ms   |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com)                               | 5,436 ms   | 57 ms    |
| Google Analytics Analytics                                                         | 73 ms      |          |
| /analytics.js (www.google-analytics.com)                                           | 6,844 ms   | 73 ms    |
| Unattributable                                                                     | 62 ms      |          |
| Unattributable                                                                     | 8,602 ms   | 62 ms    |

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

| Element                                                                             | Name                                                                                                                           |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|  | Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Íc...<br><div vw-access-button="" class="active"> |
| Unsupported CSS Property: border-top-left-radius                                    | border-top-left-radius                                                                                                         |
| Unsupported CSS Property: border-top-right-radius                                   | border-top-right-radius                                                                                                        |
| Unsupported CSS Property: border-bottom-left-radius                                 | border-bottom-left-radius                                                                                                      |

| Element                                              | Name                       |
|------------------------------------------------------|----------------------------|
| Unsupported CSS Property: border-bottom-right-radius | border-bottom-right-radius |
| Unsupported CSS Property: font-size                  | font-size                  |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (8)

Hide

### ● Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). [FCP](#) [LCP](#)

### ● Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). [FCP](#) [LCP](#)

### ○ Preload key requests



Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). [FCP](#) [LCP](#)

### ● Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

### ● Preload Largest Contentful Paint image



If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). [LCP](#)

### ● Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). [LCP](#)

Element



V Encontro do NAPNE do IFCE  


● Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



## Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

## CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)


Failing Elements



EXTENSÃO  
<h2 class="outstanding-title">

### Failing Elements

A Pró-reitoria de Extensão tem como missão planejar, executar e acompanhar as políticas de extensão, formular diretrizes, de modo a promover a integração do conhecimento acadêmico e cultural.



Twitter  
`<li class="last-item">`


These are opportunities to improve the legibility of your content.

## NAMES AND LABELS

⚠ `<frame> or <iframe> elements do not have a title`

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

### Failing Elements




```
div.cell > div#c252cab64dad49e09d8f67a13327adbb > div.tile-content > iframe
<iframe width="100%" height="240"
src="https://www.youtube.com/embed/LyZ_8VqtuFQ" frameborder="0"
allowfullscreen="">
```

⚠ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

### Failing Elements



```
nav > ul#lista-barra-brasil > li > a#menu-icon

```



```
div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras

```



```
div.player > div.cycle-player > div.cycle-slide > a

```

## Failing Elements



## ⚠️ Image elements have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

## Failing Elements



## Avaliação Institucional 2023

```


```



## Feliz 2024

```

```



## Sisu 2024

```

```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

## ○ Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

## ○ Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

## ○ The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

## ○ Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn how to properly hide offscreen content.](#)

Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#)

Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (17)

Hide

● `[aria-hidden="true"]` is not present on the document `<body>` ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn how aria-hidden affects the document body.](#)

● `[role]`s have all required `[aria-*]` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers.

[Learn more about roles and required attributes.](#)

● Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

● Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

● `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

● `[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

● `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

● `[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique id to ensure that they're visible to assistive technologies.

[Learn how to fix duplicate ids.](#)

- <html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- <html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only <li> elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items (<li>) are contained within <ul>, <ol> or <menu> parent elements

Screen readers require list items (<li>) to be contained within a parent <ul>, <ol> or <menu> to be announced properly. [Learn more about proper list structure.](#)

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Values assigned to `role=""` are valid ARIA roles.

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

## NOT APPLICABLE (38)

Hide

- `[aria-*]` attributes match their roles

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

- `button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- `[aria-hidden="true"]` elements do not contain focusable descendants

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label](#)

## [progressbar elements.](#)

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.[^](#)

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- `[role]`s are contained by their required parent element[^](#)

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

- Elements with the `role=text` attribute do not have focusable descendants.[^](#)

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names[^](#)

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names[^](#)

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names[^](#)

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

- `[aria-*]` attributes have valid values[^](#)

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

- `[aria-*]` attributes are valid and not misspelled[^](#)

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

- Buttons have an accessible name[^](#)

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

○ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

○ Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

○ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a <table> element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

○ <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

○ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#)

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Elements with visible text labels have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption.

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

`<td>` elements in a large `<table>` have one or more table headers.

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



## Best Practices

### GENERAL

 **Uses deprecated APIs — 1 warning found**

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Facebook	Social

Deprecation / Warning

Source

UnloadHandler

...r/nDOMhvCeUjd.js?\_nc\_x=lj3Wp8lg5Kz:328:820 (static.xx.fbcdn.net)

### ⚠ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source

Description

ifce.edu.br 1st Party

...resolveuid/dfd185e...:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

...resolveuid/4f52c45...:1:0 (ifce.edu.br)

Failed to load resource: the server responded with a status of 404 (Not Found)

### ⚠ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

/embed/LyZ\_8VqtuFQ (www.youtube.com)

### ⓘ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).

Name

Version

Bootstrap

&gt;= 2.0.0 &amp; &lt;= 2.3.2

FlotCharts

0.7

jQuery

1.8.3

jQuery UI

1.10.2

Modernizr

2.0.4

Name	Version
jQuery Tools	@VERSION

## USER EXPERIENCE

## ⚠ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Show 3rd-party resources (1)

URL	Displayed size	Actual size	Expected size
<b>ifce.edu.br [1st Party]</b>			
	V Encon tro do NAPN E do IFCE	372 x 372	400 x 400
<pre>&lt;img ...@@images/69af02e6-8d50-4cff-a5d1- src="https://ifce.edu.br/moradanova/@nitf/e 6fc9ffb2b84a908d25a208d27 ada6..." width="400" height="400" class="left" alt="V Encontro do NAPNE do IFCE"&gt;</pre>			
	brasil.gov.br	132 x 116	132 x 116
	/imagens/vlibras.gif (barra.brasil.gov.br)	198 x 174	198 x 174
<pre>div#wrapper-barra-brasil &gt; span#brasil-vlibras &gt; span.link-vlibras &gt; img &lt;img src="//barra.brasil.gov.b r/imagens/vlibras.gif"&gt;</pre>			

## TRUST AND SAFETY

## ○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

## PASSED AUDITS (10)

[Hide](#)

### ● Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

### ● Avoids third-party cookies ^

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).

### ● Allows users to paste into input fields ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

### ● Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

### ● Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

### ● Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

● Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

● Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

● Avoids `unload` event listeners ^

The unload event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about unload event listeners](#)

● Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (1)

URL	Map URL
ifce.edu.br <span>1st Party</span>	
...brasil_gov_facetada/resources/_scripts/social_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitf.js.map (ifce.edu.br)
SyntaxError: Unexpected token '<', "<!DOCTYPE "... is not valid JSON	
Other Google APIs/SDKs <span>Utility</span>	
...th/wAFWjcG1j....js (www.google.com)	

NOT APPLICABLE (1)

Hide

○ Fonts with `font-display: optional` are preloaded ^

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

## CONTENT BEST PRACTICES

### ⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

## CRAWLING AND INDEXING

### ⚠ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link

Revalidação de diploma

```

```

### ⚠ robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).





Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL





To appear in search results, crawlers need access to your app.







## MOBILE FRIENDLY

### ■ Tap targets are not sized appropriately — 76% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets.](#)

Tap Target	Size	Overlapping Target
	1 22x20	 Feliz 2024 <a href="https://ifce.edu.br/imagens/banner-feliz-2024/view" rel="internal" class="banner">
	3 21x20	 Feliz 2024 <a href="https://ifce.edu.br/imagens/banner-feliz-2024/view" rel="internal" class="banner">
	Contatos 71x16	 Central de Atendimento <a href="https://suaifce.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank">
	Ouvideira 75x16	Acesso à informação <a href="https://ifce.edu.br/acesso-a-informacao/acesso-a-informacao-1/">

Tap Target	Size	Overlapping Target
	Ouvíndoria <a href="/ouvídori ia">	75x16 Central de Atendimento <a href="https://suap.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank">
	Central de Atendimento <a href="https://suap.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank">	83x16 Licitações <a href="/ifce/proap/licitacoes-e-compras">
	Sobre o IFCE <a href="/acesso-a-informacao/1/Instituciona l">	91x16 Comunicação Social <a href="https://ifce.edu.br/servicos/area-de-impressa">
	3 <a href="https://ifce.edu.br/images/banner-rotativo/sisu-2024/view" class="button-nav" style="top: 105px;">	2 <a href="https://ifce.edu.br/images/banner-rotativo/feliz-2024/view" class="button-nav" style="top: 105px;">
	1 <a href="https://ifce.edu.br/moradanova/image ns/banner-rotativo/ifce-disponibiliza..." class="button-nav" style="top: 105px;">	2 <a href="https://ifce.edu.br/images/banner-rotativo/feliz-2024/view" class="button-nav" style="top: 105px;">
	Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... <a id="portal-logo" href="https://ifce.edu.br">	379x42 ALTO CONTRASTE <a href="#" accesskey="6">
	Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... <a id="portal-logo" href="https://ifce.edu.br">	379x42 div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad get

Tap Target	Size	Overlapping Target
<pre>&lt;a id="portal-logo"   href="https://ifce.edu.br"&gt;</pre> 		<pre>&lt;input name="SearchableText" type="text"   size="18" placeholder="Buscar no portal"   class="searchField"   id="nolivesearchGadget"&gt;</pre> 
<pre>Comunicação Social &lt;a   href="https://   ifce.edu.br/se rvicos/area-de-impres sa"&gt;</pre> 	133x16	<pre>Acesso à informação &lt;a   href="https://i fce.edu.br/aces so-a-informacao/acesso-a-informacao-1"/&gt;</pre> 
<pre>Sobre o IFCE &lt;a   href="/acesso- a-informacao- 1/Instituciona l"&gt;</pre> 	91x16	<div>#portal-searchbox &gt;   form#nolivesearchGad   get_form &gt;   fieldset.LSBox &gt;   input#nolivesearchGad   get   &lt;input name="SearchableText" type="text"     size="18" placeholder="Buscar no portal"     class="searchField"     id="nolivesearchGadget"&gt;</div> 
<pre>Acesso à informação &lt;a   href="https://   ifce.edu.br/ac esso-a-informacao/acesso-a-informacao- 1"/&gt;</pre> 	138x16	<div>#portal-searchbox &gt;   form#nolivesearchGad   get_form &gt;   fieldset.LSBox &gt;   input#nolivesearchGad   get   &lt;input name="SearchableText" type="text"     size="18" placeholder="Buscar no portal"     class="searchField"     id="nolivesearchGadget"&gt;</div> 
<pre>Contatos &lt;a   href="/servico /s-contatos"&gt;</pre> 	71x16	<div>#portal-searchbox &gt;   form#nolivesearchGad   get_form &gt;   fieldset.LSBox &gt;   input#nolivesearchGad   get   &lt;input name="SearchableText" type="text"     size="18" placeholder="Buscar no portal"     class="searchField"     id="nolivesearchGadget"&gt;</div> 

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

**ADDITIONAL ITEMS TO MANUALLY CHECK (1)**

Hide

- Q Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

## PASSED AUDITS (10)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

- Document has a valid `hreflang`

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

● Document uses legible font sizes — 89.19% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes.](#)

Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
<b>ifce.edu.br [1st Party]</b>			
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2946:48 (ifce.edu.br)	#content .outstanding-header .outstanding-link	5.12%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_f oto li .banner .title	1.07%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	0.91%	10.8px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2482:22 (ifce.edu.br)	.tile .tile-subtitle	0.89%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	0.73%	9.6px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1223:29 (ifce.edu.br)	.album-tile .open-album, .album- tile .download-album	0.64%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1260:21 (ifce.edu.br)	.album-tile .footer	0.50%	9.984px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.41%	0px

Source	Selector	% of Page Text	Font Size
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2881:39 (ifce.edu.br)	.cover-collection-tile .tile-footer a	0.23%	11.232px
Facebook Social			
...0,cross/1r0WOAs0gZ6.css? _nc_x=lj3Wp8lg5Kz:15:225 (static.xx.f bcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.30%	11px
Unattributable			
Legible text		89.19%	≥ 12px

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.  
[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



## PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)



▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements](#).

Failure reason

No manifest was fetched



## PWA OPTIMIZED

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens](#).

- ▲ Does not set a theme color for the address bar.

**Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.**

The browser address bar can be themed to match your site. [Learn more about theming the address bar](#).

- Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport](#).

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons](#).

## ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

- Site works cross-browser

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility](#).

- Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

 Captured at Feb 3, 2024, 3:01 PM

GMT-3

 Initial page load

 Emulated Desktop with Lighthouse

11.4.0

 Unknown

 Single page session

 Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)