



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49



50–89



90–100



## METRICS

[Expand view](#)

### ▲ First Contentful Paint

**13.7 s**

### ▲ Total Blocking Time

**4,500 ms**

### ▲ Speed Index

**32.3 s**

[View Treemap](#)


## DIAGNOSTICS

### ▲ Eliminate render-blocking resources — Potential savings of 12,940 ms


Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	<b>373.0 KiB</b>	<b>20,720 ms</b>
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,430 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,850 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,430 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,430 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	600 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,020 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	600 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	600 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	600 ms
...css/style.css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	2,690 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,020 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	600 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	1,850 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,430 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	600 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	600 ms

⚠ Properly size images — Potential savings of 340 KiB ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

	URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]		1,053.8 KiB	340.3 KiB
	Cardápio <pre>&lt;img src="htt ps://ifc e.edu.br /iguatu/home/@@collective.cov er.banner/a73e6b45-7b1f-48..." width="800" height="100" class="left" alt="Cardápio"&gt;</pre>	35a32008a280.png (ifce.edu.br)	168.8 KiB 55.8 KiB
	Acesse nosso portal do estudante <pre>&lt;img src="https://ifce.edu.br/igu tu/home/@@collective.cover.ba nner/fe756e65-31bc-45..." width="800" height="100" class="left" alt="Acesse nosso portal do estudante"&gt;</pre>	...@@@images/88d74138-6aef-4f08-969a- 30176e5d34d7.png (ifce.edu.br)	139.9 KiB 46.3 KiB
	Processo Seletivo Complem entar <pre>&lt;img src="https://ifce.edu.br/igu tu/imagens/banner- rotativo/processo-seletivo- compl..." alt="Processo Seletivo Complementar"&gt;</pre>	...@@@images/62749af8-2480-425a-8be4- 16ff567dd9b7.png (ifce.edu.br)	166.5 KiB 41.1 KiB
	Transferi dos e diplomad os 2024.1 <pre>&lt;img src="https://ifce.edu.br/igu tu/imagens/banner- rotativo/transferidos-e- diplomad..." alt="Transferidos e diplomados 2024.1"&gt;</pre>	...@@@images/b079dd1b-eff1-4eeb-9f8b- 89e28bebe886.png (ifce.edu.br)	155.5 KiB 38.4 KiB
	WhatsAp p <pre>&lt;img src="htt ps://ifc e.edu.br/iguatu/home/@@collec</pre>	...@@@images/0185ecae-e9bf-4e18-b447- 268e3bea028e.png (ifce.edu.br)	51.0 KiB 26.7 KiB

	URL	Resource Size	Potential Savings	
<pre>tive.cover.banner/cf38ea34-9c09-43..." width="943" height="200" class="left" alt="WhatsApp"&gt;&gt;</pre>	 QSeleção >	...@@@images/243fb75c-6994-4c45-9502-fdbb051d15c3.png (ifce.edu.br)	42.6 KiB 22.3 KiB	
<pre>SISAE /iguatu/home/@@collective.cover.banner/e38dc773-c047-4d..." width="936" height="202" class="left" alt="SISAE"&gt;&gt;</pre>	 SISAE >	...@@@images/e5d22664-9b11-49f2-8d80-466d4a875e41.png (ifce.edu.br)	33.2 KiB 17.2 KiB	
<pre>Mulheres Mil /iguatu/home/@@collective.cover.banner/f5dffac0-eb73-4d..." width="800" height="100" class="left" alt="Mulheres Mil"&gt;&gt;</pre>	 Mulheres Mil >	...@@@images/a233033e-86f1-4f43-bbfa-b91fe9a14cad.png (ifce.edu.br)	51.5 KiB 17.0 KiB	
<pre>DAE /iguatu/home/@@collective.cover.banner/aa9466c8-2d65-44..." width="943" height="198" class="left" alt="DAE"&gt;&gt;</pre>	 DAE >	...@@@images/cd0a3ff2-9c09-4409-a682-9d0e9a543c00.png (ifce.edu.br)	28.8 KiB 15.1 KiB	
<pre>História do campus /iguatu/home/</pre>	 História do campus height="125" class="left" alt="História do campus"&gt;</code>		O que faz cada setor  <img src="ht ps://ifce.edu.br/iguatu/home/@@collective.cover.banner/abc d408c-4f87-40..." width="800" height="130" class="left" alt="O que faz cada setor">	31.9 KiB      10.9 KiB
<code>RELATAR PROBLEMAS ENSINO, PESQUISA, EXTENSÃO E PRODUÇÃO</code>		Relatar problema s no sistema  <img src="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/c08f48e3-9135-47..." width="800" height="125" class="left" alt="Relatar problemas no sistema">	31.9 KiB      10.8 KiB	
<code>Ouro e menção honrosa em Olimpíadas de Química</code>		Formulári o Egressos  <img src="ht ps://ifce.edu.br/iguatu/home/@@collective.cover.banner/a9df8619-2f3c-46..." width="800" height="100" class="left" alt="Formulário Egressos">	29.0 KiB      9.6 KiB	
<code>CONTATOS</code>		Contatos do campus  <img src="ht ps://ifce.edu.br/iguatu/home/@@collective.cover.banner/c92bda43-00cf-44..." width="800" height="124" class="left" alt="Contatos do campus">	21.0 KiB      7.0 KiB	
<code>orgaos</code>		/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB      5.0 KiB	

URL	Resource Size	Potential Savings
 <pre> &lt;img src="htt ps://ifc e.edu.br/imagens/orgaosparcei ros.jpg" data-mce- src="../imagens/orgaosparceir os.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"&gt; </pre>		
 <pre> HISTÓRIA DO CAMPUS O QUE FAZ CADA SETOR <b>FOTOS</b> RELATAR PROBLEMAS ENSINO, PESQUISA, /iguatu/home/@@collective.co er.banner/ac55c474-a839-4b... width="800" height="129" class="left" alt="Fotos"&gt; </pre>	14.6 KiB	4.9 KiB

### ▲ Reduce unused CSS — Potential savings of 221 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Show 3rd-party resources (4)

URL	Transfer Size	Potential Savings
Instagram <span style="border: 1px solid black; padding: 2px;">Social</span>	140.9 KiB	139.5 KiB
...0,cross/qsjkHaK2ybm.css?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	107.5 KiB	107.5 KiB
...0,cross/zT-txLvgwYX.css?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	22.1 KiB	20.7 KiB
...0,cross/fJEW8hpT9tl.css?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	11.3 KiB	11.3 KiB
YouTube <span style="border: 1px solid black; padding: 2px;">Video</span>	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	38.9 KiB	35.5 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	20.3 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

### ▲ Reduce unused JavaScript — Potential savings of 2,379 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP

Show 3rd-party resources (18)


URL	Transfer Size	Potential Savings
YouTube <span>Video</span>	<b>2,597.5 KiB</b>	<b>1,761.4 KiB</b>
...en_US/base.js (www.youtube.com)	771.0 KiB	539.8 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.5 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	533.4 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.6 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.6 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	51.5 KiB
Instagram <span>Social</span>	<b>504.8 KiB</b>	<b>353.0 KiB</b>
...r/nDOmhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	107.3 KiB	66.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	107.3 KiB	63.3 KiB
...r/uxZ7QthZjEd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	56.7 KiB	31.3 KiB
...r/uxZ7QthZjEd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	56.7 KiB	31.3 KiB
...en_US/7XOovWLX_0h.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	31.6 KiB	28.4 KiB
...en_US/7XOovWLX_0h.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	31.6 KiB	28.4 KiB
...r/kauE-AvO8z2.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	28.2 KiB	26.2 KiB
...r/kauE-AvO8z2.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	28.2 KiB	26.2 KiB
...en_US/kffCk7x5QS9.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	28.5 KiB	25.6 KiB
...en_US/kffCk7x5QS9.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	28.5 KiB	25.6 KiB
ifce.edu.br <span>1st Party</span>	<b>276.6 KiB</b>	<b>204.4 KiB</b>
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	138.3 KiB	89.3 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	67.6 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.0 KiB	22.3 KiB
Google Tag Manager <span>Tag-Manager</span>	<b>148.3 KiB</b>	<b>60.4 KiB</b>
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	30.6 KiB


URL	Transfer Size	Potential Savings
/gtag/js?id=G-T5BY9KCP5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.8 KiB


▲ Serve images in next-gen formats — Potential savings of 1,261 KiB




Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats](#).



Show 3rd-party resources (4)



URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	1,424.2 KiB	1,169.3 KiB
 Cardápio <img src="ht tps://i fce.edu .br/iguatu/home/@@collective. cover.banner/a73e6b45-7b1f- 48..." width="800" height="100" class="left" alt="Cardápio">	168.8 KiB	151.0 KiB
 Process o Seletivo Comple mentar <img src="https://ifce.edu.br/igu tu/imagens/banner- rotativo/processo-seletivo- compl..." alt="Processo Seletivo Complementar">	166.5 KiB	145.7 KiB
 Transferi dos e diplomad os 2024.1 <img src="https://ifce.edu.br/igu tu/imagens/banner- rotativo/transferidos-e- diplomad..." alt="Transferidos e diplomados 2024.1">	155.5 KiB	135.1 KiB
 Acesse nossa portal do ...@@@images/88d74138-6aef-4f08-969a- 30176e5d34d7.png (ifce.edu.br)	139.9 KiB	128.5 KiB



	URL	Resource Size	Potential Savings
	estudante  <img src="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/fe756e65-31bc-45..." width="800" height="100" class="left" alt="Acesse nosso portal do estudante">		
	orgaos  <img src="https://ifce.edu.br/imagens/orgaosparceiros.jpg" alt="orgaosparceiros.jpg" data-mce-src=".../imagens/orgaosparceiros.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0">	/imagens/orgaosparceiros.jpg (ifce.edu.br) 51.9 KiB	45.1 KiB
	WhatsApp  <img src="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/cf38ea34-9c09-43..." width="943" height="200" class="left" alt="WhatsApp">	...@@images/0185ecae-e9bf-4e18-b447-268e3bea028e.png (ifce.edu.br) 51.0 KiB	42.1 KiB
	Mulheres  <img src="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/f5dffac0-eb73-4d..." width="800" height="100" class="left" alt="Mulheres Mil">	...@@images/a233033e-86f1-4f43-bbfa-b91fe9a14cad.png (ifce.edu.br) 51.5 KiB	40.4 KiB
	QSeleção  <img src="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/a4ba358a-98d6-4b..." width="943"	...@@images/243fb75c-6994-4c45-9502-fdbb051d15c3.png (ifce.edu.br) 42.6 KiB	34.8 KiB

URL	Resource Size	Potential Savings
<pre>height="198" class="left" alt="QSeleção"&gt;</pre>  <p>Além de palestras e oficinas, o evento</p> <p>contará com uma mostra de trabalhos.</p> <pre>&lt;img src="https://ifce.edu.br/iguatu/home/@@nitf/ea6fc9ffb2b84a908d25a208d27ada63/@..." width="400" height="200" class="left" alt="Além de palestras e oficinas, o evento contará com uma mostra de trabalhos."&gt;</pre>		
<p>CARTILHAS E LIVROS</p> <p>CONTATOS</p> <p><b>HISTÓRIA DO CAMPUS</b></p> <p>O QUE FAZ CADA SETOR</p> <p>FOTOS</p> <p></p> <p><a href="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/c5982319-c8d8-4d...">https://ifce.edu.br/iguatu/home/@@collective.cover.banner/c5982319-c8d8-4d...</a> width="800" height="125" class="left" alt="História do campus"&gt;</p>	35.7 KiB	27.4 KiB
<p>SISAE</p> <p></p> <p><a href="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/e38dc773-c047-4d...">https://ifce.edu.br/iguatu/home/@@collective.cover.banner/e38dc773-c047-4d...</a> width="936" height="202" class="left" alt="SISAE"&gt;</p>	33.2 KiB	27.1 KiB
<p>DAE</p> <p></p> <p><a href="https://ifce.edu.br/iguatu/home/@@collective.cover.banner/aa9466c8-2d65-44...">https://ifce.edu.br/iguatu/home/@@collective.cover.banner/aa9466c8-2d65-44...</a> width="943" height="198" class="left" alt="DAE"&gt;</p>	28.8 KiB	24.1 KiB

	URL	Resource Size	Potential Savings
	<p>Relatar problem as no sistema   src="https://ifce.edu.br/iguatu/home/@collective.cover.banner/c08f48e3-9135-47..."  width="800" height="125"  class="left" alt="Relatar problemas no sistema"&gt;</p>	...@@@images/19270928-76e4-4d99-a2db-3a84ee885074.png (ifce.edu.br)	31.9 KiB 23.6 KiB
	<p>O que faz cada setor   src="https://ifce.edu.br/iguatu/home/@collective.cover.banner/abcd408c-4f87-40..." width="800"  height="130" class="left"  alt="O que faz cada setor"&gt;</p>	...@@@images/9f6498b6-67eb-4bfb-b6cf-d6221b9e1fc5.png (ifce.edu.br)	31.9 KiB 23.0 KiB
	<p>Nossa Extensão   src="https://ifce.edu.br/iguatu/home/@collective.cover.banner/bec89c95-8713-42..." width="400"  height="113" class="left"  alt="Nossa Extensão"&gt;</p>	...@@@images/2076abe6-e4c1-462c-99c3-0c91ee481ede.png (ifce.edu.br)	29.0 KiB 21.9 KiB
	<p>Formulári o Egresso s   src="https://ifce.edu.br/iguatu/home/@collective.cover.banner/a9df8619-2f3c-46..."  width="800" height="100"  class="left" alt="Formulário Egressos"&gt;</p>	...@@@images/1b040a6c-1714-48bc-a0dc-8dddb4dbcf99.png (ifce.edu.br)	29.0 KiB 20.9 KiB
	<p>Ônibus do campus   src="https://ifce.edu.br/iguatu/home"</p>	...@@@images/86d8ac00-089a-437f-8efa-f067c2229050.png (ifce.edu.br)	26.9 KiB 20.2 KiB

	URL	Resource Size	Potential Savings
<pre>/@@@collective.cover.banner/be 0fd625-4555-46..." width="400" height="160" class="left" alt="Ônibus do campus"&gt;</pre> 	div#bfd4f 031- 24a8- 4423- bbc8-  5199b3c4975c > div.banner-tile > a > img.left <img src="https://ifce.edu.br/iguatu/home/@@@collective.cover.banner/bfd4f031-24a8-44..." width="400" height="160" class="left">	...@@@images/6d637fa4-e931-4e9a-9738-37e3fb0c0da.png (ifce.edu.br)	25.8 KiB      19.7 KiB
	div#fd2b 1375- 599f- 46b9- 907a-  547e87646183 > div.banner-tile > a > img.left <img src="https://ifce.edu.br/iguatu/home/@@@collective.cover.banner/fd2b1375-599f-46..." width="400" height="160" class="left">	...@@@images/2b267823-10db-45c4-8e60-4b97597ddefc.png (ifce.edu.br)	26.3 KiB      18.5 KiB
	Cursos de extensão <img src="https://ifce.edu.br/iguatu/home/@@@collective.cover.banner/bb0a8547-c18c-44..." width="400" height="160" class="left" alt="Cursos de extensão">	...@@@images/ece0d70d-fe68-4f62-816b-da14ce28c859.png (ifce.edu.br)	24.3 KiB      18.4 KiB
	Biblioteca do campus Iguatu <img src="https://ifce.edu.br/iguatu/home/@@@collective.cover.banner/e60db75e-14be-46..."	...@@@images/17983498-c9ac-4e09-b672-5da3de301405.png (ifce.edu.br)	20.7 KiB      17.2 KiB

URL	Resource Size	Potential Savings
<pre>width="400" height="160" class="left" alt="Biblioteca do campus Iguatu"&gt;&gt;</pre>  <pre>div.cover -richtext- tile &gt; p &gt; a.extern al-link &gt;</pre> <pre>img.image-inline &lt;img src="https://ifce.edu.br/igu tu/imagens/imagens- diversas/99.png" alt="" data- mce- src="resolveuid/eabca01f34314 5ff971fc74711f48302" class="image-inline"&gt;</pre>	.../imagens-diversas/99.png (ifce.edu.br)	25.1 KiB 16.8 KiB
<pre>CORSES SUPERIORES EDITAIS PÓS- GRADUAÇÕES DIPLOMADOS E TRANSFERIDOS</pre> <pre>Especiali zações &lt;img src="ht tps://i fce.edu.br/iguatu/home/@@coll ective.cover.banner/c89fb8be- d035-49..." width="400" height="160" class="left" alt="Especializações"&gt;&gt;</pre> 	...@@images/9bb745f5-f479-4bc4-b032- 5fb9df6df557.png (ifce.edu.br)	20.8 KiB 16.1 KiB
<pre>EVENTOS CARTILHAS E LIVROS CONTATOS HISTÓRIA DO CAMPUS O QUE FAZ CADA SETOR</pre> <pre>Contatos do campus &lt;img src="ht tps://ifce.edu.br/iguatu/home /@@collective.cover.banner/c9 2bda43-00cf-44..." width="800" height="124" class="left" alt="Contatos do campus"&gt;&gt;</pre> 	...@@images/2d1b7a5f-0f88-432e-9c58- be8cb1eda9a1.png (ifce.edu.br)	21.0 KiB 15.9 KiB
<pre>Cardápio CALENDÁRIO ACADÊMICO BIBLIOTECA</pre> <pre>Calendár io Acadêmi co &lt;img src="https://ifce.edu.br/igu tu/home/@@collective.cover.ba nner/de80c1b5-78f5-48... width="400" height="160" class="left" alt="Calendário Acadêmico"&gt;&gt;</pre> 	...@@images/376b0ae8-e588-44c2-ac1e- 01f3662a4d00.png (ifce.edu.br)	21.4 KiB 15.0 KiB

	URL	Resource Size	Potential Savings
	Faça seu e-mail institucional 	...@@@images/2b9835be-80af-40ca-bd5a-0bcf80bd119e.png (ifce.edu.br)	19.1 KiB 14.9 KiB
	mapa.png 	... imagens_menu_rapido/mapa.png (ifce.edu.br)	16.8 KiB 13.0 KiB
	Portal Enem e Sisu 	...@@@images/165c76fb-cf05-45d9-af1dc540e9a4c894.png (ifce.edu.br)	18.9 KiB 12.3 KiB
	Diploma dos e Transferidos 	...@@@images/d7773a00-66a5-4f91-80d0-752ccc00a481.png (ifce.edu.br)	18.6 KiB 11.5 KiB
	Fotos 	...@@@images/d8023ff5-59c5-445e-baaf-d41d9e3d3e5c.png (ifce.edu.br)	14.6 KiB 11.5 KiB

	URL	Resource Size	Potential Savings	
	Cartilhas e livros 	...@@@images/43abca11-5b2e-4502-91da-fce.edu.br/iguatu/home/@@collective.cover.banner/e04056d5-0c57-48... (ifce.edu.br)	12.7 KiB	9.4 KiB
	Agenda do diretor. 	...@@@images/01794c2b-6ede-4e46-892d-edfcfa68d75f8.png (ifce.edu.br)	12.2 KiB	8.6 KiB
	Pibic, Pibid, Monitorias 	...@@@images/34a24a8e-8244-4890-bb27-8aaad61f682.png (ifce.edu.br)	12.1 KiB	8.2 KiB
Instagram Social		205.9 KiB	91.7 KiB	
	...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	55.5 KiB	25.8 KiB	
	...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	55.5 KiB	25.8 KiB	
	...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	58.4 KiB	25.1 KiB	
	...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	36.6 KiB	15.0 KiB	

⚠ Avoid an excessive DOM size — 988 elements

^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		988
Maximum DOM Depth	mapa.png <code>&lt;img src="https://ifce.edu.br/imagens/imagens_menu_rapido/mapa.png" alt="mapa.png"&gt;</code>	16
Maximum Child Elements	Institucional ... <code>&lt;ul class="navTree navTreeLevel0"&gt;</code>	24

### ▲ Reduce JavaScript execution time — 17.4 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (26)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <span style="border: 1px solid black; padding: 2px;">Video</span>	15,129 ms	12,798 ms	801 ms
...en_US/base.js (www.youtube.com)	8,352 ms	7,444 ms	627 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	5,619 ms	4,822 ms	96 ms
/embed/YMhrITdR1DQ (www.youtube.com)	391 ms	210 ms	26 ms
/embed/kc1Kmx0tDZc (www.youtube.com)	361 ms	147 ms	27 ms
/embed/MSjCtQ8WwyA (www.youtube.com)	350 ms	175 ms	24 ms
...a1d7d0f8/www-player.css (www.youtube.com)	56 ms	0 ms	0 ms
Instagram <span style="border: 1px solid black; padding: 2px;">Social</span>	3,038 ms	1,973 ms	315 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	870 ms	728 ms	68 ms
...r/uxZ7QthZjEd.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	301 ms	249 ms	35 ms
...r/b3gz57bn_Bf.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	225 ms	216 ms	5 ms
...Cljp7tTLWco/embed?cr=... (www.instagram.com)	200 ms	131 ms	25 ms
...Cm_7lfctels/embed?cr=... (www.instagram.com)	199 ms	133 ms	26 ms
/embed.js (www.instagram.com)	179 ms	94 ms	32 ms
...Cm_7lfctels/embed?cr=... (www.instagram.com)	179 ms	8 ms	6 ms
...Cljp7tTLWco/embed?cr=... (www.instagram.com)	166 ms	10 ms	7 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...r/icLLA54oFoz.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	163 ms	107 ms	10 ms
...0,cross/qsjkHaK2ybm.css?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	150 ms	0 ms	0 ms
...en_US/SqJqVdj-o0x.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	78 ms	66 ms	10 ms
...en_US/tAG26l6CPbj.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	77 ms	66 ms	9 ms
...r/pw3KUnk9KPq.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	76 ms	59 ms	16 ms
...en_US/kffCk7x5QS9.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	63 ms	43 ms	19 ms
...en_US/DBIY34QgLTR.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	61 ms	34 ms	26 ms
...en_US/7XOovWLX_0h.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	51 ms	30 ms	20 ms
<b>ifce.edu.br <span style="border: 1px solid blue; padding: 2px;">1st Party</span></b>	<b>1,679 ms</b>	<b>577 ms</b>	<b>80 ms</b>
/iguatu (ifce.edu.br)	895 ms	22 ms	10 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	729 ms	526 ms	45 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	55 ms	29 ms	25 ms
Unattributable	1,313 ms	166 ms	0 ms
Unattributable	1,313 ms	166 ms	0 ms
<b>Google Tag Manager <span style="border: 1px solid gray; padding: 2px;">Tag-Manager</span></b>	<b>439 ms</b>	<b>391 ms</b>	<b>38 ms</b>
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	249 ms	222 ms	22 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	190 ms	169 ms	16 ms
<b>Google Analytics <span style="border: 1px solid gray; padding: 2px;">Analytics</span></b>	<b>143 ms</b>	<b>127 ms</b>	<b>6 ms</b>
/analytics.js (www.google-analytics.com)	143 ms	127 ms	6 ms
<b>Other Google APIs/SDKs <span style="border: 1px solid gray; padding: 2px;">Utility</span></b>	<b>117 ms</b>	<b>99 ms</b>	<b>15 ms</b>
...th/jz7nBWcXo....js (www.google.com)	117 ms	99 ms	15 ms

▲ Minimize main-thread work — 22.5 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	16,442 ms
Other	2,053 ms
Script Parsing & Compilation	1,380 ms
Style & Layout	1,014 ms
Garbage Collection	787 ms
Parse HTML & CSS	624 ms
Rendering	217 ms

### ▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 11,830 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube <small>Video</small>	2,916 KiB	11,191 ms
...en_US/base.js (www.youtube.com)	2,315 KiB	6,823 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	287 KiB	4,109 ms
/embed/kc1Kmx0tDZc (www.youtube.com)	40 KiB	95 ms
/embed/YMhrlTdT1DQ (www.youtube.com)	40 KiB	85 ms
/embed/MSjCtQ8WwyA (www.youtube.com)	38 KiB	80 ms
...a1d7d0f8/www-player.css (www.youtube.com)	141 KiB	0 ms
...en_US/embed.js (www.youtube.com)	51 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	1 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
/generate_204?tn4W6A (www.youtube.com)	0 KiB	0 ms
/generate_204?fXfeVA (www.youtube.com)	0 KiB	0 ms
/generate_204?GSpZ3w (www.youtube.com)	0 KiB	0 ms
Instagram <small>Social</small>	1,641 KiB	397 ms
...r/nDOmhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)	217 KiB	155 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...r/uxZ7QthZjEd.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	116 KiB	143 ms
...r/b3gz57bn_Bf.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	16 KiB	59 ms
...0,cross/qsjkHaK2ybm.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	215 KiB	34 ms
...Cm_7IfcteIs/embed?cr=... (www.instagram.com)	35 KiB	4 ms
...Cljp7tTLWco/embed?cr=... (www.instagram.com)	34 KiB	3 ms
...en_US/DBIY34QgLTR.js? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	72 KiB	0 ms
...en_US/7XOovWLX_0h.js? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	66 KiB	0 ms
...en_US/kffCk7x5QS9.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	59 KiB	0 ms
...r/kauE-AvO8z2.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	59 KiB	0 ms
...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	59 KiB	0 ms
...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	56 KiB	0 ms
...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	56 KiB	0 ms
...0,cross/zT-txLvgwYX.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	44 KiB	0 ms
...en_US/SqJqVdj-o0x.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	39 KiB	0 ms
...r/pw3KUnk9KPq.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	38 KiB	0 ms
...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	37 KiB	0 ms
...r/66u9mi3Kjyj.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	34 KiB	0 ms
...r/icLLA54oFoz.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	34 KiB	0 ms
...en_US/tAG26l6CPbj.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	29 KiB	0 ms
...en_US/nlzSK-BueJC.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	26 KiB	0 ms
/embed.js (www.instagram.com)	23 KiB	0 ms
...0,cross/fJEW8hpT9tl.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	23 KiB	0 ms
...r/jjlbzgYTUO7.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	20 KiB	0 ms
...r/FbXOztkBFjC.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	20 KiB	0 ms
...r/4jhIPwlMWwm.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	19 KiB	0 ms
...r/gwE0WICYbBU.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	16 KiB	0 ms
...0,cross/UXxnFEmZQsJ.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	16 KiB	0 ms
...r/alp2YZacTXN.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	15 KiB	0 ms
...r/6KGlu_jRiLI.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	14 KiB	0 ms
...r/yT01VTZcHQ8.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	12 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	11 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	11 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	11 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	11 KiB	0 ms
...r/qv7ZSPGDNFr.png (static.cdninstagram.com)	9 KiB	0 ms
/ajax/bootloade.../?modules=... (www.instagram.com)	8 KiB	0 ms
...r/hwgTSgiJXcc.png (static.cdninstagram.com)	7 KiB	0 ms
...0,cross/udnbIM58Trc.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	7 KiB	0 ms
...r/xHJ0noFuyMx.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	7 KiB	0 ms
...0,cross/ekmJF3k4N_I.css? _nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	6 KiB	0 ms
...r/YarOGeSVu6J.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	4 KiB	0 ms
...t51.2885-19/292....jpg?stp=... (scontent.cdninstagram.com)	4 KiB	0 ms
...r/9IDiey1I9HS.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	4 KiB	0 ms
...t51.2885-19/292....jpg?stp=... (scontent.cdninstagram.com)	4 KiB	0 ms
...r/O4tFnFOXnJt.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	3 KiB	0 ms
...r/GIIJjyzEguQ.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	3 KiB	0 ms
...r/csEzBWw4St5.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	3 KiB	0 ms
...r/5-CNhD1hzUM.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	3 KiB	0 ms
/logging_client_events (graph.instagram.com)	3 KiB	0 ms
...r/HDiX03ZTkcn.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	3 KiB	0 ms
<b>Google Tag Manager</b> <span style="border: 1px solid black; padding: 2px;">Tag-Manager</span>	<b>150 KiB</b>	<b>181 ms</b>
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	134 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	46 ms
<b>Google Analytics</b> <span style="border: 1px solid black; padding: 2px;">Analytics</span>	<b>21 KiB</b>	<b>66 ms</b>
/analytics.js (www.google-analytics.com)	21 KiB	66 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
<b>Other Google APIs/SDKs</b> <span style="border: 1px solid black; padding: 2px;">Utility</span>	<b>144 KiB</b>	<b>0 ms</b>
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	82 KiB	0 ms
...th/jz7nBWcXo....js (www.google.com)	60 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	2 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
<b>brasil.gov.br</b>	<b>126 KiB</b>	<b>0 ms</b>
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts <span>Cdn</span>	<b>68 KiB</b>	<b>0 ms</b>
...v18/KFOICnqEu...woff2 (fonts.gstatic.com)	34 KiB	0 ms
...v18/KFOmCnqEu...woff2 (fonts.gstatic.com)	34 KiB	0 ms
JSDelivr CDN <span>Cdn</span>	<b>21 KiB</b>	<b>0 ms</b>
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads <span>Ad</span>	<b>8 KiB</b>	<b>0 ms</b>
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	3 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	2 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	2 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	<b>2 KiB</b>	<b>0 ms</b>
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms

▲ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube <span>Video</span>	<b>2,916 KiB</b>	<b>11,191 ms</b>
YouTube Embedded Player (Video)	2,916 KiB	11,191 ms
...en_US/base.js (www.youtube.com)	2,315 KiB	6,823 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	287 KiB	4,109 ms
...a1d7d0f8/www-player.css (www.youtube.com)	141 KiB	0 ms
...en_US/embed.js (www.youtube.com)	51 KiB	0 ms
/embed/YMhrITdR1DQ (www.youtube.com)	40 KiB	85 ms
Other resources	81 KiB	175 ms

▲ Largest Contentful Paint element — **33,100 ms** ^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#)

[\[LCP\]](#)

### Element



Processo Seletivo Complementar

```



```


Phase	% of LCP	Timing
TTFB	2%	780 ms
Load Delay	67%	22,210 ms
Load Time	26%	8,700 ms
Render Delay	4%	1,410 ms



### Defer offscreen images — Potential savings of 384 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

	URL	Resource Size	Potential Savings	
ifce.edu.br [1st Party]		383.7 KiB	383.7 KiB	
	 orgaos <img src="http s://ifce. edu.br/im agens/orgaosparceiros.jpg" data-mce- src="..../imagens/orgaosparceiro s.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0">	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB	51.9 KiB
	 Além de palestras e oficinas, o evento contará com uma mostra de trabalhos. <img src="https://ifce.edu.br/iguat u/home/@@nitf/ea6fc9ffb2b84a90	...@@images/f767b0a8-9735-4a74-9a88-f208ae6913fe.png (ifce.edu.br)	39.6 KiB	39.6 KiB

	URL	Resource Size	Potential Savings
	<pre>8d25a208d27ada63/@@..." width="400" height="200" class="left" alt="Além de palestras e oficinas, o evento contará com uma mostra de trabalhos."&gt;</pre>  <pre>História do campus &lt;img src="http://ifce.edu.br/iguatu/home/@@collective.cover.banner/c5982319-c8d8-4d..." width="800" height="125" class="left" alt="História do campus"&gt;</pre>	35.7 KiB	35.7 KiB
	 <pre>Relatar problemas no sistema &lt;img src="http://ifce.edu.br/iguatu/home/@@collective.cover.banner/c08f48e3-9135-47..." width="800" height="125" class="left" alt="Relatar problemas no sistema"&gt;</pre>	31.9 KiB	31.9 KiB
	 <pre>O que faz cada setor &lt;img src="http://ifce.edu.br/iguatu/home/@@collective.cover.banner/abcd408c-4f87-40..." width="800" height="130" class="left" alt="O que faz cada setor"&gt;</pre>	31.9 KiB	31.9 KiB
	 <pre>Nossa Extensão &lt;img src="http://ifce.edu.br/iguatu/home/@@collective.cover.banner/bec89c95-8713-42..." width="400" height="113" class="left" alt="Nossa Extensão"&gt;</pre>	29.0 KiB	29.0 KiB

	URL	Resource Size	Potential Savings
	div#bfd4f0 31-24a8- 4423- bbc8- 5199b3c49 75c > div.banner-tile > a > img.left <img src="https://ifce.edu.br/iguatu/home/@collective.cover.banner/bfd4f031-24a8-44..." width="400" height="160" class="left">	...@@@images/6d637fa4-e931-4e9a-9738-37e3fb0c0da.png (ifce.edu.br)	25.8 KiB 25.8 KiB
	div.cover-richtext-tile > p > a.external-link >  img.image-inline <img src="https://ifce.edu.br/iguatu/images/images-diversas/99.png" alt="" data-mce-src="resolveuid/eabca01f343145ff971fc74711f48302" class="image-inline">	...imagens-diversas/99.png (ifce.edu.br)	25.1 KiB 25.1 KiB
	Contatos do campus <img src="http://ifce.edu.br/iguatu/home/@collective.cover.banner/c92bda43-00cf-44..." width="800" height="124" class="left" alt="Contatos do campus">	...@@@images/2d1b7a5f-0f88-432e-9c58-be8cb1eda9a1.png (ifce.edu.br)	21.0 KiB 21.0 KiB
	mapa.png <img src="https://ifce.edu.br/images/images_menu_rapido/mapa.png" alt="mapa.png">	... imagens_menu_rapido/mapa.png (ifce.edu.br)	16.8 KiB 16.8 KiB
	Fotos <img src="http://ifce.edu.br/iguatu/home/@collective.cover.banner/ac55c474-a839-4b..."	...@@@images/d8023ff5-59c5-445e-baaf-d41d9e3d3e5c.png (ifce.edu.br)	14.6 KiB 14.6 KiB

	URL	Resource Size	Potential Savings
<pre>width="800" height="129" class="left" alt="Fotos"&gt;&gt;</pre>		Cartilhas e livros	
<pre>&lt;img src="http s://ifce. edu.br/iguatu/home/@@collectiv e.cover.banner/e04056d5-0c57- 48..." width="400" height="64" class="left" alt="Cartilhas e livros"&gt;</pre>		...@@images/43abca11-5b2e-4502-91da-71461db310de.png (ifce.edu.br)	12.7 KiB 12.7 KiB
<pre>Agenda do diretor. &lt;img src="http s://ifce. edu.br/iguatu/home/@@collectiv e.cover.banner/e166ea9a-6dbb- 46..." width="400" height="64" class="left" alt="Agenda do diretor."&gt;</pre>		...@@images/01794c2b-6ede-4e46-892d-edfca68d75f8.png (ifce.edu.br)	12.2 KiB 12.2 KiB
<pre>GUARAMIRANGAlinklateral.png &lt;img src="https://ifce.edu.br/guara mirangalinklateral.png" alt="GUARAMIRANGAlinklateral.p ng" class="image-inline"&gt;</pre>		/guaramirangalinklateral.png (ifce.edu.br)	9.8 KiB 9.8 KiB
<pre>Eventos &lt;img src="http s://ifce. edu.br/ig uatu/home/@@collective.cover.b anner/eaa8c4f6-75cc-43... width="400" height="63" class="left" alt="Eventos"&gt;</pre>		...@@images/db83cba8-6f54-46f3-ad49-93dd8290e805.png (ifce.edu.br)	6.8 KiB 6.8 KiB
<pre>dd.portletItem &gt; p &gt; a.internal-link &gt; img.image-inline &lt;img class="image-inline" src="https://ifce.edu.br/iguat u/home/resolveuid/dfd185e00cc6 44dcb7a866220c25acee"&gt;</pre>		...resolveuid/dfd185e... (ifce.edu.br)	6.1 KiB 6.1 KiB
<pre>dd.portletItem &gt; p &gt; a.external-link &gt; img.image-inline &lt;img class="image-inline" src="https://ifce.edu.br/iguat</pre>		...resolveuid/4f52c45... (ifce.edu.br)	6.1 KiB 6.1 KiB

URL	Resource Size	Potential Savings
<pre>u/home/resolveuid/4f52c4599d1e 49ad831eaba878f96b56"&gt;  tr &gt; th &gt; a.internal-link &gt; img.image- inline &lt;img src="https://ifce.edu.br/image ns/imagens_menu_rapido/Aluno1_...imagens_m.../Aluno1_.png (ifce.edu.br)</pre>	4.2 KiB	4.2 KiB
<pre>servidor.jpg &lt;img src="https://ifce.edu.br/image ns/imagens_menu_rapido/servido...@@images/6b535e1a-dc1b-4b16-b719- r.jpg/@@images/6b53..." alt="servidor.jpg" class="image-inline"&gt;</pre>	2.4 KiB	2.4 KiB

## Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br <span>1st Party</span>	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

## Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br <span>1st Party</span>	86.6 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

## Efficiently encode images — Potential savings of 37 KiB ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	51.9 KiB	37.0 KiB

Screenshot of the ifce.edu.br homepage showing the 'Orgãos Parceiros' section with logos for MEC, CAPES, CNPq, and CONIF.

```

orgaos


```

#### ■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br [1st Party]	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

#### ■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) [LCP](#)

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

#### ■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 28 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) [TBT](#)

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br <span>1st Party</span>	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

### ■ Avoid enormous network payloads — Total size was 7,089 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) LCP

Show 3rd-party resources (5)

URL	Transfer Size
YouTube <span>Video</span>	2,315.3 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
ifce.edu.br <span>1st Party</span>	773.8 KiB
...@@@images/4664174b-7dc4-4885-a0f9-35a32008a280.png (ifce.edu.br)	169.4 KiB
...@@@images/62749af8-2480-425a-8be4-16ff567dd9b7.png (ifce.edu.br)	167.0 KiB
...@@@images/b079dd1b-eff1-4eef-9f8b-89e28bebe886.png (ifce.edu.br)	156.0 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/88d74138-6aef-4f08-969a-30176e5d34d7.png (ifce.edu.br)	140.5 KiB
Instagram <span>Social</span>	217.2 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	108.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.cdninstagram.com)	108.6 KiB

### ■ Serve static assets with an efficient cache policy — 38 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (18)

URL	Cache TTL	Transfer Size
<b>Instagram Social</b>		<b>259 KiB</b>
...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	14d	59 KiB
...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	14d	56 KiB
...t51.2885-15/317....jpg?stp=... (scontent.cdninstagram.com)	14d	56 KiB
...t51.2885-15/323....jpg?stp=... (scontent.cdninstagram.com)	14d	37 KiB
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	14d	11 KiB
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	14d	11 KiB
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	14d	11 KiB
...t39.30808-6/424....jpg?stp=... (scontent.cdninstagram.com)	14d	11 KiB
...t51.2885-19/292....jpg?stp=... (scontent.cdninstagram.com)	14d	4 KiB
...t51.2885-19/292....jpg?stp=... (scontent.cdninstagram.com)	14d	4 KiB
<b>ifce.edu.br 1st Party</b>		<b>221 KiB</b>
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...imagens-diversas/99.png (ifce.edu.br)	1d	26 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB

URL	Cache TTL	Transfer Size
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde-escuro.png (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_azul-claro.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB
Google Analytics <span>Analytics</span>		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN <span>Cdn</span>		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Google/Doubleclick Ads <span>Ad</span>		2 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

## Ensure text remains visible during webfont load

^

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#) FCP LCP

Show 3rd-party resources (7)

URL	Potential Savings
ifce.edu.br <span>1st Party</span>	3,190 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,600 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1,590 ms
Google Fonts <span>Cdn</span>	20 ms

URL	Potential Savings
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	10 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	750 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	750 ms

#### ⚠ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

##### Source

YouTube Video

...en\_US/base.js:8667:199 (www.youtube.com)  
...en\_US/base.js:6002:111 (www.youtube.com)

#### ⚠ Image elements do not have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

##### URL

ifce.edu.br 1st Party



Processo Seletivo Complementar





Transferidos e diplomados 2024.1

>](#)

- Initial server response time was short — Root document took 360 ms

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br <span>1st Party</span>	360 ms
/iguatu (ifce.edu.br)	360 ms

- Avoid chaining critical requests — 31 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests](#). FCP LCP

Maximum critical path latency: **7,292.157 ms**

## *Initial Navigation*

/iguatu (ifce.edu.br)

...brasil\_gov\_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - **1,444.507 ms, 1.36 KiB**

/app/vlibras-plugin.js (vlibras.gov.br)

...app/vlibras-plugin.js (cdn.jsdelivr.net) - **15.209 ms, 6.99 KiB**

...brasil\_gov\_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - **1,442.858 ms, 8.29 KiB**

...brasil\_gov\_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - **1,441.936 ms, 3.91 KiB**

...brasil\_gov\_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - **1,441.227 ms, 1.02 KiB**

...brasil\_gov\_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - **1,615.618 ms, 24.64 KiB**

...brasil\_gov\_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - **1,441.203 ms, 1.48 KiB**

...brasil\_gov\_facetada/resourcebrasil.gov.agendaagenda-cachek....css (ifce.edu.br) - **1,441.568 ms, 3.16 KiB**

...brasil\_gov\_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - **1,801.423 ms, 79.27 KiB**

...brasil\_gov\_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) - **1,441.824 ms, 4.41 KiB**

...brasil\_gov\_facetada/resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - **1,432.35 ms, 1.48 KiB**

...brasil\_gov\_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - **1,447.088 ms, 1.28 KiB**

++resource++brasil.gov.tiles/banner\_rotativo.js?v=74d45e3... (ifce.edu.br) - **1,443.005 ms, 6.86 KiB**

...brasil\_gov\_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) - **1,451.463 ms, 2.35 KiB**

...brasil\_gov\_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - **1,433.219 ms, 1.42 KiB**

...brasil\_gov\_facetada/resourcecollective.pollscsscollective.....css (ifce.edu.br) - **1,432.175 ms, 1.09 KiB**

...brasil\_gov\_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - **1,438.836 ms, 2.65 KiB**

...brasil\_gov\_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - **1,994.345 ms, 140.94 KiB**

...brasil\_gov\_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) - **1,442.913 ms, 8.68 KiB**

```

...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - 1,439.121 ms, 1.58 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br) - 1,615.616 ms, 36.48 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - 1,632.867 ms, 16.02 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
  ...fonts/opensans-400-webfont.woff (ifce.edu.br) - 1,596.626 ms, 23.43 KiB
    ...fonts/opensans-800-webfont.woff (ifce.edu.br) - 1,594.643 ms, 24.47 KiB
...brasil_gov_facetada/resourcecalendar_stylescalendar-cachek....css (ifce.edu.br) - 895.541 ms, 1.00 KiB
/static/opensans-bold.woff (barra.brasil.gov.br) - 750.52 ms, 18.43 KiB
...css/style.css (ifce.edu.br) - 1,432.733 ms, 3.18 KiB
...brasil_gov_facetada/resourcesselect2select2-cachekey-67e9ce....css (ifce.edu.br) - 1,440.591 ms, 3.56 KiB
...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br) - 1,437.36 ms, 1.34 KiB
...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,436.257 ms, 2.92 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 1,428.884 ms, 1.68 KiB

```

## >User Timing marks and measures — 27 user timings



Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)





Name	Type	Start Time	Duration
mark_pe	Mark	4,297.14 ms	
mark_pot_isc	Mark	4,384.97 ms	
mark_pot_ist	Mark	4,391.62 ms	
mark_pot_csms	Mark	4,399.21 ms	
mark_pot_csmf	Mark	4,401.91 ms	
mark_fs	Mark	4,429.10 ms	
mark_goes	Mark	4,444.44 ms	
mark_ep_init_pr	Mark	4,574.60 ms	
mark_pe	Mark	4,690.34 ms	
mark_pe	Mark	4,812.29 ms	
mark_pot_isc	Mark	5,538.20 ms	
mark_fs	Mark	5,570.55 ms	
mark_goes	Mark	5,584.80 ms	
mark_ep_init_pr	Mark	5,688.28 ms	
mark_pot_if	Mark	5,714.98 ms	
mark_pot_cms	Mark	5,715.38 ms	

Name	Type	Start Time	Duration
mark_pot_cmf	Mark	5,724.39 ms	
mark_pot_isc	Mark	5,757.27 ms	
mark_pot_ist	Mark	5,762.63 ms	
mark_pot_csms	Mark	5,769.42 ms	
mark_pot_csmf	Mark	5,772.10 ms	
mark_fs	Mark	5,808.33 ms	
mark_goes	Mark	5,823.13 ms	
mark_ep_init_pr	Mark	5,947.55 ms	
mark_pot_if	Mark	7,087.57 ms	
mark_pot_cms	Mark	7,088.05 ms	
mark_pot_cmf	Mark	7,099.02 ms	

○ Avoid large layout shifts — 9 elements found ^

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift impact
 IFCE <code>&lt;div id="portal-title" class="corto"&gt;</code>	0.021
 OURO EM QUÍMICA Estudantes do IFCE-campus Iguatu recebem Ouro e menção Honrosa... <code>&lt;div class="tile verde-escuro" id="ebe391bb-f887-4acc-a412-eeb3ccf80a7b"&gt;</code>	0.020
 Central de Atendimento <code>&lt;a href="https://suap.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank"&gt;</code>	0.012
 Sistemas <code>&lt;li id="portalservicos-intranet" class="portalservicos-item"&gt;</code>	0.010

Element		Layout shift impact
	Central de Atendimento <li id="portalservicos-supporte" class="portalservicos-item">	0.010
	Sistemas <a href="/servicos/sistemas/">	0.010
	Processo Seletivo Complementar <span class="title">	0.003
	1 <a href="https://ifce.edu.br/iguatu/imagens/banner-rotativo/processo-seletivo-compl..." class="button-nav" style="top: 99px;">	0.000
	2 <a href="https://ifce.edu.br/iguatu/imagens/banner-rotativo/transferidos-e-diplomad..." class="button-nav" style="top: 99px;">	0.000

## ○ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (16)

URL	Start Time	Duration
YouTube <small>Video</small>		7,230 ms
...en_US/base.js (www.youtube.com)	51,098 ms	905 ms
...en_US/base.js (www.youtube.com)	47,972 ms	887 ms
...en_US/base.js (www.youtube.com)	52,063 ms	842 ms
...en_US/base.js (www.youtube.com)	50,261 ms	837 ms
...en_US/base.js (www.youtube.com)	52,905 ms	783 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	46,659 ms	474 ms

URL		Start Time	Duration
...en_US/base.js (www.youtube.com)		47,520 ms	452 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		49,318 ms	451 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		37,772 ms	442 ms
...en_US/base.js (www.youtube.com)		46,252 ms	407 ms
...en_US/base.js (www.youtube.com)		47,133 ms	387 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		48,896 ms	363 ms
ifce.edu.br	1st Party		462 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)		23,047 ms	161 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		17,614 ms	156 ms
/iguatu (ifce.edu.br)		2,151 ms	145 ms
Google Tag Manager	Tag-Manager		449 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		60,302 ms	238 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		8,022 ms	211 ms
Instagram	Social		300 ms
...r/uxZ7QthZjEd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)		29,341 ms	158 ms
...r/uxZ7QthZjEd.js?_nc_x=Ij3Wp8lg5Kz (static.cdninstagram.com)		29,499 ms	142 ms
Unattributable			143 ms
Unattributable		8,233 ms	143 ms

### ○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Íc... <div vw-access-button="" class="active">
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius

Element	Name
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (8)

Hide

### ● Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). [FCP](#) [LCP](#)

### ● Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). [FCP](#) [LCP](#)

### ○ Preload key requests



Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). [FCP](#) [LCP](#)

### ● Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

### ● Preload Largest Contentful Paint image



If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). [LCP](#)

### ● Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). [LCP](#)

## Element



Processo Seletivo Complementar

```

```

- Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



## Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

## NAMES AND LABELS

- ▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

## Failing Elements



```
div#fd2b1375-599f-46b9-907a-547e87646183 > div.banner-title > a > img.left  

```

## Failing Elements



```
599f-46..." width="400" height="160" class="left">
```




```
div#bfd4f031-24a8-4423-bbc8-5199b3c4975c > div.banner-tile > a > img.left

```

⚠️ <frame> or <iframe> elements do not have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

## Failing Elements



```
div.cell > div#d6a6c43c-3834-477f-9cb2-4a554cc6cb81 > div.tile-content > iframe#instagram-embed-0
<iframe class="instagram-media instagram-media-rendered" id="instagram-embed-0" src="https://www.instagram.com/tv/Cm_7IfcteIs/embed/?cr=1&v=14&wp=647&rd=https%..." allowtransparency="true" allowfullscreen="true" frameborder="0" height="667" data-instgrm-payload-id="instagram-media-payload-0" scrolling="no" style="background: white; max-width: 540px; width: calc(100% - 2px);">
```




```
div.cell > div#be03f832-8c58-412d-8893-ae33f5f3cc12 > div.tile-content > iframe#instagram-embed-1
<iframe class="instagram-media instagram-media-rendered" id="instagram-embed-1" src="https://www.instagram.com/tv/Cljp7tTLWco/embed/?cr=1&v=14&wp=647&rd=https%..." allowtransparency="true" allowfullscreen="true" frameborder="0" height="667" data-instgrm-payload-id="instagram-media-payload-1" scrolling="no" style="background: white; max-width: 540px; width: calc(100% - 2px);">
```

⚠️ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

## Failing Elements



```
nav > ul#lista-barra-brasil > li > a#menu-icon
<a href="#" id="menu-icon">
```




```
div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras
<a class="logo-vlibras" href="#">
```

## Failing Elements

**ifce.edu.br**

div#cf35a8ce-8561-4c33-9a92-4b41e931187e &gt; div.banner-tile &gt; h2 &gt; a

&lt;a href="."&gt;"



div.cell &gt; div#fd2b1375-599f-46b9-907a-547e87646183 &gt; div.banner-tile &gt; a

&lt;a href="https://ifce.edu.br/iguatu/portal"&gt;



div.cell &gt; div#bfd4f031-24a8-4423-bbc8-5199b3c4975c &gt; div.banner-tile &gt; a

&lt;a href="https://ifce.edu.br/iguatu/auxiliost"&gt;



div#f541524f-0396-4eb4-99fc-5c9b8b4532aa &gt; div.cover-richtext-tile &gt; p &gt; a.external-link

&lt;a href="https://ifce.edu.br/iguatu/assistencia/observatorio" data-mce-href="https://ifce.edu.br/iguatu/assistencia/observatorio" target="\_self" style="" class="external-link"&gt;

ul &gt; li &gt; span.WdYUQQ &gt; a.external-link

&lt;a class="external-link" href="https://ifce.edu.br/acesso-rapido/concursos-publicos/editais/ensino/enem-s..." target="\_self" data-mce-href="https://ifce.edu.br/acesso-rapido/concursos-publicos/editais/ensino/enem-s..." data-mce-style=""&gt;

## ▲ Image elements have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

## Failing Elements



Processo Seletivo Complementar

&lt;img src="https://ifce.edu.br/iguatu/imagens/banner-rotativo/processo-seletivo-compl..." alt="Processo Seletivo Complementar"&gt;



Transferidos e diplomados 2024.1

&lt;img src="https://ifce.edu.br/iguatu/imagens/banner-rotativo/transferidos-e-diplomad..." alt="Transferidos e diplomados 2024.1"&gt;

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

 Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

 Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

 The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

 Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

 User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

 The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

 HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

 Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn how to properly hide offscreen content.](#)

 Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#)

## Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

### PASSED AUDITS (17)

Hide

#### ● [aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

#### ● [role]s have all required [aria-\*] attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

#### ● Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

#### ● [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

#### ● [accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

#### ● [role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

- Background and foreground colors have a sufficient contrast ratio ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

- Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- `[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn how to fix duplicate ids.](#)

- `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

● List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

● Values assigned to `role=""` are valid ARIA roles. ^

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

NOT APPLICABLE (37) Hide

○ `[aria-*]` attributes match their roles ^

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

○ `button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

○ `[aria-hidden="true"]` elements do not contain focusable descendants ^

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

○ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

○ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

○ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

○ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

○ Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the role=text attribute.](#)

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

○ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

- `[aria-*]` attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

- `[aria-*]` attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

- Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

○ <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ <input type="image"> elements have [alt] text ^

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use <meta http-equiv="refresh"> ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ <object> elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a <table> element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

- `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#)

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

- Document has a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

- Elements with visible text labels have matching accessible names. ^

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

- Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption. ^

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

- `<td>` elements in a large `<table>` have one or more table headers. ^

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



## Best Practices

### GENERAL

#### ⚠️ Uses deprecated APIs — 1 warning found

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Instagram [Social]	
UnloadHandler	...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz:328:820 (static.cdninstagram.com)

#### ⚠️ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
ifce.edu.br [1st Party]	
...resolveuid/4f52c45...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
...resolveuid/dfd185e...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)
/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)

#### ⚠️ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
/embed/YMhrlTdR1DQ (www.youtube.com)
/embed/kc1Kmx0tDZc (www.youtube.com)
/embed/MSjCtQ8WwyA (www.youtube.com)
...Cljp7tTLWco/embed?cr=... (www.instagram.com)
...Cm_7lfctls/embed?cr=... (www.instagram.com)

## Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
Bootstrap	>= 2.0.0 & <= 2.3.2
FlotCharts	0.7
jQuery	1.8.3
jQuery UI	1.10.2
Modernizr	2.0.4
jQuery Tools	@VERSION

## USER EXPERIENCE

### ⚠ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
brasil.gov.br			



div#wrapper-barra-brasil > span#brasil-vlibras > span.link-vlibras > img		/imagens/vlibras.gif (barra.brasil.gov.br)	132 x 116	132 x 116	198 x 174
--	---	--	-----------	-----------	-----------

```


div#wrapper-barra-brasil >
    span#brasil-vlibras > span.link-
      vlibras > img
        


```

## TRUST AND SAFETY

### ○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

## PASSED AUDITS (10)

Hide

- Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

- Avoids third-party cookies

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).

- Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

- Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

- Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

- Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

- Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

- Avoids `unload` event listeners

The unload event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about unload event listeners](#)

- Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (3)

URL	Map URL
ifce.edu.br <span>1st Party</span>	
...brasil_gov_facetada/resources/_scriptssocial_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitf.js.map (ifce.edu.br)
Error: Timed out fetching resource	
Other Google APIs/SDKs <span>Utility</span>	
...th/jz7nBWcXo....js (www.google.com)	
...th/jz7nBWcXo....js (www.google.com)	
...th/jz7nBWcXo....js (www.google.com)	

## NOT APPLICABLE (1)

Hide

- Fonts with `font-display: optional` are preloaded

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

## CONTENT BEST PRACTICES


### ▲ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

### ▲ Image elements do not have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

#### Failing Elements



```
div#fd2b1375-599f-46b9-907a-547e87646183 > div.banner-tile > a > img.left  

```



```
div#bfd4f031-24a8-4423-bbc8-5199b3c4975c > div.banner-tile > a > img.left  

```

Format your HTML in a way that enables crawlers to better understand your app's content.

## CRAWLING AND INDEXING

## ⚠ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

### Uncrawlable Link

#### Revalidação de diploma

```
<a href="/" class="state-published" target="_blank">
```



#### WhatsApp

```
<a>
```

## ⚠ robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#)

Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL











To appear in search results, crawlers need access to your app.

## MOBILE FRIENDLY

### ⚠ Tap targets are not sized appropriately — 82% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets](#).

Tap Target	Size	Overlapping Target
A screenshot of a mobile application interface. It shows a row of colored books. A small yellow square highlights a button labeled 'Clique' located to the right of the books.	3x17	A screenshot of a mobile application interface. It shows a banner for 'Mulheres Mil'. A yellow square highlights a link with the href value 'https://ifce.edu.br/acesso-rapido/concursos-publicos/editais/extensao/mul...'. The text 'Clique' is also visible on the screen.
A screenshot of a mobile application interface. It shows a person's face. A yellow square highlights a link with the href value 'https://ifce.edu.br/ig'.	21x20	A screenshot of a mobile application interface. It shows a banner for 'Processo Seletivo Complementar'. A yellow square highlights a link with the href value 'https://ifce.edu.br/ig'.

Tap Target	Size	Overlapping Target
 <a href="/servicos/contatos">uatu/imagens/banner-rotativo/transferidos-e-diplomad..." class="button-nav" style="top: 99px;"&gt;Contatos</a>	71x16	 <a href="#">edu.br/iguatu/images/banner-rotativo/processo-seletivo-compl..." rel="internal" class="banner"&gt;Ouvintes do IFCE</a>
 <a href="/ouvintoria">Acesso à informação   Ouvintoria   Central de Atendimento   Licitações</a>	75x16	 <a href="#">Central de Atendimento   Contatos   Licitações</a>
 <a href="/ouvintoria">Acesso à informação   Ouvintoria   Central de Atendimento   Licitações</a>	75x16	 <a href="#">Acesso à informação   Contatos   Licitações</a>
 <a href="https://suap.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank">Central de Atendimento   Contatos   Licitações</a>	83x16	 <a href="#">Central de Atendimento   Contatos   Licitações</a>
 <a href="/acesso-a-informacao-1/institucional">Sobre o IFCE   Acessos à Informação   Comunicação Social   Área de impressa</a>	91x16	 <a href="#">Comunicação Social   Acesso à informação   Central de Atendimento   Licitações</a>
 <a class="button-nav" href="https://ifce.edu.br/iguatu/imagens/banner-rotativo/transferidos-e-diplomad..." style="top: 99px;">2</a>	21x20	 <a class="button-nav" href="https://ifce.edu.br/iguatu/imagens/banner-rotativo/processo-seletivo-compl..." style="top: 99px;">1</a>
 <a href="#">Instituto Federal de Educação, Ciência e Tecnologia do Ceará</a>	379x42	 <a accesskey="6" href="#">ALTO CONTRASTE</a>


Tap Target

Size

Overlapping Target


**IFCE MINISTÉRIO**


DA...

[<a id="portal-logo" href="https://ifce.edu.br">](https://ifce.edu.br)


Instituto Federal de  
Educação, Ciência e  
Tecnologia do Ceará  
**IFCE MINISTÉRIO**  
DA...


[<a id="portal-logo" href="https://ifce.edu.br">](https://ifce.edu.br)

379x42




div#portal-searchbox >  
form#nolivesearchGad  
get\_form >  
fieldset.LSBox >  
input#nolivesearchGad

get

<input name="SearchableText" type="text"  
size="18" placeholder="Buscar no portal"  
class="searchField"  
id="nolivesearchGadget">

Comunicação  
Social  
<a  
href="https://  
ifce.edu.br/se  
rvicos/area-de-impressa">

133x16



Acesso à  
informação  
<a  
href="https://i  
fce.edu.br/aces  
so-a-informacao/acesso-a-informacao-1/">




Sobre o IFCE  
<a  
href="/acesso-  
a-informacao-  
1/Instituciona  
l">

91x16




div#portal-searchbox >  
form#nolivesearchGad  
get\_form >  
fieldset.LSBox >  
input#nolivesearchGad

get

<input name="SearchableText" type="text"  
size="18" placeholder="Buscar no portal"  
class="searchField"  
id="nolivesearchGadget">


Acesso à  
informação  
<a  
href="https://  
ifce.edu.br/ac  
esso-a-informacao/acesso-a-informacao-  
1/">

138x16



div#portal-searchbox >  
form#nolivesearchGad  
get\_form >  
fieldset.LSBox >  
input#nolivesearchGad

get

<input name="SearchableText" type="text"  
size="18" placeholder="Buscar no portal"  
class="searchField"  
id="nolivesearchGadget">

Contatos  
<a  
href="/servico  
s/contatos">

71x16



div#portal-searchbox >  
form#nolivesearchGad  
get\_form >  
fieldset.LSBox >  
input#nolivesearchGad

get

<input name="SearchableText" type="text"  
size="18" placeholder="Buscar no portal"

Tap Target	Size	Overlapping Target
		<code>class="searchField" id="nolivesearchGadget"&gt;</code>

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

#### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

##### Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

#### PASSED AUDITS (9)

Hide

##### ● Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

##### ● Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

##### ● Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

##### ● Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

##### ● Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

● Document has a valid [hreflang](#)

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid [rel=canonical](#)

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

● Document uses legible font sizes — **89.88% legible text**

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes](#).

Show 3rd-party resources (2)

Source	Selector	% of Page Text	Font Size
<b>ifce.edu.br [1st Party]</b>			
...	#content .outstanding-header .outstanding-link	2.99%	11.232px
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2946:48 (ifce.edu.br)			
...	#tile_banner_rotativo.chamada_sem_foto li .banner .title	1.80%	9.984px
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:993:59 (ifce.edu.br)			
...	.tile .tile-subtitle	1.54%	11.232px
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2482:22 (ifce.edu.br)			
...	#portal-siteactions	1.16%	10.8px
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:4151:21 (ifce.edu.br)			
...	#portal-searchbox	0.93%	9.6px
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:1766:19 (ifce.edu.br)			
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.52%	0px
<b>Instagram [Social]</b>			
...			
...0,cross/zT-txLvgwYX.css?			
_nc_x=lj3Wp8lg5Kz:2:4177 (static.cdninstagram.com)	.Feedback a	0.58%	9.6px
...			
...0,cross/zT-txLvgwYX.css?			
_nc_x=lj3Wp8lg5Kz:2:4177 (static.cdninstagram.com)	.Feedback a	0.58%	9.6px

Source	Selector	% of Page Text	Font Size
Unattributable			
Legible text		89.88%	≥ 12px

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.

[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



## PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)

INSTALLABLE

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements.](#)

Failure reason

No manifest was fetched



PWA OPTIMIZED

▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.** ^

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens](#).

▲ Does not set a theme color for the address bar. ^

▲ Failures: No manifest was fetched, No `<meta name="theme-color">` tag found. ^

The browser address bar can be themed to match your site. [Learn more about theming the address bar](#).

● Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport](#).

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

▲ Manifest doesn't have a maskable icon **No manifest was fetched** ^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

○ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility](#).

○ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions](#).

○ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links](#).

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

 Captured at Feb 3, 2024, 2:42 PM

GMT-3

 Initial page load

 Emulated Desktop with Lighthouse

11.4.0

 Unknown

 Single page session

 Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)