



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Expand view](#)

▲ First Contentful Paint

13.5 s

■ Total Blocking Time

420 ms

▲ Speed Index

21.0 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 12,890 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	20,740 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,440 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,850 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,440 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,440 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	600 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,020 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	600 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	600 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	600 ms
...css/style.css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	2,690 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,020 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	600 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	1,850 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,440 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	600 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	600 ms

▲ Reduce unused JavaScript — Potential savings of 417 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP

Show 3rd-party resources (5)

URL		Transfer Size	Potential Savings
ifce.edu.br [1st Party]		276.7 KiB	204.5 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	138.3 KiB	89.4 KiB	
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	67.6 KiB	
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	35.8 KiB	25.2 KiB	
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.0 KiB	22.3 KiB	
Facebook [Social]		255.2 KiB	151.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	107.3 KiB	62.9 KiB	
/pt_BR/sdk.js?hash=fa0c3e9... (connect.facebook.net)	86.4 KiB	59.1 KiB	
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	61.5 KiB	29.7 KiB	
Google Tag Manager [Tag-Manager]		148.3 KiB	60.6 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	30.8 KiB	
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.7 KiB	


▲ Serve images in next-gen formats — Potential savings of 336 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

Show 3rd-party resources (3)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	401.3 KiB	308.6 KiB
 Sisu 2024 <img src="http s://ifce. edu.br/fo 76bf34f1c25a.png (ifce.edu.br)	86.8 KiB	75.6 KiB
rtaleza/imagens/banner- rotativo/sisu-2024-1/@@images..." alt="Sisu 2024">  zap_inf o.jpg <img src="h https:/ /ifce.edu.br/fortaleza/imagens/ outras-imagens/zap_info.jpg" data-mce-	38.1 KiB	35.7 KiB

	URL	Resource Size	Potential Savings
	<pre>src="resolveuid/190ed523b94446be8346b5e859dcedd6" height="52" width="122" alt="zap_info.jpg" class="image-inline">></pre> <p>...outras-imagens/zap3.jpg (ifce.edu.br)</p>	37.3 KiB	35.2 KiB
	<pre>CNPq ></pre> <p>...mini-banner-destaques/cnpq.jpg (ifce.edu.br)</p>	27.6 KiB	25.7 KiB
	<pre>MEC ></pre> <p>...mini-banner-destaques/mec.jpg (ifce.edu.br)</p>	26.1 KiB	24.5 KiB
	<pre>CAPE S ></pre> <p>...mini-banner-destaques/capes.jpg (ifce.edu.br)</p>	23.8 KiB	22.2 KiB
Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO	<p>...@@images/d3156daf-8cee-4301-a5ad-c79e108f9902.jpeg (ifce.edu.br)</p>	42.2 KiB	21.8 KiB

	URL	Resource Size	Potential Savings
<pre></pre> 	Interacao 2024.1 <img src="http...@@@images/4832c9e0-0005-408a-add8-c8fee3315f1c.jpeg (ifce.edu.br)	45.1 KiB	20.1 KiB
<pre>edu.br/fortaleza/imagens/banner-rotativo/interacao-2024-1/@i..." alt="Interacao 2024.1"></pre>			
	Matrícula 2024.1 <img src="http...@@@images/3f56f977-5bc6-4040-a6da-590fe0bd2762.jpeg (ifce.edu.br)	41.6 KiB	19.4 KiB
<pre>edu.br/fortaleza/imagens/banner-rotativo/renovacao-de-matricu..." alt="Matrícula 2024.1"></pre>			
	Captur a de Tela 2021- 04-16 às 21.40.02.png 	17.0 KiB	14.4 KiB
	conif.p ng <img src="h ttps:/...@@@images/c3f286d7-3164-4cfb-ac0a-fbdf8f6107eb.png (ifce.edu.br)	15.8 KiB	14.2 KiB
<pre>/ifce.edu.br/fortaleza/imagens/outras-</pre>			

URL	Resource Size	Potential Savings
imagens/conif.png@@images/c3..." data-mce- src="resolveuid/4e4ad4480683420 dbcbbf80ef9cf23d5@@images/image/mini" height="33" width="116" alt="conif.png" class="image-inline">		
Facebook Social	85.9 KiB	27.5 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	29.6 KiB	9.8 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	29.5 KiB	9.5 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	26.9 KiB	8.3 KiB

▲ Reduce JavaScript execution time — 2.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (9)

URL	Total CPU Time	Script Evaluation	Script Parse
Facebook Social	1,637 ms	1,201 ms	97 ms
...plugins/page.php?adapt_con...=... (www.facebook.com)	535 ms	406 ms	15 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	436 ms	407 ms	7 ms
/pt_BR/sdk.js?hash=fa0c3e9... (connect.facebook.net)	220 ms	164 ms	27 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	207 ms	154 ms	27 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	160 ms	22 ms	6 ms
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	79 ms	47 ms	14 ms
ifce.edu.br 1st Party	1,353 ms	410 ms	41 ms
/fortaleza (ifce.edu.br)	790 ms	23 ms	9 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	563 ms	387 ms	32 ms
Unattributable	660 ms	94 ms	0 ms
Unattributable	660 ms	94 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
Google Tag Manager Tag-Manager	368 ms	324 ms	36 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	196 ms	176 ms	19 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	171 ms	148 ms	17 ms
Google Analytics Analytics	114 ms	97 ms	5 ms
/analytics.js (www.google-analytics.com)	114 ms	97 ms	5 ms

▲ Minimize main-thread work — 4.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	2,265 ms
Other	847 ms
Style & Layout	597 ms
Script Parsing & Compilation	247 ms
Rendering	206 ms
Garbage Collection	153 ms
Parse HTML & CSS	136 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 790 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Facebook Social	645 KiB	609 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	286 ms
...plugins/page.php?adapt_con...=... (www.facebook.com)	18 KiB	272 ms
...r/2o-XRyr-n9k.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	37 ms
/pt_BR/sdk.js?hash=fa0c3e9... (connect.facebook.net)	88 KiB	13 ms
...r/nDOmhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...r/O6ztBnt32yw.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	63 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	30 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	30 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	27 KiB	0 ms
...tab/renderer?key=... (www.facebook.com)	22 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	21 KiB	0 ms
...t39.30808-6/425....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	21 KiB	0 ms
...r/uwgVV4_bDB1.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	17 KiB	0 ms
...r/kCgk_hWT3L.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	14 KiB	0 ms
...t39.30808-6/408....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	12 KiB	0 ms
...r/ie38mp0O07P.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	11 KiB	0 ms
...pt_BR/u7L7xDrIxEI.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	9 KiB	0 ms
...pt_BR/oGNFfuRupM0.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	9 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	9 KiB	0 ms
...r/4DjEjIssQLw.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	9 KiB	0 ms
...0,cross/irauWFmQZzb.css?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	7 KiB	0 ms
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	7 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...0,cross/HWhqfo77sF8.css?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
...r/2_UQu_HhTQu.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
...r/mUnDZSrH5OM.png (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/sdk.js (connect.facebook.net)	4 KiB	0 ms
...r/J5o5gBJIZ_-js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	3 KiB	0 ms
...r/xgVgalBG80z.png (static.xx.fbcdn.net)	2 KiB	0 ms
...16/1f4e2.png (static.xx.fbcdn.net)	2 KiB	0 ms
...16/1f3e0.png (static.xx.fbcdn.net)	2 KiB	0 ms
...16/1f929.png (static.xx.fbcdn.net)	2 KiB	0 ms
...page/logging (www.facebook.com)	2 KiB	0 ms
...t39.30808-1/307....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	2 KiB	0 ms
...t39.30808-1/307....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	2 KiB	0 ms
...16/1f68d.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/MKQzjVd1bVq.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
/hads-ak-prn2/1487645_601..._143..._n.png (scontent.xx.fbcdn.net)	0 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Tag Manager Tag-Manager	150 KiB	149 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	117 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	32 ms
Google Analytics Analytics	21 KiB	36 ms
/analytics.js (www.google-analytics.com)	21 KiB	36 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
Google/Doubleclick Ads Ad	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
Other Google APIs/SDKs Utility	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms

▲ Largest Contentful Paint element — 14,670 ms

^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element \(LCP\)](#)

Element



Sisu 2024





```

```

Phase	% of LCP	Timing
TTFB	5%	780 ms
Load Delay	31%	4,580 ms
Load Time	40%	5,840 ms
Render Delay	24%	3,470 ms


⚠️ Avoid large layout shifts — 5 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) [CLS]


Element	Layout shift impact
 Nossos cursos Projeto Interação - visitas guiadas ao campus Controle Acadêmico ... <div style="background-color: #f0f0f0; padding: 5px;"><pre><div class="cell width-5 position-10 " data-panel=""></pre></div>	0.227
 1 <div style="background-color: #f0f0f0; padding: 5px;"><pre></pre></div>	0.000
 2 <div style="background-color: #f0f0f0; padding: 5px;"><pre></pre></div>	0.000
 3 <div style="background-color: #f0f0f0; padding: 5px;"><pre></pre></div>	0.000
 4 <div style="background-color: #f0f0f0; padding: 5px;"><pre></pre></div>	0.000

💡 Defer offscreen images — Potential savings of 153 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	152.6 KiB	152.6 KiB
	zap_inf o.jpg 	...outras-imagens/zap_info.jpg (ifce.edu.br) 38.1 KiB 38.1 KiB
	CNPq 	...mini-banner- destaques/cnpq.jpg (ifce.edu.br) 27.6 KiB 27.6 KiB
	MEC 	...mini-banner- destaques/mec.jpg (ifce.edu.br) 26.1 KiB 26.1 KiB
	CAPE S <img src="h https:/ /ifce.edu.br/fortaleza/imagens/ mini-banner- destaques/capes.jpg" data-mce- src="resolveuid/8dbd6820c0d3455 fbf54aa1861bad96a" height="51"	...mini-banner- destaques/capes.jpg (ifce.edu.br) 23.8 KiB 23.8 KiB

	URL	Resource Size	Potential Savings
<pre>width="64" alt="CAPES" class="image-inline"></pre>	<p>Captura de Tela 2021-04-16 às 21.40.02.png</p> <pre></pre>	...@@@images/822a1108-7278-44a6-bbcf-9cf4e6ea1cfe.png (ifce.edu.br)	17.0 KiB 17.0 KiB
	<p>conif.png</p> <pre></pre>	...@@@images/c3f286d7-3164-4cfb-ac0afbdff8f6107eb.png (ifce.edu.br)	15.8 KiB 15.8 KiB
	<p>youtube4.jpg</p> <pre></pre>	...@@@images/2f428c95-bb30-4441-a867-ffecf90890c4.jpeg (ifce.edu.br)	2.1 KiB 2.1 KiB

URL	Resource Size	Potential Savings
 insta3.jpg pg 	401e4fdc138e.jpeg (ifce.edu.br)	2.0 KiB 2.0 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

Reduce unused CSS — Potential savings of 35 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br [1st Party]	38.9 KiB	35.0 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.7 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

■ Efficiently encode images — Potential savings of 132 KiB ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	152.9 KiB	131.9 KiB
 zap_inf o.jpg > ...outras-imagens/zap3.jpg (ifce.edu.br)	38.1 KiB	33.2 KiB
 CNPq > ...mini-banner- destaques/cnpq.jpg (ifce.edu.br)	27.6 KiB	23.5 KiB
 MEC > ...mini-banner- destaques/mec.jpg (ifce.edu.br)	26.1 KiB	22.2 KiB

URL	Resource Size	Potential Savings
<pre>src="resolveuid/5b976cb0169d4104 bebf96cdf8ebbf6a" height="43" width="92" alt="MEC" class="image-inline"></pre>  <p>CAPES</p> <pre></pre>	23.8 KiB	20.6 KiB

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) [LCP](#)

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 14 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (1)

URL	Potential Savings
ifce.edu.br 1st Party	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

■ Serve static assets with an efficient cache policy — 37 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies](#).

Show 3rd-party resources (15)

URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		291 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...outras-imagens/zap_info.jpg (ifce.edu.br)	1d	39 KiB
...outras-imagens/zap3.jpg (ifce.edu.br)	1d	38 KiB
...mini-banner-destaques/cnpq.jpg (ifce.edu.br)	1d	28 KiB
...mini-banner-destaques/mec.jpg (ifce.edu.br)	1d	27 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...mini-banner-destaques/capes.jpg (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB

URL	Cache TTL	Transfer Size
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/seta_dourado.png (ifce.edu.br)	1d	1 KiB
...img/seta_verde-claro.png (ifce.edu.br)	1d	1 KiB
...img/seta_roxo.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
Facebook Social		160 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	30 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	30 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	27 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	21 KiB
...t39.30808-6/425....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	21 KiB
...t39.30808-6/408....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	12 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	9 KiB
...t39.30808-6/424....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	7 KiB
...t39.30808-1/307....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	2 KiB
...t39.30808-1/307....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	2 KiB
brasil.gov.br		108 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	7d	108 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN Cdn		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB

URL	Cache TTL	Transfer Size
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB

■ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (1)

URL	Potential Savings
ifce.edu.br 1st Party	3,470 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,060 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1,060 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,350 ms
brasil.gov.br	600 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	600 ms

■ Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) [CLS](#)

Show 3rd-party resources (1)

URL
ifce.edu.br 1st Party
 Sisu 2024
 Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO

URL

cu..." alt="Processo seletivo cursos técnicos 2024.1
- ACOMPANHE O ANDAMENTO">



Matrícula 2024.1

```

```




Interacao 2024 1

```

```

brasil.gov.br



```
div#wrapper-barra-brasil >
span#brasil-vlibras > span.link-vlibras > img

```

Initial server response time was short — Root document took 360 ms ^

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br 1st Party	360 ms
/fortaleza (ifce.edu.br)	360 ms

Avoids enormous network payloads — Total size was 1,949 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) LCP

Show 3rd-party resources (6)

URL	Transfer Size
ifce.edu.br 1st Party	353.1 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB

URL	Transfer Size
...@@@images/4b68403f-33cd-427d-8fa2-76bf34f1c25a.png (ifce.edu.br)	87.3 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB
...@@@images/4832c9e0-0005-408a-add8-c8fee3315f1c.jpeg (ifce.edu.br)	45.6 KiB
Facebook [Social]	259.9 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
/pt_BR/sdk.js?hash=fa0c3e9... (connect.facebook.net)	88.4 KiB
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	62.8 KiB
Google Tag Manager [Tag-Manager]	149.7 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.8 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.9 KiB
brasil.gov.br	107.6 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.6 KiB

○ **Avoids an excessive DOM size** — 527 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) [TBT]

Statistic	Element	Value
Total DOM Elements		527
Maximum DOM Depth	 Sisu 2024 	15
Maximum Child Elements	 ESTUDANTE SELEÇÕES PERGUNTAS FREQUENTES 1 Sisu 2024 2 Processo seletivo cursos ... <div id="content">	15

○ **Avoid chaining critical requests** — 32 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) [FCP] [LCP]

Maximum critical path latency: **6,135.764 ms**

Initial Navigation

/fortaleza (ifce.edu.br)

- ...brasil_gov_facetada/resourcecollective.pollscsscollective.....css (ifce.edu.br) - **1,426.66 ms, 1.09 KiB**
- ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - **1,257.553 ms, 79.27 KiB**
- ...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - **1,435.06 ms, 2.92 KiB**
- /static/opensans-bold.woff (barra.brasil.gov.br) - **598.434 ms, 18.43 KiB**
- ...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - **2,711.661 ms, 1.48 KiB**
- ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br) - **1,436.478 ms, 3.16 KiB**
- ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - **1,438.726 ms, 8.29 KiB**
- ...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) - **1,430.721 ms, 8.68 KiB**
- ...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br) - **1,433.511 ms, 3.56 KiB**
- ...css/style.css (ifce.edu.br) - **1,434.156 ms, 3.18 KiB**
- ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - **1,967.216 ms, 140.94 KiB**
- ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - **1,619.999 ms, 24.64 KiB**
- ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - **1,619.227 ms, 16.02 KiB**
- ...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br) - **1,620.148 ms, 36.48 KiB**
- ...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - **1,440.115 ms, 1.29 KiB**
- ...brasil_gov_facetada/resourcecalendar_stylescalendar-cachekey....css (ifce.edu.br) - **1,439.385 ms, 1.00 KiB**
- ...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - **1,430.601 ms, 3.91 KiB**
- ...brasil_gov.../resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - **1,442.102 ms, 1.48 KiB**
- ...brasil_gov_facetada/reset-cachekey-abef6adb....css (ifce.edu.br) - **1,445.133 ms, 1.02 KiB**
- ...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) - **1,428.23 ms, 4.41 KiB**
- ...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br) - **1,429.743 ms, 1.34 KiB**
- /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) - **1,432.301 ms, 6.86 KiB**
- ...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) - **1,444.845 ms, 2.35 KiB**

/app/vlibras-plugin.js (vlibras.gov.br)

- ...app/vlibras-plugin.js (cdn.jsdelivr.net) - **10.489 ms, 6.99 KiB**
- ...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - **1,437.052 ms, 1.36 KiB**
- ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - **1,442.573 ms, 2.65 KiB**

...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)

- ...fonts/opensans-400-webfont.woff (ifce.edu.br) - **1,061.576 ms, 23.43 KiB**
- ...fonts/opensans-700-webfont.woff (ifce.edu.br) - **1,348.114 ms, 24.22 KiB**
- ...fonts/opensans-800-webfont.woff (ifce.edu.br) - **1,060.92 ms, 24.47 KiB**

...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - **1,442.495 ms, 1.42 KiB**

...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - **1,433.958 ms, 1.68 KiB**

...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - **1,435.128 ms, 1.58 KiB**

○ Avoid long main-thread tasks — 19 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (12)

URL	Start Time	Duration
Facebook Social		1,058 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	10,853 ms	338 ms
...r/8ZrPme2EwKH.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	10,087 ms	201 ms
...r/2o-XRyr-n9k.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	9,892 ms	133 ms
/pt_BR/sdk.js?hash=fa0c3e9... (connect.facebook.net)	4,318 ms	86 ms
...plugins/page.php?adapt_con...=... (www.facebook.com)	5,522 ms	65 ms
...r/nDOmhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	8,092 ms	62 ms
...r/2o-XRyr-n9k.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	10,025 ms	62 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	10,792 ms	61 ms
...r/O6ztBnt32yw.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	9,292 ms	50 ms
ifce.edu.br 1st Party		603 ms
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	39,472 ms	192 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29...js (ifce.edu.br)	16,367 ms	126 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu...js (ifce.edu.br)	20,546 ms	107 ms
/fortaleza (ifce.edu.br)	1,735 ms	103 ms
/fortaleza (ifce.edu.br)	1,858 ms	75 ms
Google Tag Manager Tag-Manager		338 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	6,352 ms	189 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	4,167 ms	85 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	4,103 ms	64 ms
Unattributable		238 ms
Unattributable	1,933 ms	151 ms
Unattributable	6,541 ms	87 ms

Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLibras
	Widget com opções dos Avatares Í...
	<div vw-access-button="" class="active">
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12)

[Hide](#)

● Properly size images

[^](#)

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images](#).

● Preconnect to required origins

[^](#)

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). [FCP](#) [LCP](#)

● Avoid multiple page redirects

[^](#)

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). [FCP](#) [LCP](#)

○ Preload key requests

[^](#)

Consider using <link rel=preload> to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). [FCP](#) [LCP](#)

● Remove duplicate modules in JavaScript bundles

[^](#)

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

● Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) [LCP](#)

○ User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

○ Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT](#)

● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) [LCP](#)

Element



Sisu 2024

● Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). [TBT]



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

- ▲ Image elements do not have `[alt]` attributes


Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements



```
div.cover-richtext-title > p > a.external-link > img.image-inline  

```



```
div#e35b9160-fd96-42d8-8dc7-7e513753c4c4 > div.cover-richtext-title > p >  
img.image-inline  

```

- ▲ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Failing Elements



```
nav > ul#lista-barra-brasil > li > a#menu-icon  
<a href="#" id="menu-icon">
```



```
div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras  
<a class="logo-vlibras" href="#">
```



```
div#e35b9160-fd96-42d8-8dc7-7e513753c4c4 > div.cover-richtext-title > p > a.external-link  
<a href="https://ifce.edu.br/fortaleza/contatos" data-mce-href="https://ifce.edu.br/fortaleza/contatos" target="_self" style="" class="external-link">
```

▲ Image elements have [alt] attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements



Sisu 2024

```

```



Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO

```

```



Matrícula 2024.1

```

```



Interacao 2024 1

```

```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

EXTENSÃO

```
<h2 class="outstanding-title">
```

Grupos de pesquisa liderados por professores capacitados e compostos por alunos de alto nível, preocupados em promover a inovação e desenvolver soluções para problemas. SAIBA MAIS!

EXTENSÃO

Integração do conhecimento acadêmico e cultural, ultrapassando os muros do campus por meio dos grupos extensão que atuam diretamente nos áreas sociais e culturais. SAIBA MAIS!

- ▲ Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

Failing Elements

SAIBA MAIS!

```
<a href="https://ifce.edu.br/fortaleza/cursos/gratuitos" data-mce-href="resolveuid/97eda3087e3248798b29d7d27887be4e" class="internal-link" target="_self">
```

co EJA; especializações jáção e ainda diversos o. SAIBA MAIS!

44 cursos gratuitos! Cursos técnicos; técnicos + médio; técnico EJA; especializ...

RESOURCES

stos por alunos de alto nover a inovação e des mas. SAIBA MAIS!

SAIBA MAIS!

```
<a style="" target="_self" href="https://ifce.edu.br/fortaleza/pesquisa/pesquisa" data-mce-href="resolveuid/6eed78f4e7714a14922ba8e50d7a01de" class="internal-link">
```

Grupos de pesquisa liderados por professores capacitados e compostos por alunos...

RESOURCES

passando os muros do sionistas, especialmente rias. SAIBA MAIS!

SAIBA MAIS!

```
<a style="" target="_self" href="https://ifce.edu.br/fortaleza/extensao/extensao" data-mce-href="resolveuid/e967da53e3124625ad04c64256ddcc44" class="internal-link">
```

Integração do conhecimento acadêmico e cultural, ultrapassando os muros do camp...

EXTENSÃO

Failing Elements



These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen.

[Learn more about logical tab ordering.](#)

Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (16)

Hide

[aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

[accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- [\[role\] values are valid](#)

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- [\[id\] attributes on active, focusable elements are unique](#)

All focusable elements must have a unique id to ensure that they're visible to assistive technologies. [Learn how to fix duplicate ids.](#)

- `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

- `<html>` element has a `[lang]` attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

● List items (``) are contained within ``, `` or `<menu>` parent elements ^

Screen readers require list items (``) to be contained within a parent ``, `` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

● Values assigned to `role=""` are valid ARIA roles. ^

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

NOT APPLICABLE (38) Hide

○ `[aria-*]` attributes match their roles ^

Each ARIA role supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles.](#)

○ `button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

○ `[aria-hidden="true"]` elements do not contain focusable descendants ^

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

○ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

○ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

○ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

○ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

○ Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the role=text attribute.](#)

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

○ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

- `[aria-*]` attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

- `[aria-*]` attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

- Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

○ <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ <input type="image"> elements have [alt] text ^

When an image is being used as an <input> button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use <meta http-equiv="refresh"> ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ <object> elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

○ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

○ Cells in a <table> element that use the [headers] attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring <td> cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

○ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#)

○ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

○ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#)

○ Document has a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

○ Elements with visible text labels have matching accessible names. ^

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names.](#)

○ Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption. ^

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. [Learn more about captions.](#)

○ `<td>` elements in a large `<table>` have one or more table headers. ^

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



Best Practices

GENERAL

⚠️ Uses deprecated APIs — 2 warnings found

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Facebook Social	...
UnloadHandler	r/nDOMhvCeUjd.js? _nc_x=lj3Wp8lg5Kz: 328:820 (static.xx.fbc dn.net)
DOM Mutation Events, including 'DOMSubtreeModified', 'DOMNodeInserted', 'DOMNodeRemoved', 'DOMNodeRemovedFromDocument', 'DOMNodeInsertedIntoDocument', and 'DOMCharacterDataModified' are deprecated (https://w3c.github.io/uievents/#legacy-event-types) and will be removed. Please use 'MutationObserver' instead.	... r/nDOMhvCeUjd.js? _nc_x=lj3Wp8lg5Kz: 285:355 (static.xx.fbc dn.net)

⚠️ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Show 3rd-party resources (37)

Source	Description
Facebook Social	
...r/nDOMhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (st atic.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_0_Jk" [Caught in: Module "__elem_9fc087ed_1_2_T0"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOMhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (st atic.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_0_Jk" [Caught in: Module "__elem_9fc087ed_1_2_T0"] [Caught in: Requiring module "__elem_9fc087ed_1_2_T0" which threw an exception] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .

Source	Description
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_1_DD" [Caught in: Module "__elem_9fc087ed_1_4_aN"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_1_DD" [Caught in: Module "__elem_9fc087ed_1_4_aN"] [Caught in: Requiring module "__elem_9fc087ed_1_4_aN" which threw an exception] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_10_8P" [Caught in: Module "__elem_072b8e64_1_4_X3"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_11_Ug" [Caught in: Module "__elem_2106b0cc_1_3_YZ"] [Caught in: Module "__inst_b7ee1bfc_1_3_Fr"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_12_V" [Caught in: Module "__elem_fc9f538f_1_1_TB"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_13_se" [Caught in: Module "__elem_a588f507_1_0_E9"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_2_SQ" [Caught in: Module "__elem_9fc087ed_1_0_du"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_2_SQ" [Caught in: Module "__elem_9fc087ed_1_0_du"] [Caught in: Requiring module "__elem_9fc087ed_1_0_du" which threw an exception] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_3_vA" [Caught in: Module "__elem_9fc087ed_1_1_GQ"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_3_vA" [Caught in: Module "__elem_9fc087ed_1_1_GQ"] [Caught in: Requiring module "__elem_9fc087ed_1_1_GQ" which threw an exception] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_4_W0" [Caught in: Module "__elem_9fc087ed_1_3_Re"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_4_W0" [Caught in: Module "__elem_9fc087ed_1_3_Re"] [Caught in: Requiring module "__elem_9fc087ed_1_3_Re" which threw an exception]

Source	Description
	Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_e_2k" [Caught in: Module "__elem_a588f507_1_2_Tb"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_f_oc" [Caught in: Module "__elem_de92090e_1_0_6b"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_g_mt" [Caught in: Module "__elem_072b8e64_1_0_CH"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_h_px" [Caught in: Module "__elem_a588f507_1_5_8y"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_i_KT" [Caught in: Module "__elem_de92090e_1_1_m8"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_j_TH" [Caught in: Module "__elem_072b8e64_1_1_rH"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_k_gq" [Caught in: Module "__elem_a588f507_1_4_Tz"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_l_5S" [Caught in: Module "__elem_de92090e_1_2_vI"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_m_F0" [Caught in: Module "__elem_072b8e64_1_2_0v"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_n_He" [Caught in: Module "__elem_a588f507_1_3_i4"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_o_S6" [Caught in: Module "__elem_de92090e_1_3_ag"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_p_wQ" [Caught in: Module "__elem_072b8e64_1_3_fA"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_q_KF" [Caught in: Module "__elem_2106b0cc_1_1_4d"] [Caught in: Module "__inst_b7ee1bfc_1_1_yP"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .

Source	Description
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_r_Wo" [Caught in: Module "__elem_fc9f538f_1_3_E9"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_s_ZQ" [Caught in: Module "__elem_2106b0cc_1_0_3u"] [Caught in: Module "__inst_b7ee1bfc_1_0_eU"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_t_BL" [Caught in: Module "__elem_fc9f538f_1_4_EZ"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_u_wU" [Caught in: Module "__elem_2106b0cc_1_2_K4"] [Caught in: Module "__inst_b7ee1bfc_1_2_J5"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_v_E3" [Caught in: Module "__elem_fc9f538f_1_2_eK"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_w_0" [Caught in: Module "__elem_2106b0cc_1_4_kl"] [Caught in: Module "__inst_b7ee1bfc_1_4_5E"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_x_6r" [Caught in: Module "__elem_fc9f538f_1_0_3C"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_y_Tr" [Caught in: Module "__elem_a588f507_1_6_Qw"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: Could not find element "u_1_z_IA" [Caught in: Module "__elem_de92090e_1_4_sJ"] Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .
...r/nDOmhvCeUjd.js? _nc_x=lj3Wp8lg5Kz:69:573 (static.xx.fbcdn.net)	ErrorUtils caught an error: DataStore.get: namespace is required, got undefined Subsequent non-fatal errors won't be logged; see https://fburl.com/debugjs .

ifce.edu.br 1st Party

```
/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)
```

Failed to load resource: the server responded with a status of 404 (Not Found)

```
/fortaleza:3841:16 (ifce.edu.br)
```

TypeError: Cannot read properties of null (reading 'style') at <https://ifce.edu.br/fortaleza:3841:17>

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
Bootstrap	>= 2.0.0 & <= 2.3.2
FlotCharts	0.7
jQuery	1.8.3
jQuery UI	1.10.2
Modernizr	2.0.4
jQuery Tools	@VERSION


USER EXPERIENCE

⚠ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
brasil.gov.br			

brasil.gov.br



div#wrapper-barra-brasil > span#brasil-vlbras > span.link-vlbras > img

/imagens/vlbras.gif (barra.brasil.gov.br)	132 x 116	132 x 116	198 x 174
---	-----------	-----------	-----------

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

PASSED AUDITS (11) Hide

- **Uses HTTPS** ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).
- **Avoids third-party cookies** ^

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).
- **Allows users to paste into input fields** ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).
- **Avoids requesting the geolocation permission on page load** ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).
- **Avoids requesting the notification permission on page load** ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).
- **Displays images with correct aspect ratio** ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).
- **Page has the HTML doctype** ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

● Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

● Avoids `unload` event listeners ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about `unload` event listeners](#)

● No issues in the [Issues](#) panel in Chrome Devtools ^

Issues logged to the [Issues](#) panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the [Issues](#) panel in Chrome DevTools for more details on each issue.

● Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

URL	Map URL
ifce.edu.br 1st Party	
<code>...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js</code> (ifce.edu.br)	<code>...brasil_gov_facetada/nitf.js.map</code> (ifce.edu.br)
Error: Timed out fetching resource	

NOT APPLICABLE (1)

Hide

○ Fonts with `font-display: optional` are preloaded ^

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

▲ Image elements do not have [alt] attributes


Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements



```
div.cover-richtext-title > p > a.external-link > img.image-inline  

```



```
div#e35b9160-fd96-42d8-8dc7-7e513753c4c4 > div.cover-richtext-title > p >  
img.image-inline  

```

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

▲ robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#)




Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL

To appear in search results, crawlers need access to your app.

MOBILE FRIENDLY

■ Tap targets are not sized appropriately — 80% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets](#).


Tap Target	Size	Overlapping Target	
	22x20		Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO rel="internal" class="banner">
	22x20		Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO rel="internal" class="banner">
	21x20		Processo seletivo cursos técnicos 2024.1 - ACOMPANHE O ANDAMENTO rel="internal" class="banner">

Tap Target	Size	Overlapping Target
	71x16	Central de Atendimento < a href="https://s uap.ifce.edu.br /centralservicos/chamado_externo_abrir/" target="_blank">
	75x16	Acesso à informação < a href="https://i fce.edu.br/aces so-a-informacao/acesso-a-informacao-1/">
	75x16	Central de Atendimento < a href="https://s uap.ifce.edu.br /centralservicos/chamado_externo_abrir/" target="_blank">
	83x16	Licitações < a href="/ifce/pro ap/licitacoes- e-compras">
	91x16	Comunicação Social < a href="https://i fce.edu.br/serv icos/area-de-impressa">
	21x20	3 < a href="https://i fce.edu.br/fort aleza/imagens/b annner-rotativo/renovacao-de-matricu..." class="button-nav" style="top: 166px;">
	22x20	2 < a href="https://i fce.edu.br/fort aleza/imagens/b annner-rotativo/processo-seletivo-cu..." class="button-nav" style="top: 166px;">

Tap Target


Size

Overlapping Target



2
 <a
 href="https://
 ifce.edu.br/fo
 rtaleza/imagen
 s/banner-rotativo/processo-seletivo-cu..."
 class="button-nav" style="top: 166px;"/>

22x20




3
 <a
 href="https://i
 fce.edu.br/fort
 aleza/imagens/b
 annner-rotativo/renovacao-de-matricu..."
 class="button-nav" style="top: 166px;"/>




Instituto Federal de
 Educação, Ciência e
 Tecnologia do Ceará
IFCE MINISTÉRIO
 DA...

379x42

<a id="portal-logo"
 href="https://ifce.edu.br">



ALTO
 CONTRASTE
 <a href="#"
 accesskey="6">




Instituto Federal de
 Educação, Ciência e
 Tecnologia do Ceará
IFCE MINISTÉRIO
 DA...

379x42

<a id="portal-logo"
 href="https://ifce.edu.br">




div#portal-searchbox >
 form#nolivesearchGad
 get_form >
 fieldset.LSBox >
 input#nolivesearchGad
 get
<input name="SearchableText" type="text"
 size="18" placeholder="Buscar no portal"
 class="searchField"
 id="nolivesearchGadget">



Comunicação
 Social
 <a
 href="https://
 ifce.edu.br/se
 rvicos/area-de-impressa">

133x16




Acesso à
 informação
 <a
 href="https://i
 fce.edu.br/aces
 so-a-informacao/acesso-a-informacao-1/">




Sobre o IFCE
 <a
 href="/acesso-
 a-informacao-
 1/Instituciona
 l">

91x16




div#portal-searchbox >
 form#nolivesearchGad
 get_form >
 fieldset.LSBox >
 input#nolivesearchGad
 get
<input name="SearchableText" type="text"
 size="18" placeholder="Buscar no portal"
 class="searchField"
 id="nolivesearchGadget">




Acesso à
 informação
 <a
 href="https://
 ifce.edu.br/ac
 esso-a-informacao/acesso-a-informacao-
 1/">

138x16



div#portal-searchbox >
 form#nolivesearchGad
 get_form >
 fieldset.LSBox >
 input#nolivesearchGad
 get
<input name="SearchableText" type="text"
 size="18" placeholder="Buscar no portal"

Tap Target	Size	Overlapping Target
		<pre>class="searchField" id="nolivesearchGadget"></pre>  <pre>div#portal-searchbox > form#nolivesearchGad get_form > fieldset.LSBox > input#nolivesearchGad get <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget"></pre>

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) (TBT)

- Document has a `<title>` element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

- Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

● Links are crawlable ^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

● Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

● Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

● Document has a valid rel=canonical ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

● Document uses legible font sizes — 96.65% legible text ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes](#).

Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
ifce.edu.br [1st Party]			
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2946:48 (ifce.edu.br)	#content .outstanding-header .outstanding-link	1.03%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_f oto li .banner .title	0.77%	9.984px

Source	Selector	% of Page Text	Font Size
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2482:22 (ifce.edu.br)	.tile .tile-subtitle	0.36%	11.232px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	0.29%	10.8px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	0.23%	9.6px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.13%	0px
...			
brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css:2881:39 (ifce.edu.br)	.cover-collection-tile .tile-footer a	0.07%	11.232px
Facebook [Social]			
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz:15:225 (static.xx.fbcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.47%	11px
Unattributable			
Legible text			96.65% $\geq 12\text{px}$

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.

[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)

INSTALLABLE

- ⚠️ Web app manifest or service worker do not meet the installability requirements — 1 reason ^

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements.](#)

Failure reason

No manifest was fetched

PWA OPTIMIZED

- ⚠️ Is not configured for a custom splash screen **Failures: No manifest was fetched.** ^

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens.](#)

- ⚠️ Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found. ^

The browser address bar can be themed to match your site. [Learn more about theming the address bar.](#)

- Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

⚠ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

ⓘ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn about cross-browser compatibility.](#)

ⓘ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

ⓘ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

📅 Captured at Feb 3, 2024, 2:31 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

📶 Unknown

🌐 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)