



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49    ■ 50–89    ● 90–100

The screenshot shows the official website of IFCE (Instituto Federal do Ceará) with a green header. The main content area features a large banner for the 'CRONOGRAMA Sisu 2024.1' application. Below the banner, there's a section titled 'IFCE RECEBE PROJETO LEGISLATIVO NA ESCOLA' with some text and images. On the left sidebar, there's a navigation menu with various links like 'CAMPUS UMBURITUBA', 'CAMPUS UMBURITUBA', 'CAMPUS UMBURITUBA', etc.

## METRICS

[Expand view](#)

▲ First Contentful Paint

**10.4 s**


● Total Blocking Time

**120 ms**

▲ Speed Index

**11.5 s**

[View Treemap](#)



## DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 10,390 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br <a href="#">1st Party</a>	373.0 KiB	14,380 ms

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,110 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,410 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,110 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,110 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	490 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	490 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	490 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	490 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	490 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	490 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	490 ms
...css/style.css (ifce.edu.br)	3.2 KiB	490 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	1,410 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	490 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	800 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	490 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	800 ms
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	800 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	490 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	490 ms

## ▲ Reduce unused JavaScript — Potential savings of 1,048 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP

Show 3rd-party resources (9)

URL		Transfer Size	Potential Savings
YouTube <span>Video</span>		<b>865.8 KiB</b>	<b>583.2 KiB</b>
...en_US/base.js (www.youtube.com)		771.0 KiB	531.9 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		94.8 KiB	51.3 KiB
Facebook <span>Social</span>		<b>310.6 KiB</b>	<b>207.3 KiB</b>
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		107.3 KiB	68.6 KiB
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)		84.4 KiB	55.7 KiB
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		61.5 KiB	37.2 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		30.5 KiB	25.3 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		26.8 KiB	20.6 KiB
ifce.edu.br <span>1st Party</span>		<b>276.6 KiB</b>	<b>196.9 KiB</b>
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		138.3 KiB	87.8 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)		78.6 KiB	61.6 KiB
...brasil_gov_facetada/resources/_scriptssocial_like-cachekey-....js (ifce.edu.br)		35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)		24.0 KiB	22.3 KiB
Google Tag Manager <span>Tag-Manager</span>		<b>148.3 KiB</b>	<b>60.6 KiB</b>
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		68.2 KiB	30.8 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		80.1 KiB	29.7 KiB

### ⚠ Serve images in next-gen formats — Potential savings of 216 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

URL	Resource Size	Potential Savings
ifce.edu.br <span>1st Party</span>	<b>364.4 KiB</b>	<b>215.6 KiB</b>
		
org /imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB	45.1 KiB
ao		
s		
<i		
mg		
src="https://ifce.edu.br/ima		


URL	Resource Size	Potential Savings
<pre>gens/orgaosparceiros.jpg" data-mce- src="..../imagens/orgaosparcei ros.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0"&gt;</pre>  <p>Yo utu be IF CE</p> <p>Umirim</p>	...@@@images/cb7f4bf7-3768-44b3-ac74- fe8fb216c11d.png (ifce.edu.br)	43.8 KiB    33.9 KiB
<pre>&lt;img src="https://ifce.edu.br/umi rim/imagens/banner- rotativo/youtube-ifce- umirim/@i..." alt="Youtube IFCE Umirim"&gt;</pre>  <p>Ins tag ra m U</p> <p>mirim</p>	...@@@images/3cf03cf7-68c8-4d03-91b7- 8ab4393c663b.png (ifce.edu.br)	42.1 KiB    27.1 KiB
<pre>&lt;img src="https://ifce.edu.br/umi rim/imagens/banner- rotativo/instagram- umirim/@i..." alt="Instagram Umirim"&gt;</pre>  <p>div. cyc le- pla yer</p> <p>&gt; div.cycle-slide &gt; a &gt; img</p>	...@@@images/c7662758-ca17-4909-9aa1- a8f9e62bdffd.jpeg (ifce.edu.br)	53.7 KiB    24.9 KiB
<pre>&lt;img src="https://ifce.edu.br/umi rim/imagens/galeria_fotos/ca mpus-umirim/campus-umir... alt=""&gt;</pre>  <p>ED</p> <p>ITA</p> <p>L_</p> <p>18.</p> <p>jpg</p>	...@@@images/48cc1ce6-6e8d-4187-852e- ab9a09ba8d5a.jpeg (ifce.edu.br)	41.7 KiB    17.0 KiB

URL	Resource Size	Potential Savings
<pre>&lt;img src="https://ifce.edu.br/umirim/home/@@nitf/ea6fc9ffb2b84a908d25a208d27ada63/@@..." width="400" height="400" class="left" alt="EDITAL_18.jpg"&gt;</pre>  <p>Edital Cu rso Fl</p> <p>C Floricultor</p>		
<pre>&lt;img src="https://ifce.edu.br/umirim/imagens/banner-rotativo/edital-curso-fic-floric..." alt="Editorial Course FIC Floricultor"&gt;</pre>  <p>Planejamento</p> <p>de ações para aulas de Redação, na escola EEEP Maria Auday Vasconc...</p>	36.2 KiB	15.6 KiB
<pre>&lt;img src="https://ifce.edu.br/umirim/home/@@nitf/cfebe566482b4d4781c77e096b74cc6a/@@..." width="400" height="300" class="left" alt="Planejamento de ações para aulas de Redação, na escola EEEP Maria Auday Va... "&gt;</pre>  <p>Va... "&gt;</p>	38.6 KiB	15.5 KiB
<pre>&lt;img src="https://ifce.edu.br/umirim/imagens/banner-rotativo/cronograma-sisu-"</pre>  <p>Sisu 2024.1</p>	24.7 KiB	15.2 KiB

URL	Resource Size	Potential Savings
<pre>2024.1/..." alt="Cronograma Sisu 2024.1"&gt;   ma pa. pn g ... &lt;i src="https://ifce.edu.br/imagens/imagens_menu_rapido/mapa.png" alt="mapa.png"&gt;</pre>	16.8 KiB	13.0 KiB
<pre>Go ogl e+ &lt;a href="https://mail.google.com/a/ifce.edu.br/" target="_blank"&gt;</pre> 	15.0 KiB	8.3 KiB

### ⚠ Avoid an excessive DOM size — 869 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		869
Maximum DOM Depth	 <div>div.cycle-carousel-wrap &gt; div.thumb-itens &gt; div.table-align &gt; img &lt;img src="https://ifce.edu.br/umirim/imagens/galeria_fotos/campus-umirim/campus-umirim..." alt=""&gt;</div>	18
Maximum Child Elements	 <div>Institucional Formas de ingresso Ações e Programas Auditorias Convênios Receita...</div>	24

### ⚠ Reduce JavaScript execution time — 1.7 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (7)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <small>Video</small>	<b>1,302 ms</b>	<b>1,146 ms</b>	<b>70 ms</b>
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	662 ms	625 ms	10 ms
...en_US/base.js (www.youtube.com)	554 ms	478 ms	53 ms
/embed/xRU0wdJFdFY (www.youtube.com)	86 ms	43 ms	6 ms
ifce.edu.br <small>1st Party</small>	<b>558 ms</b>	<b>151 ms</b>	<b>11 ms</b>
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	290 ms	146 ms	9 ms
/umirim (ifce.edu.br)	268 ms	6 ms	3 ms
Facebook <small>Social</small>	<b>169 ms</b>	<b>123 ms</b>	<b>12 ms</b>
/plugins/like_box.php?app_id=... (www.facebook.com)	106 ms	73 ms	5 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	62 ms	50 ms	8 ms
Unattributable	<b>156 ms</b>	<b>30 ms</b>	<b>0 ms</b>
Unattributable	156 ms	30 ms	0 ms
Google Tag Manager <small>Tag-Manager</small>	<b>114 ms</b>	<b>101 ms</b>	<b>9 ms</b>
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	61 ms	53 ms	4 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	53 ms	47 ms	5 ms

### ▲ Minimize main-thread work — 2.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work.](#) TBT

Category	Time Spent
Script Evaluation	1,655 ms
Other	259 ms
Style & Layout	209 ms

Category	Time Spent
Script Parsing & Compilation	136 ms
Garbage Collection	102 ms
Rendering	69 ms
Parse HTML & CSS	54 ms

⚠ Reduce the impact of third-party code — **Third-party code blocked the main thread for 800 ms** ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) **TBT**

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube <span style="border: 1px solid black; padding: 2px;">Video</span>	<b>973 KiB</b>	<b>797 ms</b>
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	452 ms
...en_US/base.js (www.youtube.com)	772 KiB	346 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/xRU0wdJFdFY (www.youtube.com)	41 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?Vs6H1w (www.youtube.com)	0 KiB	0 ms
Facebook <span style="border: 1px solid black; padding: 2px;">Social</span>	<b>394 KiB</b>	<b>0 ms</b>
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	86 KiB	0 ms
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	63 KiB	0 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	18 KiB	0 ms
...r/kCgk__hWT3L.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	14 KiB	0 ms
...pt_BR/u7L7xDrlXEI.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	9 KiB	0 ms
...t39.30808-6/300....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	9 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...0,cross/HWhqfo77sF8.css? _nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPrme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/301....png?stp=... (scontent-lax3-2.xx.fbcdn.net)	3 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Tag Manager <span>Tag-Manager</span>	<b>150 KiB</b>	<b>0 ms</b>
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	0 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	0 ms
brasil.gov.br	<b>126 KiB</b>	<b>0 ms</b>
/imagens/vlbras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs <span>Utility</span>	<b>62 KiB</b>	<b>0 ms</b>
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts <span>Cdn</span>	<b>23 KiB</b>	<b>0 ms</b>
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
Google Analytics <span>Analytics</span>	<b>21 KiB</b>	<b>0 ms</b>
/analytics.js (www.google-analytics.com)	21 KiB	0 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
JSDelivr CDN <span>Cdn</span>	<b>21 KiB</b>	<b>0 ms</b>
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlbras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_jcon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads <span>Ad</span>	<b>3 KiB</b>	<b>0 ms</b>
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	<b>2 KiB</b>	<b>0 ms</b>
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms

▲ Some third-party resources can be lazy loaded with a facade — 1 facade alternative available ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT]

Product	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	<b>973 KiB</b>	<b>797 ms</b>
YouTube Embedded Player (Video)	973 KiB	797 ms
...en_US/base.js (www.youtube.com)	772 KiB	346 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	452 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/xRU0wdJFdFY (www.youtube.com)	41 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

▲ Largest Contentful Paint element — 18,280 ms ^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) [LCP]

Element



Cronograma Sisu 2024.1

```

```

Phase

% of LCP

Timing

TTFB


2%

340 ms

Phase	% of LCP	Timing
Load Delay	56%	10,310 ms
Load Time	41%	7,520 ms
Render Delay	1%	110 ms

## ⚠️ Avoid large layout shifts — 14 elements found ^

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift impact
 EDITAL - MULHERES MIL Umirim publica edital para curso de floricultor Seleção... <code>&lt;div class="row"&gt;</code>	0.230
 EXTENSÃO Umirim recebe projeto Legislativo na Escola Estudantes puderam conhe... <code>&lt;div class="row"&gt;</code>	0.124
 conteúdo 1 Cronograma Sisu 2024.1 2 Edital Curso FIC Floricultor 3 Youtube IFCE... <code>&lt;div id="portal-column-content" class="cell width-3:4 position-1:4"&gt;</code>	0.046
 MAIS NOTÍCIAS <code>&lt;div class="row"&gt;</code>	0.030
 Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... <code>&lt;div id="wrapper"&gt;</code>	0.009
 CAMPUS UMIRIM Campus Cursos Contatos Horários de funcionamento Como chegar Bibl... <code>&lt;div id="portal-column-one" class="cell width-1:4 position-0"&gt;</code>	0.009
 Cronograma Sisu 2024.1 <code>&lt;span class="title"&gt;</code>	0.005

Layout shift  
impact

## Element



IFCE

```
<div id="portal-title" class="corto">
```


0.004



Vídeos MAIS VÍDEOS

```
<div class="row">
```


0.000



1

```
<a href="https://ifce.edu.br/umirim/imagens/banner-  
rotativo/cronograma-sisu-2024.1/..." class="button-  
nav" style="top: 220px;">
```


0.000



2

```
<a href="https://ifce.edu.br/umirim/imagens/banner-  
rotativo/edital-curso-fic-floric..." class="button-  
nav" style="top: 220px;">
```


0.000



3

```
<a href="https://ifce.edu.br/umirim/imagens/banner-  
rotativo/youtube-ifce-umirim/view" class="button-  
nav" style="top: 220px;">
```

0.000



Simplifique!ParticipeAcesso à informaçãoLegislaçãoCanais

```
<ul id="lista-barra-brasil" class="list">
```

0.000



Other

0.004

■ Properly size images — Potential savings of 108 KiB ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br <span style="border: 1px solid blue; padding: 2px;">1st Party</span>	150.8 KiB	108.4 KiB
 Campus Umirim	div. cyc le- pla yer	
> div.cycle-slide > a > img  src="https://ifce.edu.br/umirim/imagens/galeria_fotos/campus-umirim/campus-umirim..." alt="" style="visibility: hidden;"/>	...@@@images/c7662758-ca17-4909-9aa1-a8f9e62bdffd.jpeg (ifce.edu.br)	53.7 KiB    46.7 KiB
 Umirim publica edital para curso	ED ITA L_ 18. jpg	
<img src="https://ifce.edu.br/umirim/home/@@nitf/ea6fc9ffb2b84a908d25a208d27ada63/@@..." width="400" height="400" class="left" alt="EDITAL_18.jpg">	...@@@images/48cc1ce6-6e8d-4187-852e-ab9a09ba8d5a.jpeg (ifce.edu.br)	41.7 KiB    27.9 KiB
 Campus Umirim realiza Programa	Pla nej am ent o	
de ações para aulas de Redação, na escola EEEP Maria Auday Vasconc...  <img src="https://ifce.edu.br/umirim/home/@@nitf/cfebe566482b4d4781c77e096b74cc6a/@@..." width="400" height="300" class="left" alt="Planejamento de ações para aulas de Redação, na escola EEEP Maria Auday Va...">	...@@@images/00f15460-6c9f-4ff1-9e81-eb98518c500d.jpeg (ifce.edu.br)	38.6 KiB    25.9 KiB

URL	Resource Size	Potential Savings
 <pre> ma pa. pn g ... &lt;i src="https://ifce.edu.br/imagens/imagens_menu_rapido/mapa.png" alt="mapa.png"&gt; </pre>	16.8 KiB	7.9 KiB
<b>Defer offscreen images — Potential savings of 22 KiB</b>		
<p>Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. <a href="#">Learn how to defer offscreen images</a>.</p>		
URL	Resource Size	Potential Savings
ifce.edu.br <span style="border: 1px solid blue; padding: 2px;">1st Party</span> 	22.1 KiB	22.1 KiB
Alinklateral.png <pre> &lt;img src="https://ifce.edu.br/guaramirangalinklateral.png" alt="GUARAMIRANGA link lateral .png" class="image-inline"&gt; </pre>	9.8 KiB	9.8 KiB
 <pre> dd. port letit em &gt; p &gt; a.external-link &gt; img.image-inline &lt;img class="image-inline" src="https://ifce.edu.br/umirim/home/resolveuid/4f52c459 9d1e49ad831eaba878f96b56"&gt; </pre>	6.1 KiB	6.1 KiB
 <pre> dd. port letit em </pre>	6.1 KiB	6.1 KiB

URL	Resource Size	Potential Savings
<pre>&gt; p &gt; a.internal-link &gt; img.image- inline &lt;img class="image-inline" src="https://ifce.edu.br/umi rim/home/resolveuid/dfd185e0 0cc644dcb7a866220c25acee"&gt;</pre>		
<b>Minify CSS — Potential savings of 3 KiB</b>		
Minifying CSS files can reduce network payload sizes. <a href="#">Learn how to minify CSS</a> . <a href="#">FCP</a> <a href="#">LCP</a>		
URL	Transfer Size	Potential Savings
ifce.edu.br <a href="#">1st Party</a>	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB
<b>Minify JavaScript — Potential savings of 15 KiB</b>		
Minifying JavaScript files can reduce payload sizes and script parse time. <a href="#">Learn how to minify JavaScript</a> . <a href="#">FCP</a> <a href="#">LCP</a>		
URL	Transfer Size	Potential Savings
ifce.edu.br <a href="#">1st Party</a>	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB
<b>Reduce unused CSS — Potential savings of 80 KiB</b>		
Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. <a href="#">Learn how to reduce unused CSS</a> . <a href="#">FCP</a> <a href="#">LCP</a>		
<input checked="" type="checkbox"/> Show 3rd-party resources (1)		
URL	Transfer Size	Potential Savings
YouTube <a href="#">Video</a>	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB

URL	Transfer Size	Potential Savings
ifce.edu.br <span>1st Party</span>	38.9 KiB	34.3 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.2 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa...css (ifce.edu.br)	16.0 KiB	15.1 KiB

#### ■ Efficiently encode images — Potential savings of 37 KiB ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br <span>1st Party</span>	51.9 KiB	37.0 KiB
		

```
org
aos
<im
g
src
="https://ifce.edu.br/imagenes/orgaosparceiros.jpg" data-
mce-
src="../imagenes/orgaosparcei
ros.jpg" height="79"
width="686" usemap="#Map"
alt="orgaos" border="0">
```

#### ■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br <span>1st Party</span>	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

#### ■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) [LCP]

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

### Avoid serving legacy JavaScript to modern browsers — Potential savings of 14 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) [TBT]

Show 3rd-party resources (1)

URL	Potential Savings
ifce.edu.br [1st Party]	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

### Avoid enormous network payloads — Total size was 2,734 KiB ^

Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#) [LCP]

Show 3rd-party resources (8)

URL	Transfer Size
YouTube [Video]	867.4 KiB

URL	Transfer Size
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
<b>Facebook Social</b>	<b>257.9 KiB</b>
...r/nDOMhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	86.5 KiB
...r/O6ztBnt32yw.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	62.8 KiB
<b>ifce.edu.br 1st Party</b>	<b>220.2 KiB</b>
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB
<b>Google Tag Manager Tag-Manager</b>	<b>149.7 KiB</b>
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.8 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.9 KiB
<b>brasil.gov.br</b>	<b>107.6 KiB</b>
/imagens/vlbras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — 29 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (8)

URL	Cache TTL	Transfer Size
<b>ifce.edu.br 1st Party</b>		<b>236 KiB</b>
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB

URL	Cache TTL	Transfer Size
...img/sprite.png (ifce.edu.br)	1d	15 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icons-setas-min.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
...img/bg-acess-key.gif (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB
Google Analytics <span style="border: 1px solid black; padding: 2px;">Analytics</span>		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN <span style="border: 1px solid black; padding: 2px;">Cdn</span>		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Facebook <span style="border: 1px solid black; padding: 2px;">Social</span>		12 KiB
...t39.30808-6/300....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	9 KiB
...t39.30808-1/301....png?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	3 KiB
Google/Doubleclick Ads <span style="border: 1px solid black; padding: 2px;">Ad</span>		1 KiB

URL	Cache TTL	Transfer Size
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

#### ■ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br <span style="border: 1px solid black; padding: 2px 5px;">1st Party</span>	2,980 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,060 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	870 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,040 ms
Google Fonts <span style="border: 1px solid black; padding: 2px 5px;">Cdn</span>	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	10 ms
brasil.gov.br	880 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	880 ms

#### ■ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll

[Learn more about adopting passive event listeners.](#)

Source
YouTube <span style="border: 1px solid black; padding: 2px 5px;">Video</span>
...en_US/base.js:8667:199 (www.youtube.com)
...en_US/base.js:6002:111 (www.youtube.com)

#### ■ Image elements do not have explicit width and height ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL

ifce.edu.br 1st Party

div.cycle-player >  
div.cycle-slide > a > img  




div.cycle-player >  
div.cycle-slide > a > img  




Cronograma Sisu  
2024.1  




Youtube IFCE Umirim  




Instagram Umirim  




Edital Curso FIC  
Floricultor  


## URL



g" alt="mapa.png">

mapa.png

```


div.cycle-carrossel >

div.thumb-itens >


div.table-align > img

<img

...@@@images/e1445d2e-70d6-406d-8131-

6eae541085ba.jpeg (ifce.edu.br)

brasil.gov.br



div#wrapper-barra-brasil

> span#brasil-vlibras >

span.link-vlibras > img



## Initial server response time was short — Root document took 370 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

| URL                                | Time Spent |
|------------------------------------|------------|
| ifce.edu.br <span>1st Party</span> | 370 ms     |
| /umirim (ifce.edu.br)              | 370 ms     |

## Avoid chaining critical requests — 32 chains found

The Critical Request Chains below show you what resources are loaded with a high priority.

Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **6,442.746 ms**

*Initial Navigation*



/umirim (ifce.edu.br)

...brasil\_gov\_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 1,977.865 ms, 140.94 KiB



## User Timing marks and measures — 11 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).

| Name            | Type | Start Time | Duration    |
|-----------------|------|------------|-------------|
| mark_pe         | Mark |            | 4,289.76 ms |
| mark_pot_isc    | Mark |            | 4,382.51 ms |
| mark_pot_ist    | Mark |            | 4,388.38 ms |
| mark_pot_csms   | Mark |            | 4,395.51 ms |
| mark_pot_csmf   | Mark |            | 4,397.75 ms |
| mark_fs         | Mark |            | 4,424.18 ms |
| mark_goes       | Mark |            | 4,440.71 ms |
| mark_ep_init_pr | Mark |            | 4,560.44 ms |
| mark_pot_if     | Mark |            | 5,019.31 ms |
| mark_pot_cms    | Mark |            | 5,020.36 ms |
| mark_pot_cmf    | Mark |            | 5,029.40 ms |

## ○ Avoid long main-thread tasks — 7 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (6)

| URL                                                                                        | Start Time | Duration |
|--------------------------------------------------------------------------------------------|------------|----------|
| YouTube <span style="border: 1px solid black; padding: 2px;">Video</span>                  |            | 622 ms   |
| ...en_US/base.js (www.youtube.com)                                                         | 5,035 ms   | 215 ms   |
| ...en_US/base.js (www.youtube.com)                                                         | 4,823 ms   | 199 ms   |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com)                           | 4,595 ms   | 108 ms   |
| ...en_US/base.js (www.youtube.com)                                                         | 4,495 ms   | 100 ms   |
| ifce.edu.br <span style="border: 1px solid black; padding: 2px;">1st Party</span>          |            | 119 ms   |
| ...++resource++brasil.gov.barra/barra.js (ifce.edu.br)                                     | 28,897 ms  | 119 ms   |
| Facebook <span style="border: 1px solid black; padding: 2px;">Social</span>                |            | 53 ms    |
| ...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)                                | 3,704 ms   | 53 ms    |
| Google Tag Manager <span style="border: 1px solid black; padding: 2px;">Tag-Manager</span> |            | 50 ms    |
| /gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)                       | 2,506 ms   | 50 ms    |

## ○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

| Element                                                                           | Name                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------|
|  | Conteúdo acessível em Libras usando o VLibras |
|                                                                                   | Widget com opções dos Avatares Íc...          |
|                                                                                   | <div vw-access-button="" class="active">      |
|                                                                                   |                                               |
| Unsupported CSS Property: border-top-left-radius                                  | border-top-left-radius                        |
| Unsupported CSS Property: border-top-right-radius                                 | border-top-right-radius                       |
| Unsupported CSS Property: border-bottom-left-radius                               | border-bottom-left-radius                     |
| Unsupported CSS Property: border-bottom-right-radius                              | border-bottom-right-radius                    |
| Unsupported CSS Property: font-size                                               | font-size                                     |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (8) Hide

### ● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). FCP LCP

### ● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). FCP LCP

### ○ Preload key requests ^

Consider using <link rel=preload> to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). FCP LCP

### ● Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

#### ● Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

#### ● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

##### Element



Cronograma Sisu 2024.1

```

```

#### ● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

#### ● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

TBT

📅 Captured at Feb 3, 2024, 3:21 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

📡 Unknown

👤 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with lr

