



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

The screenshot shows the official website of IFCE (Instituto Federal de Ceará) with a green header. A prominent banner at the top promotes the SISU 2024 application for the Campus Acaraú, featuring the text "SISU 2024" and "OFERTA - CAMPUS ACARAÚ". Below the banner, there's a section titled "Campus de Acaraú abre inscrições em seleção de cursos de idiomas" with a link to "INSCRIÇÕES 22 A 25/1/2024". The sidebar on the left lists various campus services like "EMPRESA ACARAÚ", "Cursos", and "Departamento de Administração".

METRICS

[Expand view](#)

▲ First Contentful Paint

18.4 s

● Total Blocking Time

10 ms

▲ Speed Index

20.9 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 18,970 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	374.9 KiB	25,760 ms

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,900 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	2,430 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,900 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,900 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	850 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	850 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	850 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	850 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	850 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	850 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	850 ms
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1.9 KiB	850 ms
...css/style.css (ifce.edu.br)	3.2 KiB	850 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	2,430 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	850 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,380 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	850 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	1,380 ms
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,380 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	850 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	850 ms

▲ Reduce unused JavaScript — Potential savings of 1,580 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). [LCP]

Show 3rd-party resources (15)

URL		Transfer Size	Potential Savings
YouTube Video		865.8 KiB	583.1 KiB
...en_US/base.js (www.youtube.com)		771.0 KiB	531.9 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		94.8 KiB	51.2 KiB
Twitter Social		494.8 KiB	359.8 KiB
...chunks/3.6238497....js (platform.twitter.com)		160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)		102.8 KiB	99.3 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)		93.5 KiB	55.7 KiB
...chunks/0.9098e7e....js (platform.twitter.com)		76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)		62.2 KiB	43.2 KiB
SoundCloud Content		1,159.9 KiB	222.2 KiB
/widget-9-f483...a6.js (widget.sndcdn.com)		1,103.9 KiB	194.5 KiB
/widget-0-b8c06181fc57.js (widget.sndcdn.com)		56.0 KiB	27.7 KiB
ifce.edu.br 1st Party		252.6 KiB	177.6 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		138.3 KiB	87.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)		78.6 KiB	65.1 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)		35.8 KiB	25.2 KiB
Facebook Social		250.5 KiB	176.5 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		107.3 KiB	71.8 KiB
/pt_BR/all.js?hash=5658e65... (connect.facebook.net)		85.8 KiB	56.9 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager		148.3 KiB	60.6 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		68.2 KiB	30.8 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		80.1 KiB	29.7 KiB

▲ Serve images in next-gen formats — Potential savings of 1,358 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

Show 3rd-party resources (1)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	1,891.9 KiB	1,339.1 KiB
		
div.galleria-stage > div.galleria-images > div.galleria-image > img		
	...@@@images/image (ifce.edu.br)	451.0 KiB
	...@@@images/image (ifce.edu.br)	447.5 KiB
		
Seleção - cursos de idiomas		
		
SEI		
...@@@images/a1454385-6970-49e1-ba46-fe9a5ec6fd09.png (ifce.edu.br)	78.3 KiB	65.0 KiB

URL	Resource Size	Potential Savings
<pre></pre>  <p>Aberta mais uma edição do Encontro Pedagógico em Aracruz</p> <p>Momento é de debate e troca de experiências</p> <pre></pre>	...@@images/04b11c63-4e3f-4322-a16e-64e413d86889.png (ifce.edu.br)	61.4 KiB 56.2 KiB
<p>Sisu 2024</p> <pre></pre> 	...@@images/e46224ca-6ff9-457c-a69e-41e52f9e989a.png (ifce.edu.br)	69.3 KiB 51.0 KiB
<p>Felipe ao lado do seu orientador, professor Fernando</p> <pre><img src="https://ifce.edu.br/ acarau/home/@@nitf/cfebe5 66482b4d4781c77e096b74cc6 a/@@..." width="236" height="144" class="left" alt="Felipe ao lado do"</pre> 	...@@images/18c18eab-e494-4244-8d6f-40a962b4142e.png (ifce.edu.br)	57.0 KiB 50.1 KiB

URL	Resource Size	Potential Savings
<p>seu orientador, professor Fernando"></p>  <p>orgaos</p> <pre></pre>		
 <p>Sisu 2024</p> <pre></pre>	40.9 KiB	19.5 KiB
 <p>mapa.png</p> <pre></pre>	16.8 KiB	13.0 KiB
 <p>Google+</p>	15.0 KiB	8.3 KiB

URL	Resource Size	Potential Savings
		
SoundCloud Content	32.6 KiB	19.1 KiB

/avatars-000...-sqix7e-t500x500.jpg (i1.sndcdn.com) 32.6 KiB 19.1 KiB


▲ Reduce initial server response time — Root document took 650 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br 1st Party	650 ms
/acarau (ifce.edu.br)	650 ms

▲ Avoid an excessive DOM size — 924 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		924
Maximum DOM Depth	 div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img 	19
Maximum Child Elements	 Institucional Formas de ingresso Ações e Programas Auditorias Convênios Receita... <ul class="navTree navTreeLevel0">	24

▲ Reduce JavaScript execution time — 1.9 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (10)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <small>Video</small>	1,062 ms	837 ms	72 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	624 ms	513 ms	10 ms
...en_US/base.js (www.youtube.com)	379 ms	298 ms	56 ms
/embed/v7uXz8qaOPs?si=IoWzlwXIHB3oW_Fc (www.youtube.com)	58 ms	26 ms	6 ms
ifce.edu.br <small>1st Party</small>	669 ms	196 ms	18 ms
/acarau (ifce.edu.br)	371 ms	12 ms	2 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	242 ms	143 ms	16 ms
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	56 ms	41 ms	0 ms
SoundCloud <small>Content</small>	544 ms	382 ms	60 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	332 ms	202 ms	56 ms
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	212 ms	180 ms	4 ms
Twitter <small>Social</small>	449 ms	189 ms	42 ms
...chunks/3.6238497....js (platform.twitter.com)	341 ms	142 ms	15 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	57 ms	8 ms	22 ms
/widgets.js (platform.twitter.com)	51 ms	39 ms	4 ms
Unattributable	241 ms	22 ms	0 ms
Unattributable	241 ms	22 ms	0 ms
Facebook <small>Social</small>	119 ms	80 ms	12 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	65 ms	40 ms	3 ms
/pt_BR/all.js?hash=5658e65... (connect.facebook.net)	54 ms	40 ms	8 ms

▲ Minimize main-thread work — 3.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,891 ms
Other	435 ms
Garbage Collection	361 ms
Style & Layout	312 ms
Script Parsing & Compilation	266 ms
Rendering	85 ms
Parse HTML & CSS	58 ms

▲ Reduce the impact of third-party code — [Third-party code blocked the main thread for 820 ms](#) ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube <small>Video</small>	973 KiB	555 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	364 ms
...en_US/base.js (www.youtube.com)	772 KiB	191 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/v7uXz8qaOPs?si=IoWzlwXIHB3oW_Fc (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?igOXSQ (www.youtube.com)	0 KiB	0 ms
Twitter <small>Social</small>	617 KiB	157 ms
...chunks/3.6238497....js (platform.twitter.com)	161 KiB	157 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	0 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	0 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/widgets.js (platform.twitter.com)	28 KiB	0 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	3 KiB	0 ms
...chunks/ondemand.Dropdown.0890ced....js (platform.twitter.com)	3 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/ifce_acarau?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=9d286a9... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
SoundCloud Content	1,397 KiB	105 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	1,105 KiB	77 ms
/widget-0-b8c06181fc57.js (widget.sndcdn.com)	57 KiB	28 ms
/avatars-000...-sqix7e-t500x500.jpg (i1.sndcdn.com)	132 KiB	0 ms
...79410/Nr8WzWsBhXDt.128.mp3?Policy=eyJ... (cf-hls-media.sndcdn.com)	47 KiB	0 ms
...31762/Nr8WzWsBhXDt.128.mp3?Policy=eyJ... (cf-hls-media.sndcdn.com)	32 KiB	0 ms
...images/logo-200x120-3190df52.png (widget.sndcdn.com)	4 KiB	0 ms
/widget-7-0f68f768293f.js (widget.sndcdn.com)	3 KiB	0 ms
/Nr8WzWsBhXDt_m.json (wave.sndcdn.com)	3 KiB	0 ms
/resolve?url=... (api-widget.soundcloud.com)	2 KiB	0 ms
...Nr8WzWsBhXDt.128.mp3/playlist.m3u8?Policy=eyJ... (cf-hls-media.sndcdn.com)	2 KiB	0 ms
/widget-8-bf4170e9561f.js (widget.sndcdn.com)	2 KiB	0 ms
...stream/hls?client_id=ly5e1Ri4G... (api-widget.soundcloud.com)	2 KiB	0 ms
/player/?url=... (w.soundcloud.com)	1 KiB	0 ms
...images/share-b41e1876.svg (widget.sndcdn.com)	1 KiB	0 ms
/assignments/727156-33...?layers=... (api-widget.soundcloud.com)	1 KiB	0 ms
...162.../comments?filter_replies=... (api-widget.soundcloud.com)	1 KiB	0 ms

Third-Party		Transfer Size	Main-Thread Blocking Time
/me?client_id=ly5e1Ri4G... (api-widget.soundcloud.com)		1 KiB	0 ms
Facebook Social		300 KiB	0 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		109 KiB	0 ms
/pt_BR/all.js?hash=5658e65... (connect.facebook.net)		88 KiB	0 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		28 KiB	0 ms
/plugins/like_box.php?app_id=... (www.facebook.com)		16 KiB	0 ms
...t39.30808-6/275....jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)		9 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)		4 KiB	0 ms
...t39.30808-1/296....jpg?stp=... (scontent-atl3-2.xx.fbcdn.net)		2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)		2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		1 KiB	0 ms
Google Tag Manager Tag-Manager		150 KiB	0 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		81 KiB	0 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		69 KiB	0 ms
brasil.gov.br		126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)		108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)		18 KiB	0 ms
Other Google APIs/SDKs Utility		62 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)		41 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)		20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)		1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)		1 KiB	0 ms
Google Fonts Cdn		23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)		11 KiB	0 ms
...v18/KF0mCnqEu....woff2 (fonts.gstatic.com)		11 KiB	0 ms
Google Analytics Analytics		21 KiB	0 ms
/analytics.js (www.google-analytics.com)		21 KiB	0 ms
/j/collect?v=... (www.google-analytics.com)		0 KiB	0 ms
/g/collect?v=... (analytics.google.com)		0 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vllbras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms

⚠ Largest Contentful Paint element — 34,760 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element



Sisu 2024



```


```

Phase	% of LCP	Timing
TTFB	1%	490 ms
Load Delay	73%	25,220 ms
Load Time	26%	8,900 ms
Render Delay	0%	150 ms

⚠ Avoid large layout shifts — 18 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) [CLS](#)

Element	Layout shift impact
	CENTRO DE LÍNGUAS Campus de Acaraú abre inscrições em seleção de cursos de idiomas <div class="row"> 0.169
	ENCONTRO PEDAGÓGICO Aberta mais uma edição do Encontro Pedagógico em Acaraú O... <div class="row"> 0.168
	conteúdo 1 Sisu 2024 2 SEI 3 Seleção - cursos de idiomas 4 Sisu 2024 CENTRO DE... <div id="portal-column-content" class="cell width-3:4 position-1:4"> 0.044
	div#portal-column-content > div > div#content > div.row <div class="row"> 0.017
	Sisu 2024 0.015
	Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... <div id="wrapper"> 0.010
	CAMPUS ACARAÚ O campus Gestores Agenda do diretor-geral Documentos do Campus Ho... <div id="portal-column-one" class="cell width-1:4 position-0"> 0.009
	ACARAÚ Acaraú <div class="outstanding-header tile-content"> 0.005

Element		Layout shift impact
	Central de Atendimento 	0.001
	IFCE <div id="portal-title" class="corto">	0.000
	O campus Gestores Agenda do diretor-geral Documentos do Campus Horários de func... <dd class="portletItem lastItem">	0.000
	1 	0.000
	2 	0.000
	3 	0.000
Other		0.004

■ Properly size images — Potential savings of 467 KiB


Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	542.2 KiB	466.9 KiB

URL	Resource Size	Potential Savings
 div. gal leri a- sta ge > div.galleria-images > div.galleria-image > img 	...@@@images/image (ifce.edu.br)	464.1 KiB 452.2 KiB
 ma pa. pn g ... <i src="https://ifce.edu.br/ima gens/imagens_menu_rapido/map a.png" alt="mapa.png">	imagens_menu_rapido/mapa.png (ifce.edu.b r)	16.8 KiB 7.9 KiB
 Mo me nto é de debate e troca de experiências 	...@@@images/04b11c63-4e3f-4322-a16e-64e413d86889.png (ifce.edu.br)	61.4 KiB 6.8 KiB

Defer offscreen images — Potential savings of 22 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	22.1 KiB	22.1 KiB
 GU AR AM IRA NG		
Alinklateral.png	/guaramirangalinklateral.png (ifce.edu.br)	9.8 KiB
		9.8 KiB
 dd. port letlt em >p	...resolveuid/4f52c45... (ifce.edu.br)	6.1 KiB
>a.external-link > img.image-inline 		6.1 KiB
 dd. port letlt em >p	...resolveuid/dfd185e... (ifce.edu.br)	6.1 KiB
>a.internal-link > img.image-inline 		6.1 KiB

Minify CSS — Potential savings of 3 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.6 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.0 KiB	2.5 KiB

Reduce unused CSS — Potential savings of 337 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). [FCP](#) [LCP](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
Unattributable	257.5 KiB	257.1 KiB
@font-face{font-family:Inter;font-style:normal;font-weight:100;font-display:swap;src:url(data:font/...	222.5 KiB	222.5 KiB
.sc-button-block,.sc-button-buy,.sc-button-camera,.sc-button-copylink,.sc-button-delete,.sc-button-...	21.6 KiB	21.2 KiB
.sc-social-logo,.sc-social-logo-interactive.sc-social-logo:after,.sc-social-logo-interactive .sc-so...	13.4 KiB	13.4 KiB
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.8 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.6 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.2 KiB

Efficiently encode images — Potential savings of 350 KiB

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	1,414.5 KiB	350.2 KiB
...@@@images/image (ifce.edu.br)	451.0 KiB	104.6 KiB
...@@@images/image (ifce.edu.br)	447.5 KiB	104.6 KiB
 di v. g al le ria-stage > div.galleria-images > div.galleria-image > img style="display: block; opacity: 1; min-width: 0px; min-height: 0px;" width="230" height="173">	...@@@images/image (ifce.edu.br)	464.1 KiB 104.0 KiB
 or g a o s data-mce- src="../imagens/orgaosparce iros.jpg" height="79" width="686" usemap="#Map" alt="orgaos" border="0">	/imagens/orgaosparceiros.jpg (ifce.edu.br)	51.9 KiB 37.0 KiB

Enable text compression — Potential savings of 30 KiB

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB

URL	Transfer Size	Potential Savings
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 53 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (5)

URL	Potential Savings
ifce.edu.br <small>1st Party</small>	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

■ Avoid enormous network payloads — Total size was 6,214 KiB ^

Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#) LCP

Show 3rd-party resources (5)

URL	Transfer Size
ifce.edu.br 1st Party	1,644.3 KiB
...@@@images/image (ifce.edu.br)	464.6 KiB
...@@@images/image (ifce.edu.br)	451.5 KiB
...@@@images/image (ifce.edu.br)	448.0 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/d7fdf92d-5b3f-4786-a652-c240a2d08177.png (ifce.edu.br)	139.3 KiB
SoundCloud Content	1,105.0 KiB
/widget-9-f483...a6.js (widget.sndcdn.com)	1,105.0 KiB
YouTube Video	771.8 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
Twitter Social	160.9 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
Facebook Social	108.6 KiB
...r/nDOMhvCeUjd.js?_nc_x=ij3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — 33 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (9)

URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		241 KiB
/imagens/orgaosparceiros.jpg (ifce.edu.br)	1d	52 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB

URL	Cache TTL	Transfer Size
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
...img/sprite.png (ifce.edu.br)	1d	15 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	1d	2 KiB
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_azul-claro.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
...img/bg-acess-key.gif (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB
Twitter Social		28 KiB
/widgets.js (platform.twitter.com)	30m	28 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB

URL		Cache TTL	Transfer Size
JSDelivr CDN Cdn			21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB	
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB	
...assets/access_jcon.svg (cdn.jsdelivr.net)	7d	3 KiB	
Facebook Social			10 KiB
...t39.30808-6/275...jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	14d	9 KiB	
...t39.30808-1/296...jpg?stp=... (scontent-atl3-2.xx.fbcdn.net)	14d	2 KiB	
Google/Doubleclick Ads Ad			1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB	

■ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br 1st Party	2,550 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	530 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1,180 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	840 ms
Google Fonts Cdn	
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	1,200 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	1,200 ms

■ Some third-party resources can be lazy loaded with a facade — 1 facade alternative available ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are

required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	555 ms
YouTube Embedded Player (Video)	973 KiB	555 ms
...en_US/base.js (www.youtube.com)	772 KiB	191 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	364 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/v7uXz8qaOPs?si=loWzlwXIHB3oW_Fc (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Show 3rd-party resources (2)

Source

YouTube Video

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

ifce.edu.br 1st Party

...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js:12:34394 (ifce.edu.br)

Image elements do not have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL

ifce.edu.br 1st Party



Sisu 2024

>](#)



[SEI](#)

[src="https://ifce.ed...@@@images/a1454385-6970-49e1-ba46-
u.br/acaraau/Imagens/banner- fe9a5ec6fd09.png \(ifce.edu.br\)](#)

[rotativo/sei/@@images/a1454385-6.." alt="SEI">>](#)



[Sisu 2024](#)

[src="https://ifce.ed...@@@images/61d2eb51-22a2-4b19-ab1b-
u.br/acaraau/Imagens/banner- 8abd2718faa6.jpeg \(ifce.edu.br\)](#)

[rotativo/sisu-2024-1/@@images/61..." alt="Sisu 2024">>](#)



[Seleção - cursos de idiomas](#)

[src="https://ifce.ed...@@@images/d7fdf92d-5b3f-4786-a652-
u.br/acaraau/Imagens/cursos-de-idiom... c240a2d08177.png \(ifce.edu.br\)](#)

[banner-rotativo/selecao-cursos-de-idiom..." alt="Seleção - cursos de idiomas">>](#)



[mapa.png](#)

[src="https://ifce.ed...@@@images/_menu_rapido/mapa.png \(ifce.edu.br\)
u.br/imagens/imagens _menu_rapido/mapa.pn](#)

[g" alt="mapa.png">>](#)



[GUARAMIRANGAlinklat](#)

[src="https://ifce.ed.../guaramirangalinklateral.png \(ifce.edu.br\)
u.br/guaramirangalinklin](#)

[kilateral.png" alt="GUARAMIRANGAlinklateral.png">>](#)

[class="image-inline">>](#)

[brasil.gov.br](#)



[div#wrapper-barra-brasil](#)

[> span#brasil-vlibras >](#)

[span.link-vlibras > img](#)

[src="//barra.brasil.gov.br/imagens/vlibras.gif">>](#)

[/imagens/vlibras.gif \(barra.brasil.gov.br\)](#)

URL

 Avoid chaining critical requests — 33 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **9,224.925 ms**

Initial Navigation

```
/acarau (ifce.edu.br)
  /static/opensans-bold.woff (barra.brasil.gov.br) - 1,198.479 ms, 18.43 KiB
  ...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br) - 2,620.646 ms, 3.56 KiB
  ...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - 2,606.087 ms, 1.02 KiB
  ...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br) - 2,958.488 ms, 36.48 KiB
  ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - 2,604.085 ms, 8.29 KiB
  ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 2,637.404 ms, 1.68 KiB
  ...brasil_gov_facetada/resourcecalendar_stylescalendar_cachek....css (ifce.edu.br) - 2,613.793 ms, 1.00 KiB
  ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - 2,964.737 ms, 16.02 KiB
  ...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - 2,659.384 ms, 1.48 KiB
  ...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - 2,625.947 ms, 1.36 KiB
  /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) - 2,616.26 ms, 6.91 KiB
  /app/vlibras-plugin.js (vlibras.gov.br)
    ...app/vlibras-plugin.js (cdn.jsdelivr.net) - 15.653 ms, 6.98 KiB
    ...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) - 2,626.525 ms, 4.41 KiB
    ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cacheke....css (ifce.edu.br) - 2,640.296 ms, 3.16 KiB
    ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - 2,608.373 ms, 2.65 KiB
    ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - 3,280.376 ms, 79.27 KiB
    ...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 2,606.515 ms, 1.42 KiB
    ...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - 2,630.959 ms, 1.28 KiB
    ...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,623.568 ms, 2.92 KiB
    ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 2,986.972 ms, 24.64 KiB
  /++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br) - 2,627.885 ms, 1.89 KiB
  ...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - 2,645.611 ms, 1.58 KiB
  ...css/style.css (ifce.edu.br) - 2,652.964 ms, 3.18 KiB
  ...brasil_gov.../resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - 2,628.13 ms, 1.48 KiB
  ...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - 2,624.557 ms, 3.91 KiB
  ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 3,605.117 ms, 140.94 KiB
  ...brasil_gov_facetada/resourcecollective.pollscsscollective.....css (ifce.edu.br) - 2,639.107 ms, 1.09 KiB
```

...brasil_gov_facetada/resourceplone.formwidget.querystring.QueryString.js	(ifce.edu.br)	- 2,614.771 ms, 8.68 KiB
...brasil_gov_facetada/resourcecollective.z3cform.datagridfield.css	(ifce.edu.br)	- 2,639.023 ms, 1.34 KiB
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays.css	(ifce.edu.br)	- 2,641.394 ms, 2.34 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey.css	(ifce.edu.br)	
...fonts/opensans-400-webfont.woff	(ifce.edu.br)	- 531.821 ms, 23.48 KiB
...fonts/opensans-800-webfont.woff	(ifce.edu.br)	- 1,175.845 ms, 24.47 KiB
...fonts/opensans-700-webfont.woff	(ifce.edu.br)	- 841.865 ms, 24.27 KiB

>User Timing marks and measures — 15 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).

Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	9,135.37 ms	1,077.87 ms
Next.js-hydration	Measure	10,213.23 ms	10.90 ms
mark_pe	Mark	7,237.04 ms	
mark_pot_isc	Mark	7,360.80 ms	
mark_pot_ist	Mark	7,364.49 ms	
mark_pot_csms	Mark	7,368.37 ms	
mark_pot_csmf	Mark	7,369.63 ms	
mark_fs	Mark	7,388.49 ms	
mark_qoes	Mark	7,402.25 ms	
mark_ep_init_pr	Mark	7,553.43 ms	
mark_pot_if	Mark	8,178.04 ms	
mark_pot_cms	Mark	8,178.82 ms	
mark_pot_cmf	Mark	8,188.18 ms	
beforeRender	Mark	10,213.23 ms	
afterHydrate	Mark	10,224.13 ms	

Avoid long main-thread tasks — 8 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT



Show 3rd-party resources (7)

URL	Start Time	Duration
YouTube Video		522 ms
...en_US/base.js (www.youtube.com)	7,593 ms	184 ms
...en_US/base.js (www.youtube.com)	7,789 ms	133 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	7,244 ms	107 ms
...en_US/base.js (www.youtube.com)	7,146 ms	98 ms
SoundCloud Content		183 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	7,449 ms	116 ms
/widget-9-f483...a6.js (widget.sndcdn.com)	12,272 ms	67 ms
Twitter Social		170 ms
...chunks/3.6238497....js (platform.twitter.com)	7,969 ms	170 ms
ifce.edu.br 1st Party		62 ms
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	57,723 ms	62 ms

Avoid non-composited animations — 5 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Í...
<div vw-access-button="" class="active">	
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

Element	Name
	
div.galleria-container > div.galleria-stage > div.galleria-image-nav > div.galleria-image-nav-right <div class="galleria-image-nav-right" style="right: -50px; transition: none 0s ease 0s;">	
Unsupported CSS Property: right	right
	
div.galleria-container > div.galleria-stage > div.galleria-image-nav > div.galleria-image-nav-left <div class="galleria-image-nav-left" style="left: -50px; transition: none 0s ease 0s;">	
Unsupported CSS Property: left	left
div.galleria-container > div.galleria-stage > div.galleria-images > div.galleria-image <div class="galleria-image" style="overflow: hidden; position: absolute; top: 0px; left: 0px; transition: non... 0s ease 0s;">	
Unsupported CSS Property: left	left
	
div.galleria-container > div.galleria-stage > div.galleria-images > div.galleria-image <div class="galleria-image" style="overflow: hidden; position: absolute; top: 0px; left: 0px; opacity: 1;">	
Unsupported CSS Property: left	left

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (8)

[Hide](#)

● Preconnect to required origins	^
Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins . FCP LCP	
● Avoid multiple page redirects	^
Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects . FCP LCP	
○ Preload key requests	^

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). [FCP](#) [LCP](#)

● Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

● Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). [LCP](#)

● Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). [LCP](#)

Element



Sisu 2024

```

```

● Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

[TBT](#)

📅 Captured at Feb 3, 2024, 1:38 PM

💻 Emulated Desktop with Lighthouse

➊ Single page session

GMT-3

11.4.0

⌚ Initial page load

⚡ Unknown

⌚ Using HeadlessChromium

121.0.6167.85 with lr

Generated by **Lighthouse** 11.4.0 | [File an issue](#)