



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

The screenshot shows the homepage of the IFCE website. The top navigation bar includes links for 'BRASIL', 'Sistemas', 'SimplesPortal', 'Portaria', 'Assessoria de Informática', 'Logística', 'Exames', and social media icons. Below the header, there's a banner with three news items: 'O IFCE é o 1º colégio da rede estadual a receber o selo de excelência', 'IFCE promove encontro pedagógico para representantes de Letras e Artes da rede', and 'IFCE Ubajara ganha representante na Academia de Letras e Artes da cidade'. The main content area features a sidebar with links like 'CAMPUS UBAJARA', 'Sobre o Campus', 'Cursos', 'Centros', 'Agência do Diretor', 'Assessoria', 'Institucional', 'Biblioteca', 'Comunicação', 'Coordenação Própria de Avaliação - CPA', 'Coordenadorias', 'Tutoria', 'Pedagogia ICP', 'Pessoas', 'Extensão e Inovação', 'Inovação e Pesquisa', 'Biblioteca Pedagógica', and 'Transferências e Departamentos'. The main content area also has sections for 'Notícias', 'Eventos', and 'Publicações'.

METRICS

[Expand view](#)

▲ First Contentful Paint

18.4 s

● Total Blocking Time

30 ms

▲ Speed Index

21.6 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 18,960 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	374.9 KiB	25,740 ms

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,900 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	2,420 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,900 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,900 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	850 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	850 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	850 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	850 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	850 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	850 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	850 ms
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1.9 KiB	850 ms
...css/style.css (ifce.edu.br)	3.2 KiB	850 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	2,420 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	850 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,380 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	850 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	1,380 ms
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,380 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	850 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	850 ms

▲ Reduce unused JavaScript — Potential savings of 821 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). [LCP]

Show 3rd-party resources (4)


URL		Transfer Size	Potential Savings
YouTube Video		865.8 KiB	581.9 KiB
...en_US/base.js (www.youtube.com)		771.0 KiB	530.7 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		94.8 KiB	51.3 KiB
ifce.edu.br 1st Party		252.7 KiB	178.2 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		138.3 KiB	87.9 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)		78.6 KiB	65.1 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)		35.8 KiB	25.2 KiB
Google Tag Manager Tag-Manager		148.2 KiB	60.5 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		68.1 KiB	30.8 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		80.1 KiB	29.7 KiB

⚠ Serve images in next-gen formats — Potential savings of 256 KiB


Warnings:

- Unable to locate resource ...@@@images/image
- Unable to locate resource ...@@@images/image

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	371.1 KiB	256.5 KiB
 sei <i mg sr c= ...@@@images/37f9e3a5-d606-4e3a-bd66-deec323080ad.jpeg (ifce.edu.br) "https://ifce.edu.br/ubajara/home/@@collective.cover.banner/dd96a56a-b3e2-4..." width="1491" height="197" class="left" alt="sei">	97.9 KiB	80.9 KiB

	URL	Resource Size	Potential Savings
FI C em Ca sa	 <pre></pre>	...@@@images/1055beb7-219b-4f5d-a317- 8a3ecf5ff86f.png (ifce.edu.br)	91.0 KiB 68.6 KiB
Sis u 20 24 IF	 <pre>CE campus Ubajara </pre>	...@@@images/f04473e8-e254-4ca2-aabf- 846d3b1b1c22.png (ifce.edu.br)	64.5 KiB 47.2 KiB
Ba nn er Mã os	 <pre>e Mentes 2023 </pre>	...@@@images/f75be793-557d-4a9d-806a- 80a793ed0a72.jpeg (ifce.edu.br)	49.6 KiB 21.2 KiB
En co ntr o Pe	 <pre>dagógico 2024.1 <img src="https://ifce.edu.br/uba jara/imagenes/banner- rotativo/sisu- 2017.2/@@images/9..."</pre>	...@@@images/9d178899-c7dd-43f2-80d5- 10e45751ea1e.jpeg (ifce.edu.br)	36.4 KiB 17.4 KiB

URL	Resource Size	Potential Savings
<pre>alt="Encontro Pedagógico 2024.1">  ma pa. pn g ... <i src="https://ifce.edu.br/imagens/imagens_menu_rapido/mapa.png" alt="mapa.png"></pre>	16.8 KiB	13.0 KiB
<pre>Go ogl e+ </pre> 	15.0 KiB	8.3 KiB

▲ Reduce initial server response time — Root document took 650 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
ifce.edu.br 1st Party	650 ms
/ubajara (ifce.edu.br)	650 ms

▲ Avoid an excessive DOM size — 873 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		873
Maximum DOM Depth	 <div>div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img <img src="https://ifce.edu.br/ubajara/imagens/fo</div>	19

Statistic	Element	Value
Maximum Child Elements	 tos-de-servidores/ep-2024-1-img_4933..." style="display: block; opacity: 1; min-width: 0px; min-height: 0px; width="57" height="38"> O campus Como chegar Horários de Funcionamento Cursos Contatos Agenda do Direto... <ul class="navTree navTreeLevel0">	31

▲ Reduce JavaScript execution time — 1.8 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (5)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <small>Video</small>	1,442 ms	1,267 ms	64 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	792 ms	750 ms	10 ms
...en_US/base.js (www.youtube.com)	548 ms	476 ms	48 ms
/embed/5eCPPyUkVC0 (www.youtube.com)	102 ms	40 ms	6 ms
ifce.edu.br <small>1st Party</small>	966 ms	255 ms	13 ms
/ubajara (ifce.edu.br)	508 ms	6 ms	2 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	407 ms	209 ms	11 ms
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	51 ms	39 ms	0 ms
Unattributable	250 ms	39 ms	0 ms
Unattributable	250 ms	39 ms	0 ms
Google Tag Manager <small>Tag-Manager</small>	125 ms	111 ms	10 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	63 ms	55 ms	5 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	63 ms	56 ms	5 ms

▲ Minimize main-thread work — 2.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,745 ms
Other	446 ms
Style & Layout	321 ms
Rendering	133 ms
Garbage Collection	119 ms
Script Parsing & Compilation	107 ms
Parse HTML & CSS	50 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 890 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube <small>Video</small>	973 KiB	885 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	553 ms
...en_US/base.js (www.youtube.com)	772 KiB	332 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/5eCPPyUkVC0 (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?IOWqTQ (www.youtube.com)	0 KiB	0 ms
Google Tag Manager <small>Tag-Manager</small>	150 KiB	1 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	1 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlbras.gif (barra.brasil.gov.br)	108 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs Utility	62 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j...js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
Google Analytics Analytics	21 KiB	0 ms
/analytics.js (www.google-analytics.com)	21 KiB	0 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms

▲ Largest Contentful Paint element — 33,100 ms

^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element \(LCP\)](#)

Element



Sisu 2024 IFCE campus Ubajara

```

```


Phase	% of LCP	Timing
TTFB	1%	490 ms
Load Delay	66%	21,700 ms
Load Time	33%	10,800 ms
Render Delay	0%	120 ms

⚠ Avoid large layout shifts — 14 elements found ^

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element


Layout shift impact



EVENTO OCORRE DE 22 A 26/01, NOS CAMPI UBAJARA E TIANGUÁ Encontro Pedagógico 2...

```
<div class="row">
```


0.093



Galeria de fotos EP 2024.1.IMG_4933.JPG Encontro Pedagógico 2024.1 @ifceubajara...

```
<div class="row tile-default">
```

0.090



INSCREVA-SE, E GARANTA SUA VAGA! Curso Técnico em Alimentos seleciona novos es...

```
<div class="row tile-default">
```

0.087




PROFESSOR RECEBE AINDA TÍTULO HONORÁRIO DE CIDADÃO UBAJARENSE IFCE Ubajara gan...

```
<div class="row padrao">
```

0.087

Layout shift
impact

Element



REQUISIÇÕES VIA SISAE, DE 28/11 A 07/12/2023 Auxílio-óculos com inscrições abe...

```
<div class="row">
```


0.077



Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE
MINISTÉRIO DA...

```
<div id="wrapper">
```

0.031



PROFESSOR RECEBE AINDA TÍTULO HONORÁRIO DE
CIDADÃO UBAJARENSE IFCE Ubajara gan...

```
<div class="cell width-15 position-0 lista-  
horizontal " data-panel="">
```

0.025



conteúdo 1 Sisu 2024 IFCE campus Ubajara 2 Banner Mão e
Mentes 2023 3 FIC em C...

```
<div id="portal-column-content" class="cell width-3:4  
position-1:4">
```

0.006



Sisu 2024 IFCE campus Ubajara

```
<span class="title">
```


0.004



CAMPUS UBAJARA O campus Como chegar Horários de
Funcionamento Cursos Contatos A...

```
<div id="portal-column-one" class="cell width-1:4  
position-0">
```

0.001




CAMPANHA OUTUBRO ROSA SUBSTANCIA
CONSCIENTIZAÇÃO DA COMUNIDADE ACADÊMICA

```
Assis...
```

```
<div class="cell width-5 position-10 tile-default  
" data-panel="">
```

0.000



BRASIL Serviços Simplifique!ParticipeAcesso à
informaçãoLegislaçãoCanais

```
<div id="wrapper-barra-brasil">
```

0.000



IFCE

```
<div id="portal-title" class="corto">
```

0.000

Layout shift
impact

Element



Simplifique!ParticipeAcesso à informaçãoLegislaçãoCanais
<ul id="lista-barra-brasil" class="list">

0.000

Properly size images — Potential savings of 2,910 KiB ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	3,048.9 KiB	2,909.7 KiB
div.galleria-stage > div.galleria-images > div.galleria-image > img 	2,843.3 KiB	2,824.3 KiB
sei 	97.9 KiB	73.1 KiB

URL	Resource Size	Potential Savings
		
<p>mapa.png</p> <pre></pre> 	16.8 KiB	7.9 KiB

URL	Resource Size	Potential Savings
FIC em Casa	91.0 KiB	4.3 KiB
<pre></pre>	...@@images/1055beb7-219b-4f5d-a317- 8a3ecf5ff86f.png (ifce.edu.br)	

■ Defer offscreen images — Potential savings of 22 KiB

^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	22.1 KiB	22.1 KiB
 <p>GU AR AM IRA NG</p> <p>Alinklateral.png</p> <pre></pre>	/guaramirangalinklateral.png (ifce.edu.br)	9.8 KiB

URL	Resource Size	Potential Savings
 <pre> dd. port letlt em > p > a.internal-link > img.image-inline </pre>	6.1 KiB	6.1 KiB
 <pre> dd. port letlt em > p > a.external-link > img.image-inline </pre>	6.1 KiB	6.1 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey- ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

Reduce unused CSS — Potential savings of 81 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	35.1 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	20.0 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.1 KiB

Efficiently encode images — Potential savings of 59 KiB ^

Warnings:

- Unable to locate resource ...@@@images/image
- Unable to locate resource ...@@@images/image

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	97.9 KiB	59.0 KiB

URL	Resource Size	Potential Savings
 sei <i mg sr c= ...@@@images/37f9e3a5-d606-4e3a-bd66-deec323080ad.jpeg (ifce.edu.br) "https://ifce.edu.br/ubajara /home/@@collective.cover.ban ner/dd96a56a-b3e2-4..." width="1491" height="197" class="left" alt="sei">	97.9 KiB	59.0 KiB

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) [LCP](#)

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code

shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) [TBT]

URL	Potential Savings
ifce.edu.br 1st Party	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

Avoid enormous network payloads — Total size was 32,702 KiB

Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#) [\[LCP\]](#)

Show 3rd-party resources (4)

URL	Transfer Size
ifce.edu.br 1st Party	30,647.0 KiB
...@@@images/image (ifce.edu.br)	14,670.9 KiB
...@@@images/image (ifce.edu.br)	12,801.5 KiB
...@@@images/image (ifce.edu.br)	2,843.8 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/37f9e3a5-d606-4e3a-bd66-deec323080ad.jpeg (ifce.edu.br)	98.5 KiB
...@@@images/1055beb7-219b-4f5d-a317-8a3ecf5ff86f.png (ifce.edu.br)	91.5 KiB
YouTube Video	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	107.6 KiB
Google Tag Manager Tag-Manager	80.8 KiB

URL	Transfer Size
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.8 KiB

■ Serve static assets with an efficient cache policy — 26 resources found	^																																																																		
A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.																																																																			
<input checked="" type="checkbox"/> Show 3rd-party resources (6)																																																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>URL</th> <th>Cache TTL</th> <th>Transfer Size</th> </tr> </thead> <tbody> <tr> <td>ifce.edu.br 1st Party</td> <td></td> <td>186 KiB</td> </tr> <tr> <td>...++resource++brasil.gov.barra/barra.js (ifce.edu.br)</td> <td>1d</td> <td>41 KiB</td> </tr> <tr> <td>...fonts/opensans-800-webfont.woff (ifce.edu.br)</td> <td>1d</td> <td>24 KiB</td> </tr> <tr> <td>...fonts/opensans-700-webfont.woff (ifce.edu.br)</td> <td>1d</td> <td>24 KiB</td> </tr> <tr> <td>...fonts/opensans-400-webfont.woff (ifce.edu.br)</td> <td>1d</td> <td>23 KiB</td> </tr> <tr> <td>...imagens_menu_rapido/mapa.png (ifce.edu.br)</td> <td>1d</td> <td>17 KiB</td> </tr> <tr> <td>...img/sprite.png (ifce.edu.br)</td> <td>1d</td> <td>15 KiB</td> </tr> <tr> <td>/guaramirangalinklateral.png (ifce.edu.br)</td> <td>1d</td> <td>10 KiB</td> </tr> <tr> <td>/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)</td> <td>1d</td> <td>7 KiB</td> </tr> <tr> <td>...imagens_m.../Aluno1_.png (ifce.edu.br)</td> <td>1d</td> <td>5 KiB</td> </tr> <tr> <td>...css/style.css (ifce.edu.br)</td> <td>1d</td> <td>3 KiB</td> </tr> <tr> <td>/spinner.gif (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>/++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>/++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)</td> <td>1d</td> <td>2 KiB</td> </tr> <tr> <td>...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)</td> <td>1d</td> <td>1 KiB</td> </tr> <tr> <td>...img/bullet-banner-rotativo.gif (ifce.edu.br)</td> <td>1d</td> <td>1 KiB</td> </tr> <tr> <td>...img/voltar-topo.png (ifce.edu.br)</td> <td>1d</td> <td>1 KiB</td> </tr> <tr> <td>...img/bg-acess-key.gif (ifce.edu.br)</td> <td>1d</td> <td>1 KiB</td> </tr> </tbody> </table>		URL	Cache TTL	Transfer Size	ifce.edu.br 1st Party		186 KiB	...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB	...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB	...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB	...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB	...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB	...img/sprite.png (ifce.edu.br)	1d	15 KiB	/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB	/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB	...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB	...css/style.css (ifce.edu.br)	1d	3 KiB	/spinner.gif (ifce.edu.br)	1d	2 KiB	/++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br)	1d	2 KiB	/++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br)	1d	2 KiB	...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	1d	2 KiB	/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1d	2 KiB	...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB	...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB	...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB	...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB	...img/bg-acess-key.gif (ifce.edu.br)	1d	1 KiB
URL	Cache TTL	Transfer Size																																																																	
ifce.edu.br 1st Party		186 KiB																																																																	
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB																																																																	
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB																																																																	
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB																																																																	
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB																																																																	
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB																																																																	
...img/sprite.png (ifce.edu.br)	1d	15 KiB																																																																	
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB																																																																	
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB																																																																	
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB																																																																	
...css/style.css (ifce.edu.br)	1d	3 KiB																																																																	
/spinner.gif (ifce.edu.br)	1d	2 KiB																																																																	
/++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br)	1d	2 KiB																																																																	
/++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br)	1d	2 KiB																																																																	
...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br)	1d	2 KiB																																																																	
/++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br)	1d	2 KiB																																																																	
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB																																																																	
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB																																																																	
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB																																																																	
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB																																																																	
...img/bg-acess-key.gif (ifce.edu.br)	1d	1 KiB																																																																	

URL	Cache TTL	Transfer Size
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN Cdn		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Google/Doubleclick Ads Ad		1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br 1st Party	6,790 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1,930 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	2,910 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,950 ms
Google Fonts Cdn	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	10 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	10 ms
brasil.gov.br	1,220 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	1,220 ms

Some third-party resources can be lazy loaded with a facade — 1 facade alternative available

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	885 ms
YouTube Embedded Player (Video)	973 KiB	885 ms
...en_US/base.js (www.youtube.com)	772 KiB	332 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	553 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/5eCPPyUkVC0 (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

■ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Show 3rd-party resources (2)

Source
YouTube Video
...en_US/base.js:8667:199 (www.youtube.com)
...en_US/base.js:6002:111 (www.youtube.com)
ifce.edu.br 1st Party
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js:12:34394 (ifce.edu.br)

■ Image elements do not have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL
ifce.edu.br 1st Party


URL





Banner Mãos e Mentes
2023



FIC em Casa




Encontro Pedagógico
2024.1



mapa.png



GUARAMIRANGAlinklat
eral.png



servidor.jpg

```

brasil.gov.br



```
div#wrapper-barra-brasil
> span#brasil-vlibras >
span.link-vlibras > img
User Timing marks and measures — 11 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
mark_pe	Mark	7,164.37 ms	
mark_pot_isc	Mark	7,259.54 ms	
mark_pot_ist	Mark	7,266.64 ms	
mark_pot_csms	Mark	7,275.40 ms	
mark_pot_csmf	Mark	7,278.60 ms	
mark_fs	Mark	7,313.11 ms	
mark_goes	Mark	7,331.43 ms	
mark_ep_init_pr	Mark	7,469.47 ms	
mark_pot_if	Mark	8,023.78 ms	
mark_pot_cms	Mark	8,024.35 ms	
mark_pot_cmf	Mark	8,033.16 ms	

Avoid long main-thread tasks — 6 long tasks found


Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.


[Learn how to avoid long main-thread tasks](#) [TBT]

URL	Start Time	Duration
YouTube [Video]		674 ms
...en_US/base.js (www.youtube.com)	5,382 ms	237 ms
...en_US/base.js (www.youtube.com)	5,631 ms	200 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	5,136 ms	126 ms
...en_US/base.js (www.youtube.com)	5,025 ms	111 ms
Google Tag Manager [Tag-Manager]		165 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	53,733 ms	107 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	3,401 ms	58 ms

○ Avoid non-composited animations — 5 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) [CLS]

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Í...
	<div vw-access-button="" class="active">
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size
	div.galleria-container > div.galleria-stage > div.galleria-image-nav > div.galleria-image-nav-left <div class="galleria-image-nav-left" style="left: -50px; transition: none 0s ease 0s;">
Unsupported CSS Property: left	left

Element	Name
	
	Unsupported CSS Property: right
	
	Unsupported CSS Property: left
	Unsupported CSS Property: left
	Unsupported CSS Property: left

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (8)

Hide

<ul style="list-style-type: none">● Preconnect to required origins	<p>Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins. FCP LCP</p>
<ul style="list-style-type: none">● Avoid multiple page redirects	<p>Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects. FCP LCP</p>
<ul style="list-style-type: none">○ Preload key requests	<p>Consider using <link rel=preload> to prioritize fetching resources that are currently requested later in page load. Learn how to preload key requests. FCP LCP</p>
<ul style="list-style-type: none">● Remove duplicate modules in JavaScript bundles	

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

● Preload Largest Contentful Paint image ^

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element



Sisu 2024 IFCE campus Ubajara
``

● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

TBT

📅 Captured at Feb 3, 2024, 3:18 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

📡 Unknown

🌐 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with lr

