



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

The screenshot shows the IFCE website homepage with a green header. The main content area features a large banner with the text 'IFCE' and 'INSTITUTO FEDERATIVO DA CELESTINA'. Below the banner, there are several sections: 'CAMPUS PECEM' with links like 'Agenda da Delegacia', 'Administrador de Contabilidade', 'Aluno', 'Estudante', 'Calendário letivo', 'Como chegar', 'Contato', 'Curriculo', 'Edital e Documentos do Campus', 'Pessoas e Escritórios', 'Institucional', 'Sistemas', 'Programa de Aprendizagem', 'NAPNE', 'Censo 2023', 'Censo 2024', 'Início de Funcionamento', and 'Sobre o Campus'. To the right, there are three main news cards: 'OPORTUNIDADE DE INSCRIÇÃO PARA CURSOS', 'No topo das instituições públicas', and 'Pesquisa, extensão e inovação no topo da sua lista de leitura'. Below these are sections for 'Chamada Pública - Processo Seletivo 2024.1', 'BENEFÍCIOS energife', 'RECONHECIMENTO IFCE', 'CINCIATE TECNOLOGIA IFCE', and 'ANALISE DE CENÁRIOS'. A sidebar on the left lists 'NOTÍCIAS', 'ARTIGOS', 'VÍDEOS', 'AUDIOS', and 'MATERIAIS'.

METRICS

[Expand view](#)

▲ First Contentful Paint

10.4 s

■ Total Blocking Time

190 ms

▲ Speed Index

11.2 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 10,380 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	14,370 ms

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,100 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,410 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,100 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,100 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br)	3.2 KiB	490 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	490 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	490 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	490 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	490 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	490 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	490 ms
...css/style.css (ifce.edu.br)	3.2 KiB	490 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	1,410 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	490 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	800 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	490 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	800 ms
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	800 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	490 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	490 ms

▲ Reduce unused JavaScript — Potential savings of 1,375 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP


Show 3rd-party resources (13)

URL		Transfer Size	Potential Savings
YouTube Video		865.8 KiB	581.1 KiB
...en_US/base.js (www.youtube.com)		771.0 KiB	526.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)		94.8 KiB	54.3 KiB
Twitter Social		494.8 KiB	359.6 KiB
...chunks/3.6238497....js (platform.twitter.com)		160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)		102.8 KiB	99.3 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)		93.5 KiB	55.6 KiB
...chunks/0.9098e7e....js (platform.twitter.com)		76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)		62.2 KiB	43.1 KiB
ifce.edu.br 1st Party		276.6 KiB	197.0 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)		138.3 KiB	87.9 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)		78.6 KiB	61.6 KiB
...brasil_gov_facetada/resources_scriptssocial_like-cachekey-....js (ifce.edu.br)		35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)		24.0 KiB	22.3 KiB
Facebook Social		250.5 KiB	176.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		107.3 KiB	72.0 KiB
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)		85.9 KiB	56.9 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)		26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager		148.3 KiB	60.6 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)		68.2 KiB	30.8 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)		80.0 KiB	29.8 KiB

▲ Serve images in next-gen formats — Potential savings of 307 KiB ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats](#).

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	472.9 KiB	306.6 KiB
		
Pecém realiza a SNCT 2023		
<pre></pre>	...@@@images/c631a2dd-e40c-4b59-a64e-880a4326b44e.png (ifce.edu.br)	224.8 KiB 190.8 KiB
	Sel eç ão 20 24.	
1 para cursos técnicos no Pecém		
<pre></pre>	...@@@images/b331e7b3-c858-4937-b065-c06292c5430a.jpeg (ifce.edu.br)	55.1 KiB 23.5 KiB
	W hat sA pp IF	
CE Pecém		
<pre></pre>	...@@@images/5c7b2f7f-0ecc-452d-9a21-99fbff6c735.jpeg (ifce.edu.br)	55.9 KiB 22.9 KiB
	Ba nn er Mã os	
e Mentes 2023		

URL	Resource Size	Potential Savings
<pre></pre> 		
<pre>div. cy cle - pla yer > div.cycle-slide > a > img </pre> 	...@@@images/73c09653-fdfb-45e8-9ec8-f981d21ac243.jpeg (ifce.edu.br)	41.8 KiB 18.2 KiB
<pre>ma pa. pn g ... <i mg src="https://ifce.edu.br/ima gens/imagens_menu_rapido/map a.png" alt="mapa.png"></pre> 	imagens_menu_rapido/mapa.png (ifce.edu.b r)	16.8 KiB 13.0 KiB
<pre>Pri me ira tur ma contará com 30 vagas </pre> 	...@@@images/912c185f-9b3f-4f59-8574-64752fc7d191.png (ifce.edu.br)	13.9 KiB 8.8 KiB
<pre>Go ogl e+ <a hr ef="https://mail.google.com/</pre> 	...img/sprite.png (ifce.edu.br)	15.0 KiB 8.3 KiB

URL	Resource Size	Potential Savings	
a/ifce.edu.br//" target=_blank">			
A ▲ Avoid an excessive DOM size — 883 elements			
A large DOM will increase memory usage, cause longer style calculations , and produce costly layout reflows . Learn how to avoid an excessive DOM size. [TBT]			
Statistic	Element	Value	
Total DOM Elements		883	
Maximum DOM Depth		div.cycle-carousel-wrap > div.thumb-itens > div.table-align > img 	
Maximum Child Elements		Institucional Formas de ingresso Ações e Programas Auditorias Convênios Receita... <ul class="navTree navTreeLevel0">	
A ▲ Reduce JavaScript execution time — 1.4 s			
Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. [TBT]			
<input checked="" type="checkbox"/> Show 3rd-party resources (8)			
URL	Total CPU Time	Script Evaluation	Script Parse
YouTube 	1,093 ms	900 ms	79 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	535 ms	501 ms	10 ms
...en_US/base.js (www.youtube.com)	504 ms	375 ms	64 ms
/embed/WHeYsO7_AAE (www.youtube.com)	54 ms	25 ms	5 ms
Twitter 	423 ms	189 ms	28 ms
...chunks/4.1579d56....js (platform.twitter.com)	296 ms	131 ms	5 ms

URL	Total CPU Time	Script Evaluation	Script Parse
/widgets.js (platform.twitter.com)	73 ms	52 ms	4 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	55 ms	6 ms	19 ms
ifce.edu.br 1st Party	392 ms	119 ms	14 ms
/pecem (ifce.edu.br)	215 ms	5 ms	2 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	177 ms	114 ms	12 ms
Unattributable	169 ms	20 ms	0 ms
Unattributable	169 ms	20 ms	0 ms
Facebook Social	114 ms	78 ms	11 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	61 ms	39 ms	3 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	52 ms	39 ms	8 ms

▲ Minimize main-thread work — 2.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	1,497 ms
Other	275 ms
Garbage Collection	247 ms
Script Parsing & Compilation	205 ms
Style & Layout	176 ms
Rendering	60 ms
Parse HTML & CSS	48 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 710 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#). TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	588 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	324 ms
...en_US/base.js (www.youtube.com)	772 KiB	264 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/WHeYsO7_AAE (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?WjIRww (www.youtube.com)	0 KiB	0 ms
Twitter Social	617 KiB	126 ms
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	126 ms
...chunks/3.6238497....js (platform.twitter.com)	161 KiB	0 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	0 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	0 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms
/widgets.js (platform.twitter.com)	28 KiB	0 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	4 KiB	0 ms
...chunks/ondemand.Dropdown.0890ced....js (platform.twitter.com)	3 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=77f66ef... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?l=... (syndication.twitter.com)	0 KiB	0 ms
Facebook Social	300 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...r/nDOMhvCeUjd.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	109 KiB	0 ms
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	88 KiB	0 ms
...pt_BR/5IFVSw5iabs.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	0 ms
...t39.30808-6/308....jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	8 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css? _nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/272....jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	1 KiB	0 ms
Google Tag Manager Tag-Manager	150 KiB	0 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	0 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs Utility	63 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/jz7nBWcXo...js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
Google Analytics Analytics	21 KiB	0 ms
/analytics.js (www.google-analytics.com)	21 KiB	0 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/DoubleClick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms
/j/collect?t=... (stats.g.doubleclick.net)	1 KiB	0 ms
/g/collect?v=... (stats.g.doubleclick.net)	0 KiB	0 ms
vlibras.gov.br	2 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms


⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Video	973 KiB	588 ms
YouTube Embedded Player (Video)	973 KiB	588 ms
...en_US/base.js (www.youtube.com)	772 KiB	264 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	324 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/WHeYsO7_AAE (www.youtube.com)	40 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

⚠ Largest Contentful Paint element — **13,650 ms** ^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element.](#) LCP

Element
 Banner MÃaos e Mentes 2023

Element



Phase	% of LCP	Timing
TTFB	2%	340 ms
Load Delay	81%	11,030 ms
Load Time	13%	1,780 ms
Render Delay	4%	500 ms

▲ Avoid large layout shifts — 15 elements found ^

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element

Layout shift impact



EXTENSÃO IFCE campus Pecém oferta 30 vagas para o curso de Eletricista de Sist...

<div class="row">


0.168



CLIQUE AQUI E SAIBA MAIS Chamada Pública - Processo Seletivo 2024.1

<div class="row">


0.057



conteúdo 1 Banner Mãos e Mentes 2023 2 Seleção 2024.1 para cursos técnicos no P...

<div id="portal-column-content" class="cell width-3:4 position-1:4">

0.046



Vídeos ACESSE MAIS VÍDEOS Áudios ACESSE MAIS ÁUDIO

Esta coleção não possui ne...

<div class="row">

0.045



div#portal-column-content > div > div#content > div.row

<div class="row">

0.023

Layout shift
impact

Element



Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE
MINISTÉRIO DA...
<div id="wrapper">

0.009



CAMPUS PECÉM Agenda da Diretora Administração e Planejamento
Assistência Estudan...
<div id="portal-column-one" class="cell width-1:4 position-0">

0.009



Banner Mão e Mentes 2023

0.005



IFCE
<div id="portal-title" class="corto">

0.004



Agenda da Diretora Administração e Planejamento Assistência
Estudantil Calendári...
<dd class="portletItem lastItem">

0.000



1

0.000




2

0.000



3

0.000



Simplifique!ParticipeAcesso à informaçãoLegislaçãoCanais
<ul id="lista-barra-brasil" class="list">

0.000


Element	Layout shift impact	
		
Other 0.004		
Properly size images — Potential savings of 201 KiB		
Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images.		
URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	297.2 KiB	200.8 KiB
	IF CE ca mp us	
Pecém realiza a SNCT 2023		
<pre></pre>	...@@@images/c631a2dd-e40c-4b59-a64e-880a4326b44e.png (ifce.edu.br)	224.8 KiB 150.5 KiB
	div. cy cle - pla	
yer > div.cycle-slide > a > img	...@@@images/73c09653-fdfb-45e8-9ec8-f981d21ac243.jpeg (ifce.edu.br)	41.8 KiB 33.1 KiB
<pre></pre>		
	Pri me ira tur ma	
contará com 30 vagas	...@@@images/912c185f-9b3f-4f59-8574-64752fc7d191.png (ifce.edu.br)	13.9 KiB 9.3 KiB

URL	Resource Size	Potential Savings
<pre></pre>  <pre>ma pa. pn g ... <i> imagens_menu_rapido/mapa.png (ifce.edu.b 16.8 KiB 7.9 KiB mg r)</pre> <pre>src="https://ifce.edu.br/ima gens/imagens_menu_rapido/map a.png" alt="mapa.png"></pre>		

Defer offscreen images — Potential savings of 22 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#).

URL	Resource Size	Potential Savings
ifce.edu.br [1st Party]	22.1 KiB	22.1 KiB
 <pre>GU AR AM IRA NG</pre> <pre>Alinklateral.png /guaramirangalinklateral.png (ifce.edu.br) 9.8 KiB 9.8 KiB</pre> <pre></pre>  <pre>dd. ...resolveuid/dfd185e... (ifce.edu.br) port letIt em > p</pre> <pre>> a.internal-link > img.image-inline <img class="image-inline" src="https://ifce.edu.br/pec</pre>		
	6.2 KiB	6.2 KiB

URL	Resource Size	Potential Savings
<pre>em/home/resolveuid/dfd185e00 cc644dc7a866220c25acee">  dd. port letlt em > p > a.external-link > img.image-inline </pre>	6.2 KiB	6.2 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.7 KiB	15.4 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	12.8 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

Reduce unused CSS — Potential savings of 80 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.3 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.2 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	15.1 KiB

■ Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.4 KiB	4.8 KiB

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br 1st Party	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

■ Avoid enormous network payloads — Total size was 3,397 KiB ^

Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#) LCP

 Show 3rd-party resources (8)

URL	Transfer Size
YouTube Video	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
ifce.edu.br 1st Party	366.3 KiB
...@@@images/c631a2dd-e40c-4b59-a64e-880a4326b44e.png (ifce.edu.br)	225.4 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
Twitter Social	358.7 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	103.6 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)	94.2 KiB
Facebook Social	196.5 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
/pt_BR/all.js?hash=7a9d948... (connect.facebook.net)	87.9 KiB

URL	Transfer Size
brasil.gov.br	107.6 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — 30 resources found	^	
A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.		
<input checked="" type="checkbox"/> Show 3rd-party resources (9)		
URL	Cache TTL	Transfer Size
ifce.edu.br 1st Party		184 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
...img/sprite.png (ifce.edu.br)	1d	15 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icons-setas-min.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_azul-claro.png (ifce.edu.br)	1d	1 KiB

URL	Cache TTL	Transfer Size
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
...img/bg-acess-key.gif (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlibras.gif (barra.brasil.gov.br)	7d	108 KiB
Twitter Social		28 KiB
/widgets.js (platform.twitter.com)	30m	28 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
JSDelivr CDN Cdn		21 KiB
...assets/access_popup.jpg (cdn.jsdelivr.net)	7d	10 KiB
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Facebook Social		10 KiB
...t39.30808-6/308...jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	14d	8 KiB
...t39.30808-1/272...jpg?stp=... (scontent-atl3-1.xx.fbcdn.net)	14d	2 KiB
Google/Doubleclick Ads Ad		1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br 1st Party	1,820 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	390 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	380 ms

URL	Potential Savings
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1,050 ms
Google Fonts Cdn	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	10 ms
brasil.gov.br	750 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	750 ms

■ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Source

YouTube Video

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

■ Image elements do not have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL	
ifce.edu.br 1st Party	
 <p>Banner Mão e Mentes 2023 </p>	<p>Seleção 2024.1 para cursos técnicos no Pecém</p> <p>...@@images/b331e7b3-c858-4937-b065- c06292c5430a.jpeg (ifce.edu.br)</p>
	

URL

```

```



```
WhatsApp IFCE Pecém  

```



```
div.cycle-player >  
div.cycle-slide > a > img  

```



```
div.cycle-player >  
div.cycle-slide > a > img  

```



```
mapa.png  
  
div.thumb-itens >  
div.table-align > img  

```



```
WhatsApp IFCE Pecém
```

```
...@@@images/5c7b2f7f-0ecc-452d-9a21-  
99fbff6c735.jpeg (ifce.edu.br)
```

```
...@@@images/73c09653-fdfb-45e8-9ec8-  
f981d21ac243.jpeg (ifce.edu.br)
```

```
...@@@images/73c09653-fdfb-45e8-9ec8-  
f981d21ac243.jpeg (ifce.edu.br)
```

```
...imagens_menu_rapido/mapa.png (ifce.edu.br)
```

```
...@@@images/fc44495f-4886-448b-bf54-  
5fe8634bf0dc.jpeg (ifce.edu.br)
```

```
...@@@images/fc44495f-4886-448b-bf54-  
5fe8634bf0dc.jpeg (ifce.edu.br)
```


```
div.cycle-carousel-wrap >  
div.thumb-itens >  
div.table-align > img  

```



GUARAMIRANGAlinklateral.png
 ral.png

```



servidor.jpg  
 

brasil.gov.br



div#wrapper-barra-brasil
> span#brasil-vlibras >
span.link-vlibras > img


/imagens/vlibras.gif (barra.brasil.gov.br)

## Initial server response time was short — Root document took 360 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

| URL                  | Time Spent |
|----------------------|------------|
| ifce.edu.br          | 360 ms     |
| /pecem (ifce.edu.br) | 360 ms     |

## Avoid chaining critical requests — 32 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **5,664.616 ms**

*Initial Navigation*

```
/pecem (ifce.edu.br)
 ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) - 1,083.712 ms, 16.02 KiB
 ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - 1,796.827 ms, 79.27 KiB
 ...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br) - 1,636.442 ms, 36.48 KiB
 ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) - 1,449.159 ms, 1.68 KiB
 ...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) - 1,449.441 ms, 2.35 KiB
 ...brasil_gov_facetada/resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br) - 1,436.474 ms, 1.48 KiB
 /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) - 1,430.619 ms, 6.86 KiB
 ...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br) - 1,433.845 ms, 1.29 KiB
 ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - 1,437.454 ms, 8.29 KiB
 ...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) - 1,433.652 ms, 1.58 KiB
 ...css/style.css (ifce.edu.br) - 1,434.493 ms, 3.18 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
 ...fonts/opensans-400-webfont.woff (ifce.edu.br) - 393.459 ms, 23.43 KiB
 ...fonts/opensans-700-webfont.woff (ifce.edu.br) - 1,049.205 ms, 24.22 KiB
 ...fonts/opensans-800-webfont.woff (ifce.edu.br) - 381.718 ms, 24.47 KiB
 ...brasil_gov_facetada/resourcecollective.z3cform.datagridfile....css (ifce.edu.br) - 1,446.884 ms, 1.34 KiB
 ...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 1,436.393 ms, 1.42 KiB
 ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 1,993.382 ms, 140.94 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) - 1,433.404 ms, 8.68 KiB
 ...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br) - 1,447.551 ms, 3.56 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.autocompletej....css (ifce.edu.br) - 1,435.451 ms, 1.48 KiB
 ...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br) - 1,449.542 ms, 1.36 KiB
 ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) - 1,435.527 ms, 2.65 KiB
 ...brasil_gov_facetada/resourcecollective.pollscsscollective....css (ifce.edu.br) - 1,435.431 ms, 1.09 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 1,622.018 ms, 24.64 KiB
 ...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - 1,439.885 ms, 3.91 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cacheke....css (ifce.edu.br) - 1,434.43 ms, 3.16 KiB
 ...brasil_gov_facetada/resourcecalendar_stylescalendar-cacheke....css (ifce.edu.br) - 1,433.882 ms, 1.00 KiB
 ...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,442.402 ms, 2.92 KiB
 /app/vlibras-plugin.js (vlibras.gov.br)
 ...app/vlibras-plugin.js (cdn.jsdelivr.net) - 18.28 ms, 6.99 KiB
 /static/opensans-bold.woff (barra.brasil.gov.br) - 752.625 ms, 18.43 KiB
 ...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) - 1,452.494 ms, 4.41 KiB
 ...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - 1,439.509 ms, 1.02 KiB
```

## User Timing marks and measures — 17 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

| Name                     | Type    | Start Time  | Duration  |
|--------------------------|---------|-------------|-----------|
| Next.js-before-hydration | Measure | 5,736.68 ms | 221.90 ms |
| Next.js-hydration        | Measure | 5,958.59 ms | 12.06 ms  |
| mark_pe                  | Mark    | 4,234.72 ms |           |
| mark_pot_isc             | Mark    | 4,316.17 ms |           |
| mark_pot_ist             | Mark    | 4,320.19 ms |           |
| mark_pot_csms            | Mark    | 4,324.85 ms |           |
| mark_pot_csmf            | Mark    | 4,326.34 ms |           |
| mark_fs                  | Mark    | 4,348.44 ms |           |
| mark_qoes                | Mark    | 4,359.05 ms |           |
| mark_ep_init_pr          | Mark    | 4,441.56 ms |           |
| mark_pot_if              | Mark    | 4,830.60 ms |           |
| mark_pot_cms             | Mark    | 4,830.93 ms |           |
| mark_pot_cmf             | Mark    | 4,840.03 ms |           |
| mark_ol                  | Mark    | 5,372.10 ms |           |
| mark_ol                  | Mark    | 5,372.71 ms |           |
| beforeRender             | Mark    | 5,958.59 ms |           |
| afterHydrate             | Mark    | 5,970.65 ms |           |

## ○ Avoid long main-thread tasks — 6 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) TBT

| URL                                                                        | Start Time | Duration |
|----------------------------------------------------------------------------|------------|----------|
| YouTube <span style="border: 1px solid black; padding: 2px;">Video</span>  |            | 561 ms   |
| ...en_US/base.js (www.youtube.com)                                         | 5,370 ms   | 163 ms   |
| ...en_US/base.js (www.youtube.com)                                         | 5,545 ms   | 161 ms   |
| ...en_US/base.js (www.youtube.com)                                         | 5,013 ms   | 160 ms   |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com)           | 5,173 ms   | 77 ms    |
| Twitter <span style="border: 1px solid black; padding: 2px;">Social</span> |            | 148 ms   |

| URL                                                  | Start Time | Duration |
|------------------------------------------------------|------------|----------|
| ...chunks/4.1579d56....js (platform.twitter.com)     | 4,816 ms   | 148 ms   |
| Google Tag Manager Tag-Manager                       |            | 67 ms    |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com) | 30,148 ms  | 67 ms    |

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) [CLS]

| Element                                                                           | Name                                           |
|-----------------------------------------------------------------------------------|------------------------------------------------|
|  | Conteúdo acessível em Libras usando o VLiberas |
|                                                                                   | Widget com opções dos Avatares Íc...           |
|                                                                                   | <div vw-access-button="" class="active">       |
| Unsupported CSS Property: border-top-left-radius                                  | border-top-left-radius                         |
| Unsupported CSS Property: border-top-right-radius                                 | border-top-right-radius                        |
| Unsupported CSS Property: border-bottom-left-radius                               | border-bottom-left-radius                      |
| Unsupported CSS Property: border-bottom-right-radius                              | border-bottom-right-radius                     |
| Unsupported CSS Property: font-size                                               | font-size                                      |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (9) Hide

● Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

● Preconnect to required origins ^

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) [FCP] [LCP]

## ● Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) FCP LCP

## ○ Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

## ● Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

## ● Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

## ● Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

### Element



Banner Mão e Mentes 2023

```

```

## ● Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

## ● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

TBT

Captured at Feb 3, 2024, 3:06 PM

Emulated Desktop with Lighthouse

Single page session

GMT-3

11.4.0

Initial page load

Unknown

Using HeadlessChromium

121.0.6167.85 with lr

Generated by **Lighthouse** 11.4.0 | [File an issue](#)