



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Expand view](#)

▲ First Contentful Paint

13.9 s


▲ Total Blocking Time

1,490 ms

▲ Speed Index

21.3 s

[View Treemap](#)



DIAGNOSTICS

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	373.0 KiB	21,540 ms
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br)	1.0 KiB	1,430 ms
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	16.0 KiB	1,850 ms
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	2.3 KiB	1,430 ms
...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br)	2.6 KiB	1,430 ms
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey-....css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	1.6 KiB	600 ms
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	1,010 ms
...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br)	4.4 KiB	600 ms
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br)	1.4 KiB	600 ms
...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br)	3.6 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br)	3.9 KiB	600 ms
...css/style.css (ifce.edu.br)	3.2 KiB	600 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB	3,100 ms
...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br)	8.7 KiB	600 ms
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.6 KiB	1,010 ms
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br)	8.3 KiB	600 ms
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	79.3 KiB	2,270 ms
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	36.5 KiB	1,430 ms
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	1.7 KiB	600 ms
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	6.9 KiB	600 ms

▲ Reduce unused JavaScript — Potential savings of 1,376 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.


URL	Transfer Size	Potential Savings
YouTube Video	865.8 KiB	582.7 KiB
...en_US/base.js (www.youtube.com)	771.0 KiB	528.3 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	94.8 KiB	54.3 KiB
Twitter Social	494.7 KiB	359.6 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.2 KiB	112.5 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	102.8 KiB	99.3 KiB
...chunks/modules.20f98d7....js (platform.twitter.com)	93.5 KiB	55.6 KiB
...chunks/0.9098e7e....js (platform.twitter.com)	76.0 KiB	49.2 KiB
...chunks/4.1579d56....js (platform.twitter.com)	62.2 KiB	43.1 KiB
ifce.edu.br 1st Party	276.6 KiB	198.1 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	138.3 KiB	87.9 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br)	78.6 KiB	62.7 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	35.8 KiB	25.2 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br)	24.0 KiB	22.3 KiB
Facebook Social	249.0 KiB	175.3 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	107.3 KiB	72.0 KiB
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	84.4 KiB	55.7 KiB
...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	30.5 KiB	26.9 KiB
...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	26.8 KiB	20.8 KiB
Google Tag Manager Tag-Manager	148.3 KiB	60.7 KiB
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	68.2 KiB	31.0 KiB
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	80.1 KiB	29.8 KiB

▲ Avoid an excessive DOM size — 1,008 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Statistic	Element	Value
Maximum DOM Depth		17
Maximum Child Elements	Institucional ... <code><ul class="navTree navTreeLevel0"></code>	24

▲ Reduce JavaScript execution time — 6.4 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (15)

URL	Total CPU Time	Script Evaluation	Script Parse
YouTube <small>Video</small>	4,328 ms	3,563 ms	227 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	2,312 ms	1,962 ms	39 ms
...en_US/base.js (www.youtube.com)	1,689 ms	1,458 ms	162 ms
/embed/eGNxs6auS1w?start=45 (www.youtube.com)	327 ms	143 ms	26 ms
ifce.edu.br <small>1st Party</small>	1,580 ms	529 ms	39 ms
/maracanau (ifce.edu.br)	800 ms	19 ms	8 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	780 ms	510 ms	31 ms
Twitter <small>Social</small>	1,317 ms	955 ms	153 ms
...chunks/3.6238497....js (platform.twitter.com)	580 ms	535 ms	39 ms
/widgets.js (platform.twitter.com)	310 ms	249 ms	18 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	204 ms	24 ms	73 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	102 ms	74 ms	17 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	70 ms	67 ms	1 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	51 ms	6 ms	4 ms
Unattributable	724 ms	85 ms	0 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Total CPU Time	Script Evaluation	Script Parse
/plugins/like_box.php?app_id=... (www.facebook.com)	275 ms	170 ms	14 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	201 ms	155 ms	27 ms
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	77 ms	45 ms	30 ms
Google Tag Manager Tag-Manager	296 ms	256 ms	35 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	150 ms	131 ms	16 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	146 ms	125 ms	19 ms
Google Analytics Analytics	94 ms	83 ms	4 ms
/analytics.js (www.google-analytics.com)	94 ms	83 ms	4 ms

⚠ Minimize main-thread work — 9.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	6,051 ms
Other	1,194 ms
Style & Layout	729 ms
Script Parsing & Compilation	647 ms
Garbage Collection	324 ms
Parse HTML & CSS	235 ms
Rendering	179 ms

⚠ Reduce the impact of third-party code — Third-party code blocked the main thread for 3,770 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Third-Party	Transfer Size	Main-Thread Blocking Time
/embed/eGNxs6auS1w?start=45 (www.youtube.com)	41 KiB	52 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com)	0 KiB	0 ms
/generate_204?kerDxA (www.youtube.com)	0 KiB	0 ms
Twitter Social	613 KiB	512 ms
...chunks/3.6238497....js (platform.twitter.com)	161 KiB	479 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	104 KiB	19 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	2 KiB	14 ms
...chunks/modules.20f98d7....js (platform.twitter.com)	94 KiB	0 ms
...chunks/0.9098e7e....js (platform.twitter.com)	77 KiB	0 ms
...chunks/4.1579d56....js (platform.twitter.com)	63 KiB	0 ms
...chunks/1.2a1457a....js (platform.twitter.com)	49 KiB	0 ms
/widgets.js (platform.twitter.com)	28 KiB	0 ms
...chunks/33.72d4e8a....js (platform.twitter.com)	13 KiB	0 ms
...chunks/2.691622e....js (platform.twitter.com)	8 KiB	0 ms
/js/timeline.e108540....js (platform.twitter.com)	4 KiB	0 ms
...chunks/runtime-a697c5a....js (platform.twitter.com)	3 KiB	0 ms
...screen-name/IFCE_?dnt=... (syndication.twitter.com)	2 KiB	0 ms
...chunks/6.902e7a2....js (platform.twitter.com)	2 KiB	0 ms
...pages/_app-88bf420....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_buildManifest.js (platform.twitter.com)	1 KiB	0 ms
/settings?session_id=ca39227... (syndication.twitter.com)	1 KiB	0 ms
...chunks/main-fd9ef5e....js (platform.twitter.com)	1 KiB	0 ms
...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com)	1 KiB	0 ms
/i/jot?I=... (syndication.twitter.com)	0 KiB	0 ms
Google Tag Manager Tag-Manager	150 KiB	79 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	81 KiB	64 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	69 KiB	14 ms
Facebook Social	308 KiB	55 ms
/plugins/like_box.php?app_id=... (www.facebook.com)	16 KiB	47 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

Third-Party	Transfer Size	Main-Thread Blocking Time
...pt_BR/5IFVSw5iabs.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	32 KiB	0 ms
...r/2o-XRyr-n9k.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	28 KiB	0 ms
...t39.30808-6/382....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	17 KiB	0 ms
...0,cross/1r0WOAs0gZ6.css?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	6 KiB	0 ms
...r/8ZrPme2EwKH.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	4 KiB	0 ms
/pt_BR/all.js (connect.facebook.net)	4 KiB	0 ms
...t39.30808-1/308....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	2 KiB	0 ms
...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net)	2 KiB	0 ms
...r/p55HfXW__mM.js?_nc_x=Ij3Wp8lg5Kz (static.xx.fbcdn.net)	2 KiB	0 ms
Google Analytics Analytics	21 KiB	24 ms
/analytics.js (www.google-analytics.com)	21 KiB	24 ms
/j/collect?v=... (www.google-analytics.com)	0 KiB	0 ms
/g/collect?v=... (analytics.google.com)	0 KiB	0 ms
brasil.gov.br	126 KiB	0 ms
/imagens/vlibras.gif (barra.brasil.gov.br)	108 KiB	0 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	18 KiB	0 ms
Other Google APIs/SDKs Utility	62 KiB	0 ms
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	41 KiB	0 ms
...th/wAFWjcG1j....js (www.google.com)	20 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	1 KiB	0 ms
/ads/ga-audiences?t=... (www.google.com)	1 KiB	0 ms
Google Fonts Cdn	23 KiB	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
JSDelivr CDN Cdn	21 KiB	0 ms
...assets/access_popup.jpg (cdn.jsdelivr.net)	10 KiB	0 ms
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7 KiB	0 ms
...assets/access_icon.svg (cdn.jsdelivr.net)	3 KiB	0 ms
Google/Doubleclick Ads Ad	3 KiB	0 ms
/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	1 KiB	0 ms
/instream/ad_status.js (static.doubleclick.net)	1 KiB	0 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Third-Party	Transfer Size	Main-Thread Blocking Time
...assets/access_popup.jpg (vlibras.gov.br)	1 KiB	0 ms
...assets/access_icon.svg (vlibras.gov.br)	1 KiB	0 ms
/app/vlibras-plugin.js (vlibras.gov.br)	1 KiB	0 ms


⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) [TBT]

Product	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	973 KiB	3,101 ms
YouTube Embedded Player (Video)	973 KiB	3,101 ms
...en_US/base.js (www.youtube.com)	772 KiB	1,341 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	96 KiB	1,708 ms
...a1d7d0f8/www-player.css (www.youtube.com)	47 KiB	0 ms
/embed/eGNxs6auS1w?start=45 (www.youtube.com)	41 KiB	52 ms
...en_US/embed.js (www.youtube.com)	17 KiB	0 ms

⚠ Largest Contentful Paint element — **23,280 ms** ^

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) [LCP]

Element





Phase	% of LCP	Timing
TTFB	3%	780 ms
Load Delay	75%	17,500 ms
Load Time	18%	4,240 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.





■ Properly size images — Potential savings of 204 KiB

^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	957.5 KiB	203.8 KiB
 Energife 2024 - Campus Maracanáu <pre></pre>	...@@@images/a9f0d1fb-62ef-4cfa-ba65-89d643736fc9.png (ifce.edu.br)	320.5 KiB 80.0 KiB
 Acompanhe nossas redes sociais <pre></pre>	...@@@images/6341b273-9ad0-4771-97eb-d1a9d93cc9cc.png (ifce.edu.br)	193.3 KiB 47.6 KiB
 div.cycle-player > div.cycle-slide > a > img <pre></pre>	...@@@images/1d7da719-f419-4c62-b376-cce088....jpeg (ifce.edu.br)	98.7 KiB 24.7 KiB
 div.cycle-player > div.cycle-slide > a > img <pre><img</pre>	...@@@images/18ff30b4-bb59-42cb-a0a5-3ddda6d328b4f.jpeg (ifce.edu.br)	58.0 KiB 14.6 KiB


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Resource Size	Potential Savings
 <pre>div.cycle-player > div.cycle-slide > a > img </pre>	...@@@images/b6650617-b3f8-4a71-83c2-55f31345cde8.jpeg (ifce.edu.br)	92.7 KiB 11.0 KiB
 <pre>div.cycle-player > div.cycle-slide > a > img </pre>	...@@@images/da385fd4-5007-4b47-995fb35e126ddf23.jpeg (ifce.edu.br)	91.9 KiB 10.9 KiB
 <pre>div.cycle-player > div.cycle-slide > a > img </pre>	...@@@images/95b8a282-e1df-4867-9c93-f74033ca0255.jpeg (ifce.edu.br)	79.8 KiB 9.5 KiB
 <pre>Fale com o Campus </pre>	...@@@images/c48bd058-e665-49d3-b7e4-de8f1b9e1f06.jpeg (ifce.edu.br)	22.5 KiB 5.5 KiB


■ Defer offscreen images — Potential savings of 231 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Resource Size	Potential Savings
 <p>QR CODE- MEC </p>	...@@@images/20effb9c-7afb-4a18-9db1-9c964b690534.png (ifce.edu.br)	75.4 KiB 75.4 KiB
 <p>CNPq </p>	...mini-banner- destaques/cnpq.jpg (ifce.edu.br)	27.6 KiB 27.6 KiB
 <p>MEC </p>	...mini-banner- destaques/mec.jpg (ifce.edu.br)	26.1 KiB 26.1 KiB
 <p>CAPE S </p>	...mini-banner- destaques/capes.jpg (ifce.edu.br)	23.8 KiB 23.8 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

URL	Resource Size	Potential Savings
 Captura de Tela 2021-04-16 às 21.40.02.png <pre></pre>	17.0 KiB	17.0 KiB
 mapa.png <pre></pre>	16.8 KiB	16.8 KiB
 conif.png <pre></pre>	15.8 KiB	15.8 KiB
 GUARAMIRANGAlinklateral.png <pre></pre>	9.8 KiB	9.8 KiB
<pre>dd.portletItem > p > a.external-link > img.image-inline</pre>	6.1 KiB	6.1 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Resource Size	Potential Savings
dd.portletItem > p > a.internal-link > img.image-inline 	...resolveuid/dfd185e... (ifce.edu.br)	6.1 KiB
tr > th > a.internal-link > img.image- inline 	...imagens_m.../Aluno1_.png (ifce.edu.br)	4.2 KiB
servidor.jpg 	...@@images/6b535e1a-dc1b-4b16-b719- 703cd2f23969.jpeg (ifce.edu.br)	2.4 KiB

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	22.9 KiB	2.6 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	2.6 KiB

Minify JavaScript — Potential savings of 15 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify](#)

[JavaScript](#). [FCP](#) [LCP](#)

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	86.6 KiB	15.4 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Transfer Size	Potential Savings
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	8.1 KiB	2.5 KiB

Reduce unused CSS — Potential savings of 80 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

Show 3rd-party resources (1)




URL	Transfer Size	Potential Savings
YouTube Video	47.1 KiB	45.6 KiB
...a1d7d0f8/www-player.css (www.youtube.com)	47.1 KiB	45.6 KiB
ifce.edu.br 1st Party	38.9 KiB	34.4 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)	22.9 KiB	19.2 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa...css (ifce.edu.br)	16.0 KiB	15.2 KiB

Efficiently encode images — Potential savings of 229 KiB

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images.](#)

URL	Resource Size	Potential Savings
ifce.edu.br 1st Party	259.9 KiB	229.0 KiB
		
BG - PERGUN TAS FREQUE NTES.jpg		
	...@@images/a0d56f00-ea49-45c1-985b-08fe10edf628.jpeg (ifce.edu.br)	42.3 KiB 35.5 KiB
		
BG - NOSSAS	...@@images/ff9a83aa-62f0-4861-b621-c5ca5676ed7d.jpeg (ifce.edu.br)	38.6 KiB 33.0 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.


	URL	Resource Size	Potential Savings	
	nau/home/@@collective.cover.banner/a3925de1-d6d4... width="385" height="65" class="left" alt="BG - NOSSAS SELEÇÕES.jpg"> 	BP - EGRE SSOS. jpg 	35.3 KiB 32.4 KiB	
	src="https://ifce.edu.br/maracanau/home/@@collective.cover.banner/b51094d9-559f..." width="232" height="45" class="left" alt="BP - CURSOS.jpg">	BP - CURS OS.jpg 	33.7 KiB 31.3 KiB	
	src="https://ifce.edu.br/maracanau/home/@@collective.cover.banner/b4fb5b5e-d196..." width="232" height="45" class="left" alt="BP - ALUNOS.jpg">	BP - ALUN OS.jpg 	32.5 KiB 30.5 KiB	
	CNPq 	<p>MEC</p> <pre></pre>	26.1 KiB	22.2 KiB
	<p>CAPE</p> <pre>S </pre>	23.8 KiB	20.6 KiB	

■ Serve images in next-gen formats — Potential savings of 1,094 KiB



Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

	URL	Resource Size	Potential Savings
ifce.edu.br 1st Party		1,588.1 KiB	1,094.0 KiB
	<p>Energife</p> <p>2024 -</p> <p>Campus</p> <p>Maracan</p> <p>aú</p> <pre><img src="https://ifce.edu.br/mara canau/imagens/banner- rotativo/energife-2024- campus..." alt="Energife 2024 -"</pre>	320.5 KiB	289.8 KiB



Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

	URL	Resource Size	Potential Savings
	nossas redes sociais 		
	QR CODE- MEC 	...@@@images/20effb9c-7afb-4a18-9db1-9c964b690534.png (ifce.edu.br)	75.4 KiB 64.3 KiB
	BG - PERGUN NTAS FREQU ENTES.j pg 	...@@@images/a0d56f00-ea49-45c1-985b-08fe10edf628.jpeg (ifce.edu.br)	42.3 KiB 39.2 KiB
	div.cycle -player > div.cycle -slide > a > img 	...@@@images/b6650617-b3f8-4a71-83c2-55f31345cde8.jpeg (ifce.edu.br)	92.7 KiB 36.8 KiB
	BG -	...@@@images/ff9a83aa-62f0-4861-b621-	38.6 KiB 35.9 KiB



Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

URL	Resource Size	Potential Savings
<pre></pre>  <p>div.cycle -player > div.cycle -slide > ...@@@images/1d7da719-f419-4c62-b376- cce088....jpeg (ifce.edu.br)</p>	98.7 KiB	35.9 KiB
<pre>a > img </pre>  <p>div.cycle -player > div.cycle -slide > ...@@@images/da385fd4-5007-4b47-995f- b35e126ddf23.jpeg (ifce.edu.br)</p>	91.9 KiB	34.6 KiB
<pre>a > img </pre>  <p>BP - EGR ESS OS.j pg</p>	35.3 KiB	33.9 KiB
<pre></pre>  <p>BP - ...@@@images/a696f03a-fa29-42a8-9500- 1ba1608aae34.jpeg (ifce.edu.br)</p>	33.7 KiB	32.6 KiB



Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

URL	Resource Size	Potential Savings
<pre>.banner/b51094d9-559f..." width="232" height="45" class="left" alt="BP - CURSOS.jpg"></pre>  <p>div.cycle -player > div.cycle -slide ></p> <p>a > img </p>	...@@@images/95b8a282-e1df-4867-9c93-f74033ca0255.jpeg (ifce.edu.br)	79.8 KiB 32.2 KiB
<pre>SELEÇÕES EGRESSOS ALUNO CURSOS src="https://ifce.edu.br/mara canau/home/@@collective.cover .banner/b4fb5b5e-d196..." width="232" height="45" class="left" alt="BP - ALUNOS.jpg"></pre>  <p>BP - ALU NOS .jpg </p>	...@@@images/2ead77a9-5f3a-4879-9c73-52773fb494e9.jpeg (ifce.edu.br)	32.5 KiB 31.5 KiB
<pre>div.cycle -player > div.cycle -slide ></pre> <p>a > img </p>	...@@@images/6a82534b-527e-4fed-bbd1-6ac2b8e3863c.jpeg (ifce.edu.br)	67.8 KiB 30.0 KiB
<pre>div.cycle -player > div.cycle -slide ></pre> <p>a > img <img</p>	...@@@images/10934de3-96ea-458a-9ab8-c0e8af08f34.jpeg (ifce.edu.br)	63.3 KiB 27.6 KiB





Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

URL	Resource Size	Potential Savings
 <pre> div.cycle -player > div.cycle -slide > ...@@@images/0a60618a-d9a1-443e-9e54- ef4d2b5708c8.jpeg (ifce.edu.br) </pre>	56.3 KiB	25.8 KiB
 <pre> CNP q </pre>	27.6 KiB	25.7 KiB
 <pre> MEC </pre>	26.1 KiB	24.5 KiB
 <pre> div.cycle -player > div.cycle -slide > ...@@@images/18ff30b4-bb59-42cb-a0a5- 3ddda6d328b4f.jpeg (ifce.edu.br) </pre>	58.0 KiB	23.0 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Resource Size	Potential Savings
 <pre>CAP ES </pre>	23.8 KiB	22.2 KiB
 <pre>div.cycle- player > div.cycle- slide > a > img ...@@@images/22ff4d38-f634-4cba-9ef9- db7aa0d58b79.jpeg (ifce.edu.br) </pre>	39.9 KiB	18.4 KiB
 <pre>Capt ura de Tela 2021 -04-16 às 21.40.02.png </pre>	17.0 KiB	14.4 KiB
 <pre>conif .png ...@@@images/c3f286d7-3164-4cfb-ac0a- fbdf8f6107eb.png (ifce.edu.br)</pre>	15.8 KiB	14.2 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Resource Size	Potential Savings
<pre>imagens/conif.png@@images/c3 ..." data-mce- src="resolveuid/4e4ad44806834 20dbcbbf80ef9cf23d5@@images/ image/mini" height="33" width="116" alt="conif.png" class="image-inline">></pre> 		
<pre>mapa.png </pre> 	16.8 KiB	13.0 KiB
<pre>Fale com o Campus </pre> 	22.5 KiB	10.3 KiB
<pre>div.cycle- player > div.cycle- slide > a > img ...@@@images/c48bd058-e665-49d3-b7e4- de8f1b9e1f06.jpeg (ifce.edu.br) </pre> 	18.4 KiB	8.8 KiB

Enable text compression — Potential savings of 30 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

URL	Transfer Size	Potential Savings
ifce.edu.br 1st Party	46.8 KiB	29.9 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	40.4 KiB	25.1 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

URL	Resource Size	Potential Savings
brasil.gov.br	107.2 KiB	49.3 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.2 KiB	49.3 KiB

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (4)

URL	Potential Savings
ifce.edu.br 1st Party	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	0.1 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br)	@babel/plugin-transform-classes
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br)	0.0 KiB
...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br)	@babel/plugin-transform-classes

■ Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

URL	Potential Savings
ifce.edu.br 1st Party	0 ms
	0 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

■ Avoid enormous network payloads — Total size was 4,506 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) [LCP]

Show 3rd-party resources (6)

URL	Transfer Size
YouTube [Video]	867.4 KiB
...en_US/base.js (www.youtube.com)	771.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	95.6 KiB
ifce.edu.br [1st Party]	755.0 KiB
...@@@images/a9f0d1fb-62ef-4cfa-ba65-89d643736fc9.png (ifce.edu.br)	321.0 KiB
...@@@images/6341b273-9ad0-4771-97eb-d1a9d93cc9cc.png (ifce.edu.br)	193.8 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	140.9 KiB
...@@@images/1d7da719-f419-4c62-b376-cce088....jpeg (ifce.edu.br)	99.2 KiB
Twitter [Social]	264.5 KiB
...chunks/3.6238497....js (platform.twitter.com)	160.9 KiB
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	103.6 KiB
Facebook [Social]	108.6 KiB
...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	108.6 KiB
brasil.gov.br	107.6 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	107.6 KiB

■ Serve static assets with an efficient cache policy — 32 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Show 3rd-party resources (9)

URL	Cache TTL	Transfer Size
ifce.edu.br [1st Party]		248 KiB
...++resource++brasil.gov.barra/barra.js (ifce.edu.br)	1d	41 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Cache TTL	Transfer Size
...fonts/opensans-800-webfont.woff (ifce.edu.br)	1d	24 KiB
...mini-banner-destaques/capes.jpg (ifce.edu.br)	1d	24 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br)	1d	24 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br)	1d	23 KiB
...imagens_menu_rapido/mapa.png (ifce.edu.br)	1d	17 KiB
/guaramirangalinklateral.png (ifce.edu.br)	1d	10 KiB
/++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br)	1d	7 KiB
...imagens_m.../Aluno1_.png (ifce.edu.br)	1d	5 KiB
...css/style.css (ifce.edu.br)	1d	3 KiB
...img/bg-menu-mobile.png (ifce.edu.br)	1d	3 KiB
/spinner.gif (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/icon-camera-download.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/footer-arrow.png (ifce.edu.br)	1d	2 KiB
...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br)	1d	1 KiB
...img/search-button-30px.png (ifce.edu.br)	1d	1 KiB
...img/bullet-banner-rotativo.gif (ifce.edu.br)	1d	1 KiB
...img/seta_verde.png (ifce.edu.br)	1d	1 KiB
...img/seta_azulclaro.png (ifce.edu.br)	1d	1 KiB
...img/seta_laranja.png (ifce.edu.br)	1d	1 KiB
...img/voltar-topo.png (ifce.edu.br)	1d	1 KiB
brasil.gov.br		108 KiB
/imagens/vlbras.gif (barra.brasil.gov.br)	7d	108 KiB
Twitter Social		28 KiB
/widgets.js (platform.twitter.com)	30m	28 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Cache TTL	Transfer Size
...app/vlibras-plugin.js (cdn.jsdelivr.net)	7d	7 KiB
...assets/access_icon.svg (cdn.jsdelivr.net)	7d	3 KiB
Facebook Social		19 KiB
...t39.30808-6/382....jpg?stp=... (scontent-lax3-1.xx.fbcdn.net)	14d	17 KiB
...t39.30808-1/308....jpg?stp=... (scontent-lax3-2.xx.fbcdn.net)	14d	2 KiB
Google/Doubleclick Ads Ad		1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

■ Ensure text remains visible during webfont load

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about `font-display`.](#) FCP LCP

Show 3rd-party resources (3)

URL	Potential Savings
ifce.edu.br 1st Party	2,270 ms
...fonts/opensans-400-webfont.woff (ifce.edu.br)	540 ms
...fonts/opensans-800-webfont.woff (ifce.edu.br)	870 ms
...fonts/opensans-700-webfont.woff (ifce.edu.br)	870 ms
Google Fonts Cdn	10 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOICnqEu....woff2 (fonts.gstatic.com)	0 ms
brasil.gov.br	770 ms
/static/opensans-bold.woff (barra.brasil.gov.br)	770 ms

■ Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Source


```
...en_US/base.js:8667:199 (www.youtube.com)
```

```
...en_US/base.js:6002:111 (www.youtube.com)
```

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

URL

ifce.edu.br 1st Party

```
div.cycle-player > div.cycle-slide  
> a > img  

```

```
...@@@images/1d7da719-f419-4c62-b376-  
cce088...jpeg (ifce.edu.br)
```



```
div.cycle-player > div.cycle-slide  
> a > img  

```


```
...@@@images/18ff30b4-bb59-42cb-a0a5-  
3dda6d328b4f.jpeg (ifce.edu.br)
```



```
div.cycle-player > div.cycle-slide  
> a > img  

```


```
...@@@images/18ff30b4-bb59-42cb-a0a5-  
3dda6d328b4f.jpeg (ifce.edu.br)
```



```
div.cycle-player > div.cycle-slide  
> a > img  

```

```
...@@@images/b6650617-b3f8-4a71-83c2-  
55f31345cde8.jpeg (ifce.edu.br)
```



```
div.cycle-player > div.cycle-slide  
> a > img  

```

```
...@@@images/95b8a282-e1df-4867-9c93-  
f74033ca0255.jpeg (ifce.edu.br)
```


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL




```

```




```
div.cycle-player > div.cycle-slide
> a > img

```




```
div.cycle-player > div.cycle-slide
> a > img

```



```
div.cycle-player > div.cycle-slide
> a > img

```




```
div.cycle-player > div.cycle-slide
> a > img

```



```
div.cycle-player > div.cycle-slide >
a > img


```



Acompanhe nossas redes sociais

```

```



Fale com o Campus

```

```

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

URL



Energife 2024 - Campus

Maracanaú

<img

src="https://ifce.edu.br/maracanau/imagens/banner-

...@@@images/a9f0d1fb-62ef-4cfa-ba65-89d643736fc9.png (ifce.edu.br)

rotativo/energife-2024-campus..." alt="Energife 2024 - Campus Maracanaú">

Initial server response time was short — Root document took 360 ms

Keep the server response time for the main document short because all other requests depend on it.

[Learn more about the Time to First Byte metric.](#) [FCP](#) [LCP](#)

URL	Time Spent
ifce.edu.br 1st Party	360 ms
/maracanau (ifce.edu.br)	360 ms

Avoid chaining critical requests — 32 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) [FCP](#) [LCP](#)

Maximum critical path latency: **5,685.717 ms**

Initial Navigation

/maracanau (ifce.edu.br)	
...brasil_gov_facetada/resourcecalendar_stylescalendar-cachekey....css (ifce.edu.br)	- 1,437.662 ms, 1.00 KiB
...css/style.css (ifce.edu.br)	- 1,438.441 ms, 3.18 KiB
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	- 1,613.154 ms, 36.48 KiB
...brasil_go.../resourceProducts.Doormat.stylesheetsdoormat-cac....css (ifce.edu.br)	- 1,437.701 ms, 1.48 KiB
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	- 1,456.048 ms, 8.68 KiB
...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br)	- 1,438.4 ms, 1.68 KiB
...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br)	- 1,614.161 ms, 16.02 KiB
...brasil_gov_facetada/resourcejquery-cachekey-8829350....css (ifce.edu.br)	- 1,442.367 ms, 1.36 KiB
...brasil_gov_facetada/jquery.autocomplete-cachekey-2f45277....css (ifce.edu.br)	- 1,429.017 ms, 1.29 KiB
...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br)	- 1,440.54 ms, 1.58 KiB
/static/opensans-bold.woff (barra.brasil.gov.br)	- 772.176 ms, 18.43 KiB
...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br)	- 1,449.683 ms, 2.35 KiB
/++resource++brasil_gov_tiles/banner_rotativo_is?v=74d45e3 (ifce.edu.br)	- 897.292 ms, 6.86 KiB

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).

The latest version is 11.5.0.

...brasil_gov_facetada/resourcebrasil.gov.portletcssmain-cac....css (ifce.edu.br) - 1,429.823 ms, 4.41 KiB
...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) - 1,798.65 ms, 79.27 KiB
...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) - 1,445.472 ms, 1.42 KiB
...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br)
...fonts/opensans-800-webfont.woff (ifce.edu.br) - 866.011 ms, 24.47 KiB
...fonts/opensans-700-webfont.woff (ifce.edu.br) - 866.811 ms, 24.22 KiB
...fonts/opensans-400-webfont.woff (ifce.edu.br) - 537.686 ms, 23.43 KiB
...brasil_gov_facetada/resourcecollective.nitfnitf-cachekey-7....css (ifce.edu.br) - 1,458.016 ms, 2.92 KiB
...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) - 1,454.16 ms, 3.91 KiB
...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) - 1,629.687 ms, 24.64 KiB
/app/vlibras-plugin.js (vlibras.gov.br)
...app/vlibras-plugin.js (cdn.jsdelivr.net) - 9.444 ms, 6.99 KiB
...brasil_gov_facetada/resourcecollective.z3cform.datagridfie....css (ifce.edu.br) - 1,430.677 ms, 1.34 KiB
...brasil_gov_facetada/resourcecollective.polcsscollective.....css (ifce.edu.br) - 1,428.138 ms, 1.09 KiB
...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) - 1,449.87 ms, 8.29 KiB
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) - 1,983.241 ms, 140.94 KiB
...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) - 1,452.93 ms, 1.02 KiB
...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachek....css (ifce.edu.br) - 1,431.198 ms, 3.16 KiB

>User Timing marks and measures — 15 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)





Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	5,733.92 ms	135.80 ms
Next.js-hydration	Measure	5,869.72 ms	11.58 ms
mark_pe	Mark	4,179.31 ms	
mark_pot_isc	Mark	4,243.55 ms	
mark_pot_ist	Mark	4,248.03 ms	
mark_pot_csms	Mark	4,252.82 ms	
mark_pot_csmf	Mark	4,254.38 ms	
mark_fs	Mark	4,274.65 ms	
mark_qoes	Mark	4,290.28 ms	
mark_ep_init_pr	Mark	4,390.02 ms	

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Name	Type	Start Time	Duration
mark_pot_cmf	Mark	4,838.49 ms	
beforeRender	Mark	5,869.72 ms	
afterHydrate	Mark	5,881.29 ms	

○ Avoid large layout shifts — 12 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Element	Layout shift impact
 Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE MINISTÉRIO DA... <code><div id="wrapper"></code>	0.015
 Central de Atendimento <code></code>	0.013
 Central de Atendimento <code><li id="portalservicos-suporte" class="portalservicos-item"></code>	0.012
 Sistemas <code></code>	0.012
 Sistemas <code><li id="portalservicos-intranet" class="portalservicos-item"></code>	0.012
 EGRESSOS ALUNO CURSOS Nossos canais de comunicação Entre em contato	0.009

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Layout shift
impact

Element

Maracanaú oferta 90



IFCE

<div id="portal-title" class="corto">

0.001



Maracanaú oferta 90 vagas para curso de Eletricista de Sistemas de Energias Renováveis

<div class="cell width-16 position-0" data-panel="">

0.000



1

0.000



2

0.000



3

0.000

Avoid long main-thread tasks — 20 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

Show 3rd-party resources (15)


URL	Start Time	Duration
YouTube <small>Video</small>		2,224 ms
...en_US/base.js (www.youtube.com)	23,268 ms	710 ms
...en_US/base.js (www.youtube.com)	23,979 ms	623 ms
...en_US/base.js (www.youtube.com)	21,800 ms	364 ms

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

URL	Start Time	Duration
/embed/eGNxs6auS1w?start=45 (www.youtube.com)	4,357 ms	72 ms
Twitter Social		495 ms
...chunks/3.6238497....js (platform.twitter.com)	19,545 ms	290 ms
/widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com)	8,135 ms	137 ms
...screen-name/%5BscreenName%5D-c33f0b0....js (platform.twitter.com)	12,579 ms	68 ms
ifce.edu.br 1st Party		479 ms
...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br)	18,016 ms	166 ms
...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br)	23,026 ms	108 ms
/maracanau (ifce.edu.br)	4,250 ms	107 ms
/maracanau (ifce.edu.br)	2,149 ms	98 ms
Google Tag Manager Tag-Manager		468 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	53,447 ms	261 ms
/gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com)	8,402 ms	136 ms
/gtag/js?id=UA-69373146-1 (www.googletagmanager.com)	5,331 ms	71 ms
Facebook Social		219 ms
...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net)	12,839 ms	137 ms
/pt_BR/all.js?hash=8a4783d... (connect.facebook.net)	6,069 ms	82 ms
Google Analytics Analytics		81 ms
/analytics.js (www.google-analytics.com)	6,753 ms	81 ms
Unattributable		71 ms
Unattributable	8,538 ms	71 ms

○ Avoid non-composited animations — 1 animated element found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) [CLS]

Element	Name
	Conteúdo acessível em Libras usando o VLibras Widget com opções das Avatares Íc...

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Element	Name
Unsupported CSS Property: border-top-left-radius	border-top-left-radius
Unsupported CSS Property: border-top-right-radius	border-top-right-radius
Unsupported CSS Property: border-bottom-left-radius	border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius	border-bottom-right-radius
Unsupported CSS Property: font-size	font-size

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (7)

Hide

● Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins](#). FCP LCP

● Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects](#). FCP LCP

○ Preload key requests



Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests](#). FCP LCP

● Remove duplicate modules in JavaScript bundles



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

● Largest Contentful Paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). LCP

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Element



- Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid `document.write\(\)`.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

- ⚠ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

SEI


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Failing Elements




SEI

<div class="option2">




Q-SELEÇÃO



Q-SELEÇÃO

<div class="option">



SISU



SISU

<div class="option">




INTRANET



INTRANET

<div class="option">




OUVIDORIA



OUVIDORIA

<div class="option" style="border-radius: 0px 7px 7px 0px;">



EXTENSÃO

<h2 class="outstanding-title">

Twitter

<li class="last-item">

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

These are opportunities to improve the legibility of your content.

NAMES AND LABELS


▲ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements



nav > ul#lista-barra-brasil > li > a#menu-icon



div#barra-brasil > div#wrapper-barra-brasil > span#brasil-vlibras > a.logo-vlibras




div.player > div.cycle-player > div.cycle-slide > a


▲ Image elements have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements



Energife 2024 - Campus Maracanaú



Acompanhe nossas redes sociais

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

Failing Elements



```

```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

 Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

 Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

 The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

 Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

 User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

 The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

 HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (18) Hide

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale]

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

see the contents of a web page. [Learn more about the viewport meta tag](#).

● [\[accesskey\] values are unique](#) ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys](#).

● [\[role\] values are valid](#) ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

● [Document has a <title> element](#) ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

● [\[id\] attributes on active, focusable elements are unique](#) ^

All focusable elements must have a unique id to ensure that they're visible to assistive technologies. [Learn how to fix duplicate ids](#).

● [<frame> or <iframe> elements have a title](#) ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles](#).

● [<html> element has a \[lang\] attribute](#) ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

● [<html> element has a valid value for its \[lang\] attribute](#) ^

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers.

[Learn more about form element labels.](#)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items (``) are contained within ``, `` or `<menu>` parent elements

Screen readers require list items (``) to be contained within a parent ``, `` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Values assigned to `role=""` are valid ARIA roles.

ARIA roles enable assistive technologies to know the role of each element on the web page. If the role values are misspelled, not existing ARIA role values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. [Learn more about ARIA roles.](#)

NOT APPLICABLE (38)

Hide

- `[aria-*]` attributes match their roles

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

- button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with role="dialog" or role="alertdialog" have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- [aria-hidden="true"] elements do not contain focusable descendants

Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA meter elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA progressbar elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA [role] that require children to contain a specific [role] have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- [role]s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the role=text attribute.](#)

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

○ ARIA tooltip elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

○ ARIA treeitem elements have accessible names ^

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

○ [aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

○ [aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

○ Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

○ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

○ <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

○ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ No element has a `[tabindex]` value greater than 0 ^

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

[tabindex attribute.](#)

- Tables have different content in the summary attribute and `<caption>`.

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#).

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#).

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#).

- `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute](#).

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#).

- All heading elements contain content.

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings](#).

- Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks](#).

- Elements with visible text labels have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. [Learn more about accessible names](#).

- Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption.

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

reader users. [Learn more about captions.](#)

- <td> elements in a large <table> have one or more table headers.

Screen readers have features to make navigating tables easier. Ensuring that <td> elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. [Learn more about table headers.](#)



Best Practices

GENERAL

- ▲ Uses deprecated APIs — 1 warning found

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Facebook [Social]	
UnloadHandler	...r/nDOMhvCeUjd.js?_nc_x=J3Wp8lg5Kz:328:820 (static.xx.fbcdn.net)

- ▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
ifce.edu.br [1st Party]	
...resolveuid/4f52c45...:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Source	Description
/++resource++collective.lazysizes/lazysizes-43c36fc.js:1:0 (ifce.edu.br)	Failed to load resource: the server responded with a status of 404 (Not Found)

⚠️ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

/embed/eGNxs6auS1w?start=45 (www.youtube.com)

○ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library](#). [detection](#) [diagnostic](#) [audit](#).

Name	Version
Bootstrap	>= 2.0.0 & <= 2.3.2
FlotCharts	0.7
jQuery	1.8.3
jQuery UI	1.10.2
Modernizr	2.0.4
jQuery Tools	@VERSION

USER EXPERIENCE

⚠️ Serves images with low resolution




Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

Show 3rd-party resources (1)

Displayed




Expected

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

	URL	Displayed size	Actual size	Expected size
	BG - NO SS AS SELEÇÕES.jpg			
		...@@images/ff9a83aa-62f0-4861-b621-c5ca5676ed7d.jpeg (ifce.edu.br)	372 x 63	385 x 65
	BG - PE RG UN TAS FREQUENTES.jpg			
		...@@images/a0d56f00-ea49-45c1-985b-08fe10edf628.jpeg (ifce.edu.br)	372 x 63	385 x 65
	SELEÇÕES EGRESSOS ALUNO CURSOS BP - ALUNOS.jpg			
		...@@images/2ead77a9-5f3a-4879-9c73-52773fb494e9.jpeg (ifce.edu.br)	232 x 45	232 x 45
	EGRESSOS ALUNO CURSOS ALUNO.jpg			
		...@@images/a696f03a-fa29-42a8-9500-1ba1608aae34.jpeg (ifce.edu.br)	232 x 45	232 x 45

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

[src= https://ifce.edu.br/](https://ifce.edu.br/)

	URL	Displayed size	Actual size	Expected size		
maracanau/home/@@collective.cover.banner/b51094d9-559f... width="232" height="45" class="left" alt="BP - CURSOS.jpg">						
BP - EGRESSOS.jpg 		...@@images/89c8afa8-e551-46a4-9deb-43f23c17df64.jpeg (ifce.edu.br)	232 x 45	232 x 45		
brasil.gov.br		div#wrapper-barra-brasil > span#brasil-vlibras > span.link-vlibras > img	/imagens/vlibras.gif (barra.brasil.gov.br)	132 x 116	132 x 116	198 x 174

TRUST AND SAFETY

 Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

- Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

- Avoids third-party cookies

Support for third-party cookies will be removed in a future version of Chrome. [Learn more about phasing out third-party cookies](#).

- Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

- Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

- Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

- Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

● **Avoids `unload` event listeners** ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more about `unload` event listeners](#)

● **Page has valid source maps** ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (1)

URL	Map URL
ifce.edu.br 1st Party	
...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br)	...brasil_gov_facetada/nitf.js.map (ifce.edu.br)
SyntaxError: Unexpected token '<', "<!DOCTYPE "... is not valid JSON	
Other Google APIs/SDKs Utility	
...th/wAFWjcG1j....js (www.google.com)	

NOT APPLICABLE (1)

Hide

○ **Fonts with `font-display: optional` are preloaded** ^

Preload optional fonts so first-time visitors may use them. [Learn more about preloading fonts](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

⚠ Links are not crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link

Revalidação de diploma

```
<a href="/" class="state-published" target="_blank">
```

⚠ robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).












Line #	Content	Error
1	Sitemap: /sitemap.xml.gz	Invalid sitemap URL

To appear in search results, crawlers need access to your app.

MOBILE FRIENDLY

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more about tap targets](#).


Tap Target	Size	Overlapping Target
	1 22x20	 ALUNO CURSOS Fale com o Campus
	2 22x20	 ALUNO CURSOS Fale com o Campus
	SEI 13x10	 OUVIDORIA
	Contatos 71x16	 Central de Atendimento
	Ouvidoria 75x16	 Acesso à informação
	Ouvidoria 75x16	 Central de Atendimento

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Tap Target


Size

Overlapping Target




Central de
Atendimento
<a
href="https://
suap.ifce.edu.
br/centralservicos/chamado_externo_abrir
/" target="_blank">

83x16



Licitações
<a
href="/ifce/pro
ap/licitacoes-
e-compras">




Sobre o IFCE
<a
href="/acesso-
a-informacao-
1/Instituciona
1">

91x16




Comunicação
Social
<a
href="https://i
fce.edu.br/serv




3
<a
href="https://
ifce.edu.br/mar
racanau/imagen
s/banner-rotativo/fale-com-o-campus/vi..."
class="button-nav" style="top: 105px; >

21x20




2
<a
href="https://i
fce.edu.br/mara
canau/imagens/b
anner-rotativo/accompanhe-nossas-red..."
class="button-nav" style="top: 105px; >




1
<a
href="https://
ifce.edu.br/mar
racanau/imagen
s/banner-rotativo/energife-2024-campus.."
class="button-nav" style="top: 105px; >

22x20




2
<a
href="https://i
fce.edu.br/mara
canau/imagens/b
anner-rotativo/accompanhe-nossas-red..."
class="button-nav" style="top: 105px; >




Instituto Federal de
Educação, Ciência e
Tecnologia do Ceará
IFCE MINISTÉRIO
DA...

379x42



ALTO
CONTRASTE
<a href="#"
accesskey="6">

<a id="portal-logo"
href="https://ifce.edu.br">







Instituto Federal de
Educação, Ciência e
Tecnologia do Ceará
IFCE MINISTÉRIO
DA...

379x42



div#portal-searchbox
>
form#nolivesearchGa
dget_form >
fieldset.LSBox >
input#nolivesearchGadget
<input name="SearchableText" type="text"
size="18" placeholder="Buscar no portal"
class="searchField"
id="nolivesearchGadget">

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0).
The latest version is 11.5.0.

Tap Target	Size	Overlapping Target
		
	91x16	 div#portal-searchbox > form#nolivesearchGadget_form > fieldset.LSBox > input#nolivesearchGadget <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">
	138x16	 div#portal-searchbox > form#nolivesearchGadget_form > fieldset.LSBox > input#nolivesearchGadget <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">
	71x16	 div#portal-searchbox > form#nolivesearchGadget_form > fieldset.LSBox > input#nolivesearchGadget <input name="SearchableText" type="text" size="18" placeholder="Buscar no portal" class="searchField" id="nolivesearchGadget">

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn how to make pages mobile-friendly.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

PASSED AUDITS (10)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#). TBT

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

- Document has a valid `hreflang`

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

- Document has a valid `rel=canonical`

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

● Document uses legible font sizes — **92.3% legible text**

^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes.](#)

 Show 3rd-party resources (1)

Source	Selector	% of Page Text	Font Size
ifce.edu.br [1st Party]			
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1223:29 (ifce.edu.br)	.album-tile .open-album, .album- tile .download-album	2.06%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2946:48 (ifce.edu.br)	#content .outstanding-header .outstanding-link	1.39%	11.232px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:993:59 (ifce.edu.br)	#tile_banner_rotativo.chamada_sem_f oto li .banner .title	1.05%	9.984px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:2482:22 (ifce.edu.br)	.tile .tile-subtitle	0.81%	11.232px
/maracanau/home/:1960:18 (ifce.edu. br)	#manager	0.59%	8px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:4151:21 (ifce.edu.br)	#portal-siteactions	0.53%	10.8px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1766:19 (ifce.edu.br)	#portal-searchbox	0.43%	9.6px
...			
brasil_gov_facetada/resourcebrasil.g ov.tilestiles- cachekey....css:1260:21 (ifce.edu.br)	.album-tile .footer	0.29%	9.984px
...css/style.css:76:9 (ifce.edu.br)	.anchor	0.24%	0px

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Source	Selector	% of Page Text	Font Size
ov.tilestiles-cachekey....css:2881:39 (ifce.edu.br)			
Facebook Social			
...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz:15:225 (static.xx.fbcdn.net)	.plugin, .plugin button, .plugin input, .plugin label, .plugin select, .plugin td, .plugin textarea	0.17%	11px
Unattributable			
Legible text		92.30%	≥ 12px

● Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them.

[Learn more about avoiding plugins.](#)

Alongside [Chrome's updated Installability Criteria](#), Lighthouse will be deprecating the PWA category in a future release. Please refer to the [updated PWA documentation](#) for future PWA testing.



PWA

These checks validate the aspects of a Progressive Web App. [Learn what makes a good Progressive Web App.](#)



Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more about manifest installability requirements.](#)

Failure reason

No manifest was fetched



PWA OPTIMIZED

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more about splash screens.](#)

- ▲ Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. [Learn more about theming the address bar.](#)

- ▲ Content is not sized correctly for the viewport

The viewport size of 434px does not match the window size of 412px.

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn how to size content for the viewport.](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#) TBT

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn about maskable manifest icons.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

- Site works cross-browser

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.

Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more about page transitions.](#)

Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more about providing deep links.](#)

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

📅 Captured at Feb 3, 2024, 2:56 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

📡 Unknown

🌐 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (11.4.0). The latest version is 11.5.0.