



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

The screenshot shows the official website of IFCE (Instituto Federal de Ciências e Tecnologia do Ceará). The header features the IFCE logo and navigation links like 'Sobre o IFCE', 'Acessibilidade', 'Contatos', 'Sistemas', 'Comunicação Social', 'Gestão', and 'Links Úteis'. A banner for 'PREPARATÓRIO PARA CONCURSOS' is prominently displayed, along with social media icons and contact information. The page has a green and white color scheme.

METRICS

[Expand view](#)

▲ First Contentful Paint

18.6 s

● Total Blocking Time

60 ms

▲ Speed Index

20.6 s

[View Treemap](#)



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 19,110 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) [FCP] [LCP]

URL

| Transfer Size | Potential Savings |
|---------------|-------------------|
| 374.8 KiB | 25,980 ms |

ifce.edu.br [1st Party](#)

| URL | Transfer Size | Potential Savings |
|--|---------------|-------------------|
| ...brasil_gov_facetada/reset-cachekey-abe6adb....css (ifce.edu.br) | 1.0 KiB | 1,920 ms |
| ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) | 16.0 KiB | 2,450 ms |
| ...brasil_gov_facetada/resourceplone.app.jquerytools.overlays....css (ifce.edu.br) | 2.3 KiB | 1,920 ms |
| ...brasil_gov_facetada/resourcecollection-cachekey-c9796de....css (ifce.edu.br) | 2.6 KiB | 1,920 ms |
| ...brasil_gov_facetada/resourcebrasil.gov.agendaagenda-cachekey....css (ifce.edu.br) | 3.2 KiB | 860 ms |
| ...brasil_gov_facetada/embedder-cachekey-1392d12....css (ifce.edu.br) | 1.6 KiB | 860 ms |
| ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br) | 22.9 KiB | 860 ms |
| ...brasil_gov_facetada/resourcebrasil.gov.portletscssmain-cac....css (ifce.edu.br) | 4.4 KiB | 860 ms |
| ...brasil_gov_facetada/resourcecollective.carouselcarousel-ca....css (ifce.edu.br) | 1.4 KiB | 860 ms |
| ...brasil_gov_facetada/resourceselect2select2-cachekey-67e9ce....css (ifce.edu.br) | 3.6 KiB | 860 ms |
| ...brasil_gov_facetada/resourceplone.formwidget.datetimestyle....css (ifce.edu.br) | 3.9 KiB | 860 ms |
| /++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br) | 1.9 KiB | 860 ms |
| ...css/style.css (ifce.edu.br) | 3.2 KiB | 860 ms |
| ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) | 140.9 KiB | 2,450 ms |
| ...brasil_gov_facetada/resourceplone.formwidget.querystring.qu....js (ifce.edu.br) | 8.7 KiB | 860 ms |
| ...brasil_gov_facetada/resourceplone.formwidget.contenttreecon....js (ifce.edu.br) | 24.6 KiB | 1,390 ms |
| ...brasil_gov_facetada/resourcecollective.js.bootstrapjsbootst....js (ifce.edu.br) | 8.3 KiB | 860 ms |
| ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) | 79.3 KiB | 1,390 ms |
| ...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br) | 36.5 KiB | 1,390 ms |
| ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) | 1.7 KiB | 860 ms |
| /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) | 6.9 KiB | 860 ms |

▲ Reduce unused JavaScript — Potential savings of 1,623 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). [LCP]

Show 3rd-party resources (19)

| URL | | Transfer Size | Potential Savings |
|--|--|---------------|-------------------|
| YouTube Video | | 865.9 KiB | 583.2 KiB |
| ...en_US/base.js (www.youtube.com) | | 771.0 KiB | 531.9 KiB |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | | 94.8 KiB | 51.3 KiB |
| Twitter Social | | 494.8 KiB | 359.8 KiB |
| ...chunks/3.6238497....js (platform.twitter.com) | | 160.2 KiB | 112.4 KiB |
| /widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com) | | 102.8 KiB | 99.3 KiB |
| ...chunks/modules.20f98d7....js (platform.twitter.com) | | 93.5 KiB | 55.7 KiB |
| ...chunks/0.9098e7e....js (platform.twitter.com) | | 76.0 KiB | 49.2 KiB |
| ...chunks/4.1579d56....js (platform.twitter.com) | | 62.2 KiB | 43.2 KiB |
| spotifycdn.com | | 457.8 KiB | 265.7 KiB |
| ...chunks/fec483df-e793d3f4aac0c1fc.js (embed-cdn.spotifycdn.com) | | 100.5 KiB | 70.6 KiB |
| ...pages/_app-9851929b834c1219.js (embed-cdn.spotifycdn.com) | | 143.1 KiB | 59.7 KiB |
| ...chunks/396-5ce3af1ccb0ab43d.js (embed-cdn.spotifycdn.com) | | 78.8 KiB | 46.8 KiB |
| ...chunks/536.905e6d5c206e107e.js (embed-cdn.spotifycdn.com) | | 59.3 KiB | 40.7 KiB |
| ...chunks/main-45d0e026ad3339d5.js (embed-cdn.spotifycdn.com) | | 44.0 KiB | 25.1 KiB |
| ...chunks/520.b26d42f2254c3459.js (embed-cdn.spotifycdn.com) | | 32.0 KiB | 22.7 KiB |
| ifce.edu.br 1st Party | | 252.6 KiB | 177.6 KiB |
| ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) | | 138.3 KiB | 87.3 KiB |
| ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) | | 78.6 KiB | 65.1 KiB |
| ...brasil_gov_facetada/resourcesl_scriptsocial_like-cachekey-....js (ifce.edu.br) | | 35.8 KiB | 25.2 KiB |
| Facebook Social | | 250.5 KiB | 176.4 KiB |
| ...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | | 107.3 KiB | 71.8 KiB |
| /pt_BR/all.js?hash=7a9d948... (connect.facebook.net) | | 85.9 KiB | 56.9 KiB |
| ...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | | 30.5 KiB | 26.9 KiB |
| ...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | | 26.8 KiB | 20.8 KiB |

| URL | Transfer Size | Potential Savings |
|--|---------------|-------------------|
| Google Tag Manager Tag-Manger | 148.2 KiB | 60.7 KiB |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com) | 68.1 KiB | 31.0 KiB |
| /gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com) | 80.1 KiB | 29.8 KiB |


⚠ Serve images in next-gen formats — Potential savings of 8,685 KiB ^


Warnings: Unable to locate resource ...@@@images/image

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

Show 3rd-party resources (2)

| URL | Resource Size | Potential Savings |
|--|---------------|-------------------|
| ifce.edu.br 1st Party | 13,069.4 KiB | 8,586.7 KiB |
|  | | |
| div.galleria-stage > div.galleria-images > div.galleria-image > img | 12,098.6 KiB | 7,873.6 KiB |
|  | | |
| ...@@@images/image (ifce.edu.br) | 444.6 KiB | 274.5 KiB |
| ...@@@images/5512e2a2-156f-4b09-b89b-235b16cf9905.png (ifce.edu.br) | 177.7 KiB | 155.1 KiB |
| Energife 2024.1 <img src="https://ifce.edu.br/ | | |

| URL | Resource Size | Potential Savings |
|--|---------------|-------------------|
| <pre>tabuleirodonorte/home/@@n itf/ea6fc9ffb2b84a908d25a 208d..." width="400" height="266" class="left" alt="Energife 2024.1"></pre>  <p>Preparatório para Concursos - Inscreva-se</p> | | |
| <pre></pre>  <p>Edital disponível</p> | 135.0 KiB | 112.0 KiB |
| <pre></pre>  <p>orgaos</p> | 116.0 KiB | 93.5 KiB |
| <pre></pre>  | 51.9 KiB | 45.1 KiB |

| URL | Resource Size | Potential Savings |
|--|---|----------------------|
|  | | |
| mapa.png | ... imagens_menu_rapido/mapa.png (ifce.edu. br) | 16.8 KiB 13.0 KiB |
|  | | |
| Eventos campus Tabuleiro do Norte | ...@@@images/b9c6b5be-bfaf-4659-b159- 03e1bc597499.png (ifce.edu.br) | 14.0 KiB 11.7 KiB |
|  | | |
| Google+ | ...img/sprite.png (ifce.edu.br) | 15.0 KiB 8.3 KiB |
| Facebook Social | 86.4 KiB | 71.8 KiB |
| | ...t39.30808-6/274....png?stp=... (scontent- atl3-2.xx.fcdn.net) | 86.4 KiB 71.8 KiB |
| Spotify Content | 46.1 KiB | 26.5 KiB |
| | /image/ab67656... (i.scdn.co) | 46.1 KiB 26.5 KiB |



▲ Reduce initial server response time — Root document took 660 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

| URL | Time Spent |
|------------------------------------|------------|
| ifce.edu.br 1st Party | 660 ms |
| /tabuleirodonorte (ifce.edu.br) | 660 ms |

⚠ Avoid an excessive DOM size — 860 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

| Statistic | Element | Value |
|------------------------|---|--|
| Total DOM Elements | | 860 |
| Maximum DOM Depth |  | 19 <pre>div.galleria-thumbnails-list > div.galleria-thumbnails > div.galleria-image > img </pre> |
| Maximum Child Elements |  | 24 <pre>Institucional Formas de ingresso Ações e Programas Auditorias Convênios Receita... <ul class="navTree navTreeLevel0"></pre> |

⚠ Reduce JavaScript execution time — 3.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

Show 3rd-party resources (16)

| URL | Total CPU Time | Script Evaluation | Script Parse |
|--|----------------|-------------------|--------------|
| YouTube Video | 1,704 ms | 1,438 ms | 77 ms |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 1,028 ms | 879 ms | 11 ms |
| ...en_US/base.js (www.youtube.com) | 589 ms | 517 ms | 59 ms |

| URL | Total CPU Time | Script Evaluation | Script Parse |
|---|----------------|-------------------|--------------|
| /embed/YRxejsMym8 (www.youtube.com) | 87 ms | 41 ms | 6 ms |
| ifce.edu.br 1st Party | 979 ms | 285 ms | 17 ms |
| /tabuleirodonorte (ifce.edu.br) | 553 ms | 9 ms | 4 ms |
| ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29...js (ifce.edu.br) | 347 ms | 216 ms | 13 ms |
| ...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br) | 80 ms | 60 ms | 0 ms |
| spotifycdn.com | 685 ms | 589 ms | 22 ms |
| ...pages/_app-9851929b834c1219.js (embed-cdn.spotifycdn.com) | 213 ms | 158 ms | 11 ms |
| ...chunks/framework-9061fa2704610d1a.js (embed-cdn.spotifycdn.com) | 196 ms | 185 ms | 3 ms |
| ...episode/%5Bid%5D-7ae0b1245e900524.js (embed-cdn.spotifycdn.com) | 107 ms | 96 ms | 0 ms |
| ...chunks/882.407d120c9582a45a.js (embed-cdn.spotifycdn.com) | 107 ms | 94 ms | 0 ms |
| ...chunks/536.905e6d5c206e107e.js (embed-cdn.spotifycdn.com) | 62 ms | 55 ms | 7 ms |
| Twitter Social | 469 ms | 354 ms | 52 ms |
| ...chunks/3.6238497...js (platform.twitter.com) | 227 ms | 209 ms | 14 ms |
| /widgets.js (platform.twitter.com) | 92 ms | 71 ms | 6 ms |
| /widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com) | 82 ms | 13 ms | 25 ms |
| ...chunks/modules.20f98d7....js (platform.twitter.com) | 69 ms | 61 ms | 6 ms |
| Unattributable | 438 ms | 54 ms | 0 ms |
| Unattributable | 438 ms | 54 ms | 0 ms |
| Facebook Social | 218 ms | 149 ms | 27 ms |
| /plugins/like_box.php?app_id=... (www.facebook.com) | 121 ms | 80 ms | 5 ms |
| /pt_BR/all.js?hash=7a9d948... (connect.facebook.net) | 97 ms | 69 ms | 22 ms |
| Google Tag Manager Tag-Manager | 128 ms | 115 ms | 10 ms |
| /gtag/js?id=G-T5BY9KCP5&l=dataLayer&cx=c (www.googletagmanager.com) | 73 ms | 65 ms | 6 ms |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com) | 55 ms | 50 ms | 4 ms |

▲ Minimize main-thread work — 5.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) [TBT]

| Category | Time Spent |
|------------------------------|------------|
| Script Evaluation | 3,172 ms |
| Other | 686 ms |
| Style & Layout | 431 ms |
| Script Parsing & Compilation | 293 ms |
| Garbage Collection | 197 ms |
| Rendering | 146 ms |
| Parse HTML & CSS | 96 ms |

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 1,320 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact](#) [TBT]

| Third-Party | Transfer Size | Main-Thread Blocking Time |
|--|---------------|---------------------------|
| YouTube Video | 973 KiB | 1,065 ms |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 96 KiB | 683 ms |
| ...en_US/base.js (www.youtube.com) | 772 KiB | 381 ms |
| ...a1d7d0f8/www-player.css (www.youtube.com) | 47 KiB | 0 ms |
| /embed/YRxejsMyms8 (www.youtube.com) | 40 KiB | 0 ms |
| ...en_US/embed.js (www.youtube.com) | 17 KiB | 0 ms |
| ...stats/qoe?cpn=... (www.youtube.com) | 0 KiB | 0 ms |
| ...v1/log_event?alt=json&key=AlzaSyAO_... (www.youtube.com) | 0 KiB | 0 ms |
| /generate_204?DV4RdA (www.youtube.com) | 0 KiB | 0 ms |
| Twitter Social | 617 KiB | 157 ms |
| ...chunks/3.6238497....js (platform.twitter.com) | 161 KiB | 157 ms |
| /widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com) | 104 KiB | 0 ms |
| ...chunks/modules.20f98d7....js (platform.twitter.com) | 94 KiB | 0 ms |
| ...chunks/0.9098e7e....js (platform.twitter.com) | 77 KiB | 0 ms |

| Third-Party | Transfer Size | Main-Thread Blocking Time |
|--|------------------|---------------------------|
| ...chunks/4.1579d56....js (platform.twitter.com) | 63 KiB | 0 ms |
| ...chunks/1.2a1457a....js (platform.twitter.com) | 49 KiB | 0 ms |
| /widgets.js (platform.twitter.com) | 28 KiB | 0 ms |
| ...chunks/33.72d4e8a....js (platform.twitter.com) | 13 KiB | 0 ms |
| ...chunks/2.691622e....js (platform.twitter.com) | 8 KiB | 0 ms |
| /js/timeline.e108540....js (platform.twitter.com) | 4 KiB | 0 ms |
| ...chunks/ondemand.Dropdown.0890ced....js (platform.twitter.com) | 3 KiB | 0 ms |
| ...chunks/runtime-a697c5a....js (platform.twitter.com) | 3 KiB | 0 ms |
| ...screen-name/ifcetabuleiro?dnt=... (syndication.twitter.com) | 2 KiB | 0 ms |
| ...screen-name/%5BscreanName%5D-c33f0b0....js (platform.twitter.com) | 2 KiB | 0 ms |
| ...chunks/6.902e7a2....js (platform.twitter.com) | 2 KiB | 0 ms |
| ...pages/_app-88bf420....js (platform.twitter.com) | 1 KiB | 0 ms |
| ...pc7SXdl2p.../_buildManifest.js (platform.twitter.com) | 1 KiB | 0 ms |
| /settings?session_id=f3aba0d... (syndication.twitter.com) | 1 KiB | 0 ms |
| ...chunks/main-fd9ef5e....js (platform.twitter.com) | 1 KiB | 0 ms |
| ...pc7SXdl2p.../_ssgManifest.js (platform.twitter.com) | 1 KiB | 0 ms |
| /i/jot?I=... (syndication.twitter.com) | 0 KiB | 0 ms |
| spotifycdn.com | 1,287 KiB | 85 ms |
| ...episode/%5Bid%5D-7ae0b1245e900524.js (embed-cdn.spotifycdn.com) | 1 KiB | 42 ms |
| ...chunks/framework-9061fa2704610d1a.js (embed-cdn.spotifycdn.com) | 45 KiB | 26 ms |
| ...chunks/882.407d120c9582a45a.js (embed-cdn.spotifycdn.com) | 2 KiB | 13 ms |
| ...chunks/536.905e6d5c206e107e.js (embed-cdn.spotifycdn.com) | 60 KiB | 4 ms |
| /bandwidth_sampling_data?no-cache=0.810... (web-sdk-assets.spotifycdn.com) | 685 KiB | 0 ms |
| ...pages/_app-9851929b834c1219.js (embed-cdn.spotifycdn.com) | 144 KiB | 0 ms |
| ...chunks/fec483df-e793d3f4aac0c1fc.js (embed-cdn.spotifycdn.com) | 101 KiB | 0 ms |
| ...chunks/396-5ce3af1ccb0ab43d.js (embed-cdn.spotifycdn.com) | 80 KiB | 0 ms |
| ...chunks/main-45d0e026ad3339d5.js (embed-cdn.spotifycdn.com) | 45 KiB | 0 ms |
| ...chunks/745-4ea528...d3.js (embed-cdn.spotifycdn.com) | 39 KiB | 0 ms |
| ...chunks/520.b26d42f2254c3459.js (embed-cdn.spotifycdn.com) | 33 KiB | 0 ms |
| ...chunks/369.2469e2f29ca912f2.js (embed-cdn.spotifycdn.com) | 13 KiB | 0 ms |
| ...chunks/spotify_player_o.2e9b5ce8bf41889e.js (embed-cdn.spotifycdn.com) | 8 KiB | 0 ms |

| Third-Party | Transfer Size | Main-Thread Blocking Time |
|---|----------------|---------------------------|
| ...chunks/594-284e2b73b8c68654.js (embed-cdn.spotifycdn.com) | 7 KiB | 0 ms |
| ...css/192261c9a6efeac6.css (embed-cdn.spotifycdn.com) | 6 KiB | 0 ms |
| ...chunks/463-cd3bdc4b44e07b72.js (embed-cdn.spotifycdn.com) | 5 KiB | 0 ms |
| ...css/461cd0504da4fff1.css (embed-cdn.spotifycdn.com) | 5 KiB | 0 ms |
| ...css/364d0cc114e2dc9d.css (embed-cdn.spotifycdn.com) | 3 KiB | 0 ms |
| ...chunks/webpack-ea34bc3366caf997.js (embed-cdn.spotifycdn.com) | 3 KiB | 0 ms |
| ...524a508d-.../_buildManifest.js (embed-cdn.spotifycdn.com) | 2 KiB | 0 ms |
| ...524a508d-.../_ssgManifest.js (embed-cdn.spotifycdn.com) | 1 KiB | 0 ms |
| Google Tag Manager Tag-Manager | 150 KiB | 10 ms |
| /gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com) | 81 KiB | 10 ms |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com) | 69 KiB | 0 ms |
| Facebook Social | 379 KiB | 0 ms |
| ...r/nDOmhvCeUjd.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 109 KiB | 0 ms |
| /pt_BR/all.js?hash=7a9d948... (connect.facebook.net) | 88 KiB | 0 ms |
| ...t39.30808-6/274....png?stp=... (scontent-atl3-2.xx.fbcdn.net) | 87 KiB | 0 ms |
| ...pt_BR/5IFVSw5iabs.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 32 KiB | 0 ms |
| ...r/2o-XRyr-n9k.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 28 KiB | 0 ms |
| /plugins/like_box.php?app_id=... (www.facebook.com) | 16 KiB | 0 ms |
| ...0,cross/1r0WOAs0gZ6.css?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 6 KiB | 0 ms |
| ...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 4 KiB | 0 ms |
| /pt_BR/all.js (connect.facebook.net) | 4 KiB | 0 ms |
| ...t39.30808-1/274....jpg?stp=... (scontent-atl3-2.xx.fbcdn.net) | 2 KiB | 0 ms |
| ...r/UXtr_j2Fwe-.png (static.xx.fbcdn.net) | 2 KiB | 0 ms |
| ...r/p55HfXW__mM.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 1 KiB | 0 ms |
| Spotify Content | 227 KiB | 0 ms |
| /fonts/CircularS....woff2 (encore.scdn.co) | 88 KiB | 0 ms |
| /fonts/CircularS....woff2 (encore.scdn.co) | 83 KiB | 0 ms |
| /image/ab67656... (i.scdn.co) | 47 KiB | 0 ms |
| ...episode/1Z5SC4JHA...?utm_source=generator (open.spotify.com) | 5 KiB | 0 ms |
| ...v3/events (guc3-spclient.spotify.com) | 3 KiB | 0 ms |
| ?type=dealer&type=spclient (apresolve.spotify.com) | 1 KiB | 0 ms |
| /embed/monitoring?o=22381&p=450... (open.spotify.com) | 0 KiB | 0 ms |

| Third-Party | Transfer Size | Main-Thread Blocking Time |
|--|----------------|---------------------------|
| blob:https://open.spotify.com/46492001-ef0d-4094-b952-2e1ad8579f68 | 0 KiB | 0 ms |
| brasil.gov.br | 126 KiB | 0 ms |
| /imagens/vlibras.gif (barra.brasil.gov.br) | 108 KiB | 0 ms |
| /static/opensans-bold.woff (barra.brasil.gov.br) | 18 KiB | 0 ms |
| Other Google APIs/SDKs Utility | 63 KiB | 0 ms |
| ...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com) | 41 KiB | 0 ms |
| ...th/wAFWjcG1j...js (www.google.com) | 20 KiB | 0 ms |
| ...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com) | 1 KiB | 0 ms |
| /ads/ga-audiences?t=... (www.google.com) | 1 KiB | 0 ms |
| Google Fonts Cdn | 23 KiB | 0 ms |
| ...v18/KFOICnqEu....woff2 (fonts.gstatic.com) | 11 KiB | 0 ms |
| ...v18/KFOmCnqEu....woff2 (fonts.gstatic.com) | 11 KiB | 0 ms |
| Google Analytics Analytics | 21 KiB | 0 ms |
| /analytics.js (www.google-analytics.com) | 21 KiB | 0 ms |
| /j/collect?v=... (www.google-analytics.com) | 0 KiB | 0 ms |
| /g/collect?v=... (analytics.google.com) | 0 KiB | 0 ms |
| JSDelivr CDN Cdn | 21 KiB | 0 ms |
| ...assets/access_popup.jpg (cdn.jsdelivr.net) | 10 KiB | 0 ms |
| ...app/vlibras-plugin.js (cdn.jsdelivr.net) | 7 KiB | 0 ms |
| ...assets/access_icon.svg (cdn.jsdelivr.net) | 3 KiB | 0 ms |
| Google/Doubleclick Ads Ad | 3 KiB | 0 ms |
| /pagead/id?slf_rd=1 (googleads.g.doubleclick.net) | 1 KiB | 0 ms |
| /pagead/id (googleads.g.doubleclick.net) | 1 KiB | 0 ms |
| /instream/ad_status.js (static.doubleclick.net) | 1 KiB | 0 ms |
| /j/collect?t=... (stats.g.doubleclick.net) | 1 KiB | 0 ms |
| /g/collect?v=... (stats.g.doubleclick.net) | 0 KiB | 0 ms |
| vlibras.gov.br | 2 KiB | 0 ms |
| ...assets/access_popup.jpg (vlibras.gov.br) | 1 KiB | 0 ms |
| ...assets/access_icon.svg (vlibras.gov.br) | 1 KiB | 0 ms |
| /app/vlibras-plugin.js (vlibras.gov.br) | 1 KiB | 0 ms |

⚠ Some third-party resources can be lazy loaded with a facade — **1 facade alternative available** ⚡

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

| Product | Transfer Size | Main-Thread Blocking Time |
|---|---------------|---------------------------|
| YouTube Video | 973 KiB | 1,065 ms |
| YouTube Embedded Player (Video) | 973 KiB | 1,065 ms |
| ...en_US/base.js (www.youtube.com) | 772 KiB | 381 ms |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 96 KiB | 683 ms |
| ...a1d7d0f8/www-player.css (www.youtube.com) | 47 KiB | 0 ms |
| /embed/YRxejsMyms8 (www.youtube.com) | 40 KiB | 0 ms |
| ...en_US/embed.js (www.youtube.com) | 17 KiB | 0 ms |

▲ Largest Contentful Paint element — 28,450 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element.](#) LCP

| Element |
|--|
|  Preparatório para Concursos - Inscreva-se |


| Phase | % of LCP | Timing |
|--------------|----------|-----------|
| TTFB | 2% | 490 ms |
| Load Delay | 78% | 22,090 ms |
| Load Time | 17% | 4,900 ms |
| Render Delay | 3% | 980 ms |

▲ Avoid large layout shifts — 21 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS.](#) CLS

Layout
shift
impact

Element



conteúdo EM DESTAQUE Q-SELEÇÃO ORÇAMENTO TELEFONES

CURSOS EM TABULEIRO 1 Prepar...

```
<div id="portal-column-content" class="cell width-3:4 position-1:4">
```

0.075



SISU 2024 Campus divulga cronograma de matrículas dos cursos superiores Campu...

```
<div class="row">
```

0.069



EXTENSÃO Aberto preparatório para concurso público São 120 vagas para curso n...

```
<div class="row">
```

0.037



Eventos campus Tabuleiro do Norte

```
<div class="row">
```

0.015



Eventos campus Tabuleiro do Norte

```
<div class="cell width-16 position-0 " data-panel="">
```

0.015




CAMPUS TABULEIRO DO NORTE O campus Cursos em Tabuleiro

Contatos Campus Tabuleir...

```
<div id="portal-column-one" class="cell width-1:4 position-0">
```

0.015



Instituto Federal de Educação, Ciência e Tecnologia do Ceará IFCE

MINISTÉRIO DA...

```
<div id="wrapper">
```

0.009



div#portal-column-content > div > div#content > div.row

```
<div class="row">
```

0.007



IFCE

```
<div id="portal-title" class="corto">
```

0.006

Layout
shift
impact

Element



Central de Atendimento

```
<a href="https://suap.ifce.edu.br/centralservicos/chamado_externo_abrir/" target="_blank">
```

0.002



Preparatório para Concursos - Inscreva-se

```
<span class="title">
```

0.001



Campus oferta 70 vagas no Sisu 2024

```

```

0.000



Energife 2024.1

```

```

0.000



O campus Cursos em Tabuleiro Contatos Campus Tabuleiro do Norte

Agenda do diret...

```
<dd class="portletItem lastItem">
```


0.000


Other

0.007

■ Properly size images — Potential savings of 12,051 KiB ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#)

| URL | Resource Size | Potential Savings |
|---|----------------------------------|-------------------|
| ifce.edu.br 1st Party | 12,293.0 KiB | 12,050.6 KiB |
|  | ...@@@images/image (ifce.edu.br) | 12,098.6 KiB |
| | | 11,923.8 KiB |

| URL | Resource Size | Potential Savings |
|--|---------------|-------------------|
|  <div>div.galleria-stage > div.galleria-images > div.galleria-image > img </div> | | |
|  <p>Energife 2024.1 </p> | 177.7 KiB | 118.9 KiB |
|  <div>mapa.png </div> | 16.8 KiB | 7.9 KiB |

Defer offscreen images — Potential savings of 22 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#)

| URL | Resource Size | Potential Savings |
|---|--|-------------------|
| ifce.edu.br 1st Party | 22.1 KiB | 22.1 KiB |
|  GU AR AM IRA NG | | |
| Alinklateral.png | /guaramirangalinklateral.png (ifce.edu.br) | 9.8 KiB |
| | | 9.8 KiB |
|  dd. port letlt em > p | ...resolveuid/dfd185e... (ifce.edu.br) | 6.2 KiB |
| > a.internal-link > img.image-inline | | 6.2 KiB |
|  dd. port letlt em > p | ...resolveuid/4f52c45... (ifce.edu.br) | 6.2 KiB |
| > a.external-link > img.image-inline | | 6.2 KiB |

Minify CSS — Potential savings of 3 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

| URL | Transfer Size | Potential Savings |
|--|-----------------|-------------------|
| ifce.edu.br 1st Party | 22.9 KiB | 2.6 KiB |
| ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br) | 22.9 KiB | 2.6 KiB |

Minify JavaScript — Potential savings of 15 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify](#).

[JavaScript](#) [FCP](#) [LCP](#)

| URL | Transfer Size | Potential Savings |
|--|---------------|-------------------|
| ifce.edu.br 1st Party | 86.6 KiB | 15.4 KiB |
| ...brasil_gov_facetada/jquery.autocomplete.min-cachekey-ae7806....js (ifce.edu.br) | 78.6 KiB | 12.8 KiB |
| ...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br) | 8.1 KiB | 2.5 KiB |

Reduce unused CSS — Potential savings of 81 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). [FCP](#) [LCP](#)

Show 3rd-party resources (1)

| URL | Transfer Size | Potential Savings |
|--|---------------|-------------------|
| YouTube Video | 47.1 KiB | 45.6 KiB |
| ...a1d7d0f8/www-player.css (www.youtube.com) | 47.1 KiB | 45.6 KiB |
| ifce.edu.br 1st Party | 38.9 KiB | 35.3 KiB |
| ...brasil_gov_facetada/resourcebrasil.gov.tilestiles-cachekey....css (ifce.edu.br) | 22.9 KiB | 20.2 KiB |
| ...brasil_gov_facetada/base-cachekey-0e23dfa....css (ifce.edu.br) | 16.0 KiB | 15.1 KiB |


Efficiently encode images — Potential savings of 5,859 KiB

Warnings: Unable to locate resource ...@@images/image

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#).

Show 3rd-party resources (1)

| URL | Resource Size | Potential Savings |
|---|---------------|-------------------|
| ifce.edu.br 1st Party | 12,595.0 KiB | 5,849.4 KiB |
|  ...@@images/image (ifce.edu.br) | 12,098.6 KiB | 5,761.1 KiB |

| URL | Resource Size | Potential Savings |
|---|--|--------------------|
|  | | |
| div.galleria-stage > div.galleria-images > div.galleria-image > img | ...@@@images/image (ifce.edu.br) | 444.6 KiB 51.3 KiB |
|  | | |
| orgaos | /imagens/orgaosparceiros.jpg (ifce.edu.br) | 51.9 KiB 37.0 KiB |
| Spotify Content | 46.1 KiB | 9.4 KiB |
| | /image/ab67656... (i.scdn.co) | 46.1 KiB 9.4 KiB |

Enable text compression — Potential savings of 30 KiB

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) FCP LCP

| URL | Transfer Size | Potential Savings |
|---|---------------|-------------------|
| ifce.edu.br 1st Party | 46.8 KiB | 29.9 KiB |
| ...++resource++brasil.gov.barrabarra.js (ifce.edu.br) | 40.4 KiB | 25.1 KiB |

| URL | Transfer Size | Potential Savings |
|---|---------------|-------------------|
| /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) | 6.4 KiB | 4.8 KiB |

■ Use video formats for animated content — Potential savings of 49 KiB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP

| URL | Resource Size | Potential Savings |
|--|---------------|-------------------|
| brasil.gov.br | 107.2 KiB | 49.3 KiB |
| /imagens/vlibras.gif (barra.brasil.gov.br) | 107.2 KiB | 49.3 KiB |

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 33 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn how to use modern JavaScript](#) TBT

Show 3rd-party resources (8)

| URL | Potential Savings |
|---|---------------------------------|
| ifce.edu.br 1st Party | 0.1 KiB |
| ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js (ifce.edu.br) | 0.1 KiB |
| ...brasil_gov_facetada/resourcesc.photogalleryphotogallery-cac....js:4:935 (ifce.edu.br) | @babel/plugin-transform-classes |
| ...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js (ifce.edu.br) | 0.0 KiB |
| ...brasil_gov_facetada/resourcesl_scriptssocial_like-cachekey-....js:48:958 (ifce.edu.br) | @babel/plugin-transform-classes |

■ Avoid enormous network payloads — Total size was 29,295 KiB ^

Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#) LCP

Show 3rd-party resources (4)

| URL | Transfer Size |
|--|---------------|
| ifce.edu.br 1st Party | 24,712.6 KiB |
| ...@@@images/image (ifce.edu.br) | 12,099.1 KiB |
| ...@@@images/image (ifce.edu.br) | 11,713.7 KiB |
| ...@@@images/image (ifce.edu.br) | 445.1 KiB |
| ...@@@images/5512e2a2-156f-4b09-b89b-235b16cf9905.png (ifce.edu.br) | 178.3 KiB |
| ...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29....js (ifce.edu.br) | 140.9 KiB |
| ...@@@images/e2f74b26-777a-425b-9ed8-04ff3c4c5bcb.png (ifce.edu.br) | 135.5 KiB |
| spotifycdn.com | 828.0 KiB |
| /bandwidth_sampling_data?no-cache=0.810... (web-sdk-assets.spotifycdn.com) | 684.2 KiB |
| ...pages/_app-9851929b834c1219.js (embed-cdn.spotifycdn.com) | 143.8 KiB |
| YouTube Video | 771.8 KiB |
| ...en_US/base.js (www.youtube.com) | 771.8 KiB |
| Twitter Social | 160.9 KiB |
| ...chunks/3.6238497....js (platform.twitter.com) | 160.9 KiB |

■ Serve static assets with an efficient cache policy — 34 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

 Show 3rd-party resources (9)

| URL | Cache TTL | Transfer Size |
|--|-----------|---------------|
| ifce.edu.br 1st Party | | 255 KiB |
| /imagens/orgaosparceiros.jpg (ifce.edu.br) | 1d | 52 KiB |
| ...++resource++brasil.gov.barra/barra.js (ifce.edu.br) | 1d | 41 KiB |
| ...fonts/opensans-800-webfont.woff (ifce.edu.br) | 1d | 24 KiB |
| ...fonts/opensans-700-webfont.woff (ifce.edu.br) | 1d | 24 KiB |
| ...fonts/opensans-400-webfont.woff (ifce.edu.br) | 1d | 23 KiB |
| ...imagens_menu_rapido/mapa.png (ifce.edu.br) | 1d | 17 KiB |

| URL | Cache TTL | Transfer Size |
|---|-----------|---------------|
| ...img/sprite.png (ifce.edu.br) | 1d | 15 KiB |
| /guaramirangalinklateral.png (ifce.edu.br) | 1d | 10 KiB |
| /++resource++brasil.gov.tiles/banner_rotativo.js?v=74d45e3... (ifce.edu.br) | 1d | 7 KiB |
| ...mini-banner-destaques/botoes-site_aula.png (ifce.edu.br) | 1d | 6 KiB |
| ...mini-banner-destaques/botoes-site_calendario.png (ifce.edu.br) | 1d | 6 KiB |
| ...mini-banner-destaques/site.png (ifce.edu.br) | 1d | 5 KiB |
| ...imagens_m.../Aluno1_.png (ifce.edu.br) | 1d | 5 KiB |
| ...css/style.css (ifce.edu.br) | 1d | 3 KiB |
| /spinner.gif (ifce.edu.br) | 1d | 2 KiB |
| /++resource++brasil.gov.tiles/classic-loader.gif (ifce.edu.br) | 1d | 2 KiB |
| /++resource++brasil.gov.tiles/classic-map.png (ifce.edu.br) | 1d | 2 KiB |
| ...++resource++brasil.gov.tiles/galleria.classic.min.js (ifce.edu.br) | 1d | 2 KiB |
| /++resource++brasil.gov.tiles/galleria.classic.css (ifce.edu.br) | 1d | 2 KiB |
| ...++resource++brasil.gov.tiles/shadow-50.png (ifce.edu.br) | 1d | 1 KiB |
| ...img/bullet-banner-rotativo.gif (ifce.edu.br) | 1d | 1 KiB |
| ...img/em-destaque.png (ifce.edu.br) | 1d | 1 KiB |
| ...img/seta_verde.png (ifce.edu.br) | 1d | 1 KiB |
| ...img/voltar-topo.png (ifce.edu.br) | 1d | 1 KiB |
| ...img/bg-acess-key.gif (ifce.edu.br) | 1d | 1 KiB |
| brasil.gov.br | | 108 KiB |
| /imagens/vlibras.gif (barra.brasil.gov.br) | 7d | 108 KiB |
| Facebook Social | | 89 KiB |
| ...t39.30808-6/274....png?stp=... (scontent-atl3-2.xx.fbcdn.net) | 14d | 87 KiB |
| ...t39.30808-1/274....jpg?stp=... (scontent-atl3-2.xx.fbcdn.net) | 14d | 2 KiB |
| Twitter Social | | 28 KiB |
| /widgets.js (platform.twitter.com) | 30m | 28 KiB |
| Google Analytics Analytics | | 21 KiB |

| URL | Cache TTL | Transfer Size |
|---|-----------|---------------|
| /analytics.js (www.google-analytics.com) | 2h | 21 KiB |
| JSDelivr CDN Cdn | | 21 KiB |
| ...assets/access_popup.jpg (cdn.jsdelivr.net) | 7d | 10 KiB |
| ...app/vlbras-plugin.js (cdn.jsdelivr.net) | 7d | 7 KiB |
| ...assets/access_icon.svg (cdn.jsdelivr.net) | 7d | 3 KiB |
| Google/Doubleclick Ads Ad | | 1 KiB |
| /instream/ad_status.js (static.doubleclick.net) | 15m | 1 KiB |

Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more about font-display.](#) FCP LCP

Show 3rd-party resources (3)

| URL | Potential Savings |
|--|-------------------|
| ifce.edu.br 1st Party | 2,580 ms |
| ...fonts/opensans-400-webfont.woff (ifce.edu.br) | 780 ms |
| ...fonts/opensans-800-webfont.woff (ifce.edu.br) | 760 ms |
| ...fonts/opensans-700-webfont.woff (ifce.edu.br) | 1,040 ms |
| Google Fonts Cdn | 20 ms |
| ...v18/KFOmCnqEu....woff2 (fonts.gstatic.com) | 10 ms |
| ...v18/KFOICnqEu....woff2 (fonts.gstatic.com) | 20 ms |
| brasil.gov.br | 1,810 ms |
| /static/opensans-bold.woff (barra.brasil.gov.br) | 1,810 ms |

Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Show 3rd-party resources (2)

Source

YouTube Video

...en_US/base.js:8667:199 (www.youtube.com)

...en_US/base.js:6002:111 (www.youtube.com)

ifce.edu.br 1st Party

...brasil_gov_facetada/resourceplone.app.jquery-cachekey-baf29...js:12:34394 (ifce.edu.br)

■ Image elements do not have explicit `width` and `height`

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Show 3rd-party resources (1)

URL

ifce.edu.br 1st Party

Preparatório para
Concursos - Inscreva-se



Editorial disponível

rotativo/edital-dispon..." alt="Editorial
disponível">

...@@@images/e2f74b26-777a-425b-9ed8-04ff3c4c5bcb.png (ifce.edu.br)


...@@@images/7dea4864-ffaf-4c20-92fd-c5f1a501f165.png (ifce.edu.br)




mapa.png

g" alt="mapa.png">

...imagens_menu_rapido/mapa.png (ifce.edu.br)



Horario turmas

](#)

Calendario Académico


```
](#)

Whatsapp

```
](#)

GUARAMIRANGAlinklate

[ral.png](#)

```
](#)

servidor.jpg

```
](#)

brasil.gov.br



div#wrapper-barra-brasil

> span#brasil-vlibras >

span.link-vlibras > img

```

```

[/imagens/vlibras.gif](#) (barra.brasil.gov.br)

Avoid chaining critical requests — 33 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority.

Consider reducing the length of chains, reducing the download size of resources, or deferring the

download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#) FCP LCP

Maximum critical path latency: **11,325.199 ms**

Initial Navigation



 ...fonts/opensans-800-webfont.woff (ifce.edu.br) - **760.613 ms, 24.47 KiB**

>User Timing marks and measures — 20 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

| Name | Type | Start Time | Duration |
|--------------------------|---------|--------------|-------------|
| Next.js-before-hydration | Measure | 6,875.84 ms | 2,411.47 ms |
| Next.js-hydration | Measure | 9,287.31 ms | 152.25 ms |
| Next.js-before-hydration | Measure | 11,072.45 ms | 890.79 ms |
| Next.js-hydration | Measure | 11,963.24 ms | 18.58 ms |
| mark_pe | Mark | 7,318.58 ms | |
| mark_pot_isc | Mark | 7,432.36 ms | |
| mark_pot_ist | Mark | 7,441.09 ms | |
| mark_pot_csms | Mark | 7,451.78 ms | |
| mark_pot_csmf | Mark | 7,455.99 ms | |
| mark_fs | Mark | 7,500.00 ms | |
| mark_qoes | Mark | 7,526.76 ms | |
| mark_ep_init_pr | Mark | 7,699.26 ms | |
| mark_pot_if | Mark | 8,510.87 ms | |
| mark_pot_cms | Mark | 8,511.43 ms | |
| mark_pot_cmf | Mark | 8,522.75 ms | |
| sentry-tracing-init | Mark | 9,119.64 ms | |
| beforeRender | Mark | 9,287.31 ms | |
| afterHydrate | Mark | 9,439.56 ms | |
| beforeRender | Mark | 11,963.24 ms | |
| afterHydrate | Mark | 11,981.83 ms | |

Avoid long main-thread tasks — 14 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn how to avoid long main-thread tasks](#) 



Show 3rd-party resources (12)

| URL | Start Time | Duration |
|--|------------|----------|
| YouTube Video | | 815 ms |
| ...en_US/base.js (www.youtube.com) | 8,172 ms | 316 ms |
| ...en_US/base.js (www.youtube.com) | 8,516 ms | 221 ms |
| ...www-embed-player.vflset/www-embed-player.js (www.youtube.com) | 7,813 ms | 159 ms |
| ...en_US/base.js (www.youtube.com) | 7,694 ms | 119 ms |
| spotifycdn.com | | 221 ms |
| ...pages/_app-9851929b834c1219.js (embed-cdn.spotifycdn.com) | 6,238 ms | 104 ms |
| ...chunks/536.905e6d5c206e107e.js (embed-cdn.spotifycdn.com) | 7,059 ms | 63 ms |
| ...chunks/882.407d120c9582a45a.js (embed-cdn.spotifycdn.com) | 6,539 ms | 54 ms |
| Twitter Social | | 164 ms |
| ...chunks/3.6238497....js (platform.twitter.com) | 8,737 ms | 113 ms |
| /widgets/widget_iframe.2f70fb1....html?origin=... (platform.twitter.com) | 3,804 ms | 51 ms |
| Google Tag Manager Tag-Manager | | 159 ms |
| /gtag/js?id=UA-69373146-1 (www.googletagmanager.com) | 55,549 ms | 91 ms |
| /gtag/js?id=G-T5BY9KCPR5&l=dataLayer&cx=c (www.googletagmanager.com) | 6,886 ms | 68 ms |
| ifce.edu.br 1st Party | | 100 ms |
| ...brasil_gov_facetada/resourceplone.formwidget.QueryString.qu....js (ifce.edu.br) | 28,450 ms | 50 ms |
| /tabuleirodonorte (ifce.edu.br) | 2,589 ms | 50 ms |
| Facebook Social | | 61 ms |
| ...r/8ZrPme2EwKH.js?_nc_x=lj3Wp8lg5Kz (static.xx.fbcdn.net) | 6,010 ms | 61 ms |

Avoid non-composited animations — 5 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

| Element | Name |
|---|---|
|  | Conteúdo acessível em Libras usando o VLibras Widget com opções dos Avatares Í... |

| Element | Name |
|---|--|
| | border-top-left-radius |
| Unsupported CSS Property: border-top-left-radius | border-top-left-radius |
| Unsupported CSS Property: border-top-right-radius | border-top-right-radius |
| Unsupported CSS Property: border-bottom-left-radius | border-bottom-left-radius |
| Unsupported CSS Property: border-bottom-right-radius | border-bottom-right-radius |
| Unsupported CSS Property: font-size | font-size |
|  | <pre>div.galleria-container > div.galleria-stage > div.galleria-image-nav > div.galleria-image-nav-right <div class="galleria-image-nav-right" style="right: -50px; transition: none 0s ease 0s;"></pre> |
| Unsupported CSS Property: right | right |
|  | <pre>div.galleria-container > div.galleria-stage > div.galleria-image-nav > div.galleria-image-nav-left <div class="galleria-image-nav-left" style="left: -50px; transition: none 0s ease 0s;"></pre> |
| Unsupported CSS Property: left | left |
| div.galleria-container > div.galleria-stage > div.galleria-images > div.galleria-image <div class="galleria-image" style="overflow: hidden; position: absolute; top: 0px; left: 0px; transition: none 0s ease 0s;"> | |
| Unsupported CSS Property: left | left |
|  | <pre>div.galleria-container > div.galleria-stage > div.galleria-images > div.galleria-image <div class="galleria-image" style="overflow: hidden; position: absolute; top: 0px; left: 0px; opacity: 1;"></pre> |
| Unsupported CSS Property: left | left |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (8)

[Hide](#)

- Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) FCP LCP

● Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) FCP LCP

○ Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn how to preload key requests.](#) FCP LCP

● Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

● Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

● Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element



Preparatório para Concursos - Inscreva-se
``

● Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\).](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

TBT

📅 Captured at Feb 3, 2024, 3:12 PM

GMT-3

⌚ Initial page load

💻 Emulated Desktop with Lighthouse

11.4.0

⚡ Unknown

🌐 Single page session

🌐 Using HeadlessChromium

121.0.6167.85 with Ir

Generated by **Lighthouse** 11.4.0 | [File an issue](#)