


```
CREATE DATABASE Shine_School;
```

```
CREATE TABLE students(  
    student_id INT,  
    student_name VARCHAR(50),  
    age INT,  
    marks INT  
);
```



```
INSERT INTO students VALUES
```

```
(1, 'Amit', 18, 85),  
(2, 'Neha', 19, 90),  
(3, 'Rahul', 18, 60),  
(4, 'Simran', 20, 95),  
(5, 'Divya', 19, 55);
```

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Open

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

```
SELECT * FROM `students`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
1	Amit	18	85
2	Neha	19	90
3	Rahul	18	60
4	Simran	20	95
5	Divya	19	55

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

1. Select all columns from the students table.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privilege

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 4 (5 total, Query took 0.0009 seconds.)

```
SELECT * FROM students;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
1	Amit	18	85
2	Neha	19	90
3	Rahul	18	60
4	Simran	20	95
5	Divya	19	55

☐ Show all | Number of rows: 25 | Filter rows: Search this table

2. Find students with marks greater than 80.

```
SELECT students_name, Marks,
FROM Students
```

WHERE marks>80

The screenshot shows the phpMyAdmin interface with the 'students' table selected. The query box contains the SQL statement: `SELECT student_name,marks FROM students WHERE marks>80;`. The results show 3 rows: Amit (85), Neha (90), and Simran (95).

student_name	marks
Amit	85
Neha	90
Simran	95

3. Sort students by marks in descending order.

The screenshot shows the phpMyAdmin interface with the 'students' table selected. The query box contains the SQL statement: `SELECT student_name,marks FROM students ORDER BY marks DESC;`. The results show 5 rows, sorted by marks in descending order: Simran (95), Neha (90), Amit (85), Rahul (60), and Divya (55).

student_name	marks
Simran	95
Neha	90
Amit	85
Rahul	60
Divya	55

Ascending order

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 4 (5 total, Query took 0.0006 seconds.) [marks: 55... - 95...]

```
SELECT student_name, marks FROM students ORDER BY marks ASC;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	marks
Divya	55
Rahul	60
Amit	85
Neha	90
Simran	95

☐ Show all | Number of rows: 25 | Filter rows: Search this table

4. Count how many students are there.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Your SQL query has been executed successfully.

```
SELECT COUNT(student_id) AS Total_Students FROM students;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Extra options

Total_Students
5

Query results operations

Print Copy to clipboard Export Display chart Create view

5. Get the highest marks from the table.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0003 seconds.)

```
SELECT student_name ,MAX(marks) AS Highest_Marks FROM students;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	Highest_Marks
Amit	95

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Lowest Marks

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0004 seconds.)

```
SELECT student_name, MIN(Marks) AS Lowest_Marks FROM students;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	Lowest_Marks
Amit	55

☐ Show all | Number of rows: 25 | Filter rows: Search this table

6. Select only unique ages.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 2 (3 total, Query took 0.0006 seconds.)

```
SELECT DISTINCT (age) AS Unique_Age FROM students;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

Unique_Age
18
19
20

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

7. Show names of students aged between 18 and 19.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 3 (4 total, Query took 0.0005 seconds.)

```
SELECT student_name, age FROM students WHERE age BETWEEN 18 AND 19;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	age
Amit	18
Neha	19
Rahul	18
Divya	19

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

8. Find students whose names start with 'S'.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

```
SELECT * FROM students WHERE student_name LIKE '%';
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
4	Simran	20	95

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

Difference between using SELECT * FROM students and SELECT Students_Name :

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0006 seconds.)

```
SELECT student_name FROM students WHERE student_name LIKE '%';
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name
Simran

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

9. Get the average marks grouped by age.

With Name

The screenshot shows the phpMyAdmin interface with the 'students' table selected. The query executed is `SELECT student_name, AVG (marks) AS AVERAGE_MARKS FROM students GROUP BY age;`. The result shows three rows of data.

student_name	AVERAGE_MARKS
Amit	72.5000
Neha	72.5000
Simran	95.0000

With Age

The screenshot shows the phpMyAdmin interface with the 'students' table selected. The query executed is `SELECT age, AVG (marks) AS AVERAGE_MARKS FROM students GROUP BY age;`. The result shows three rows of data.

age	AVERAGE_MARKS
18	72.5000
19	72.5000
20	95.0000

phpMyAdmin

Recent Favorites

- New
- govt_school
- information_schema
- mysql
- performance_schema
- phpmyadmin
- santhome
- shine_school
 - New
 - students
 - test

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 2 (3 total, Query took 0.0003 seconds.)

```
SELECT student_name, student_id, age, AVG (marks) As AVERAGE_Marks FROM students GROUP BY age;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	student_id	age	AVERAGE_Marks
Amit	1	18	72.5000
Neha	2	19	72.5000
Simran	4	20	95.0000

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

10. Filter groups where average marks > 70.

phpMyAdmin

Recent Favorites

- New
- govt_school
- information_schema
- mysql
- performance_schema
- phpmyadmin
- santhome
- shine_school
 - New
 - students
 - test

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 2 (3 total, Query took 0.0009 seconds.)

```
SELECT student_name, AVG(Marks) AS AVG_Marks FROM students GROUP BY student_name HAVING AVG(marks)>70;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	AVG_Marks
Amit	85.0000
Neha	90.0000
Simran	95.0000

☐ Show all | Number of rows: 25 | Filter rows: Search this table

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 2 (3 total, Query took 0.0007 seconds)

SELECT student_id,AVG(marks) AS AVG_Marks FROM students GROUP BY student_id HAVING AVG(marks)>70;

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	AVG_Marks
1	85.0000
2	90.0000
4	95.0000

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

11. Select top 2 scoring students.

With all details,.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 1 (2 total, Query took 0.0007 seconds.) [marks: 95... - 90...]

SELECT * FROM students ORDER BY marks DESC LIMIT 2;

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Extra options

student_id	student_name	age	marks
4	Simran	20	95
2	Neha	19	90

Query results operations

Print Copy to clipboard Export Display chart Create view

With name

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 1 (2 total, Query took 0.0005 seconds.) [marks: 95... - 90...]

```
SELECT student_name, marks FROM students ORDER BY marks DESC LIMIT 2;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Extra options

student_name	marks
Simran	95
Neha	90

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

12. Find students with no marks below 60.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0006 seconds.)

```
SELECT student_name, marks FROM students WHERE marks < 60;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_name	marks
Divya	55

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

13. Update Rahul's marks to 75.

UPDATE Students

SET marks = '75'

WHERE Student_id = 3;

Server: 127.0.0.1 » Database: shine_school » Table: students

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 4 (5 total, Query took 0.0005 seconds.)

```
SELECT * FROM `students`
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
1	Amit	18	85
2	Neha	19	90
3	Rahul	18	75
4	Simran	20	95
5	Divya	19	55

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

14. Delete students with marks < 60.

Server: 127.0.0.1 » Database: shine_school » Table: students

Show query box

1 row deleted. (Query took 0.0046 seconds.)

```
DELETE FROM students WHERE marks < 60;
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 3 (4 total, Query took 0.0006 seconds.)

```
SELECT * FROM `students`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
1	Amit	18	85
2	Neha	19	90
3	Rahul	18	75
4	Simran	20	95

Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

Print Copy to clipboard Export Display chart Create view

15. Select students who are NOT 19 years old.

phpMyAdmin

Server: 127.0.0.1 » Database: shine_school » Table: students

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 2 (3 total, Query took 0.0007 seconds.)

```
SELECT * FROM students WHERE age != 19;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
1	Amit	18	85
3	Rahul	18	75
4	Simran	20	95

Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

16. Subquery – Get students with above average marks.

The screenshot shows the phpMyAdmin interface. On the left is the database navigation tree with 'students' selected under the 'shine_school' database. The main panel shows the 'Table: students' view. A message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a status bar indicates 'Showing rows 0 - 1 (2 total, Query took 0.0010 seconds.)'. The SQL query entered is: `SELECT student_name FROM students WHERE marks > ( SELECT AVG (marks) FROM students );`. Below the query, there are links for 'Profiling', 'Edit inline', 'Edit', 'Explain SQL', 'Create PHP code', and 'Refresh'. A control bar shows 'Show all', 'Number of rows: 25', and a 'Filter rows' search box. Under 'Extra options', the 'student_name' column is highlighted, and the results 'Neha' and 'Simran' are displayed. At the bottom, there is a 'Query results operations' bar with links for 'Print', 'Copy to clipboard', 'Export', 'Display chart', and 'Create view'.

17. Which clause is used to filter before aggregation?

“WHERE” is used to filter before aggregation.

18. How to rename column in output?

Use “AS” and mention the new name .

19. What is the result of: SELECT COUNT(DISTINCT age) FROM students;

3 (18,19 & 20)

Amit 18

Rahul 18

Neha 19

Simran 20

20. Find names of students whose names end with 'a'.

The screenshot shows the phpMyAdmin interface. On the left is the database navigation tree with 'students' selected under the 'shine_school' database. The main panel shows the 'Table: students' view. The SQL tab is active, displaying the query: `SELECT * FROM students WHERE student_name LIKE '%a';`. A message indicates that the current selection does not contain a unique column, so grid edit, checkbox, Edit, Copy, and Delete features are not available. Below the query, it shows 'Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)'. The results are displayed in a table with columns 'student_id', 'student_name', 'age', and 'marks'. One row is shown: student_id 2, student_name Neha, age 19, marks 90. The interface also includes a 'Show query box' button, a 'Profiling' section, and row display controls (Show all, Number of rows: 25, Filter rows: Search this table).

Server: 127.0.0.1 » Database: shine_school » Table: students

Browse Structure SQL Search Insert Export Import Privileges

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

```
SELECT * FROM students WHERE student_name LIKE '%a';
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

student_id	student_name	age	marks
2	Neha	19	90

☐ Show all | Number of rows: 25 | Filter rows: Search this table