06 - Início do login com GitHub

Pedido: `GET https://oauth-lab-victor.pages.dev/oauth/login/github`

Cabeçalhos da resposta (saneados):

```
HTTP/1.1 302 Found
Location: https://github.com/login/oauth/authorize
  ?client_id=[REMOVIDO]
  &redirect_uri=https%3A%2F%2Foauth-lab-victor.pages.dev%2Foauth%2Fcallback%2Fgithub
  &response_type=code
  &state=[REMOVIDO]
  &code_challenge=[REMOVIDO]
  &code_challenge_method=S256
Cache-Control: no-store
Set-Cookie: __Host-oauth-tx=[REMOVIDO]; Path=/; HttpOnly; Secure; SameSite=Lax; Max-Age=600
```

Conferência:

- ☑ o estado HTTP é 302;
- ☑ a resposta cria __Host-oauth-tx;
- ☑ Location aponta para o GitHub (github.com/login/oauth/authorize);
- ☑ response_type=code está presente;
- ☑ code_challenge_method=S256 está presente;
- ☑ a URL de retorno é a URL pages.dev exata;
- ☑ Client Secret e code_verifier estão ausentes;
- ☑ nonce está ausente;
- ☑ os escopos repo, user:email e offline_access estão ausentes (nenhum scope é enviado).