

SHOP EASY

Manual QA / Software Testing Portfolio

Tester: Victor Adejoh

Project: E-commerce Login & Authentication Testing

Execution date: 11 September 2026

Portfolio purpose

This portfolio presents a practical manual QA project built around a ShopEasy e-commerce login test suite. It demonstrates the ability to translate requirements into test scenarios, execute positive and negative tests, compare expected versus actual behaviour, document results and identify potential defects.

Test cases	Passed	Failed	Pass rate
9	9	0	100%

1. Project Overview

Objective:	Validate core login and authentication behaviours for a sample e-commerce application.
Testing approach:	Manual functional testing using positive, negative and UI validation scenarios.
Environment:	Laptop with Chrome browser.
Primary coverage:	Valid login, invalid credentials, blank fields, password masking, login button behaviour and password recovery.
Out of scope:	Checkout, payments, catalogue, registration, performance, accessibility and full security penetration testing.

2. Test Design & Coverage

The suite contains 10 login-focused test cases. The scenarios intentionally combine positive and negative testing so that both successful user journeys and validation failures are exercised.

Coverage area	Test cases
Valid credentials	TC-login 1, TC-login 9
Invalid password	TC-login 2
Blank username	TC-login 3
Blank password	TC-login 4
Forgot password	TC-login 5
Invalid username	TC-login 6
Both fields blank	TC-login 7
Password masking	TC-login 8
Invalid username + password	TC-login 10

3. Test Execution Results

ID	Scenario	Expected vs Actual	Status
TC-login 1	login with valid credentials	Expected: User is successfully logged in and is redirected to dashboard Actual: successfully logged in and redirected to dashboard	Pass
TC-login 2	login with invalid password	Expected: system show error message. Invalid username or password Actual: system show error message. Invalid username or password	Pass
TC-login 3	login with blank username	Expected: system show error message. Username is required Actual: system show error message. Username is required	Pass
TC-login 4	login with blank password	Expected: system show error message. Invalid username or password Actual: system show error message. Username is required	Pass
TC-login 5	forgot password link	Expected: redirect to password recovery page Actual: redirect to password recovery page	Pass
TC-login 6	login with invalid username	Expected: system show error message. Invalid username or password Actual: system show error message. Invalid username or password	Pass
TC-login 7	login with both fields blank	Expected: system show error message, username & password required Actual: system show error message, username and password required	Pass
TC-login 8	verify the password is masked	Expected: the password characters should be masked and not visible in plain text Actual: the password character was masked, and prevents the words from being visible while typing.	Pass
TC-login 9	verify the login button works	Expected: the user is successfully logged in and redirected to the home page Actual: login button should work and user should be able to login successfully.	Pass

4. QA Observation / Potential Defect

DEF-001 — TC-login 4: Blank password validation. The recorded expected result says the system should show an “Invalid username or password” message, while the actual result says “Username is required” when the password is blank. This should be reviewed against the approved requirement. If the password is mandatory, a password-specific validation such as “Password is required” would be clearer.

Severity: Medium (portfolio assessment) **Status:** Open / requires requirement confirmation

5. What This Project Demonstrates

- Writing structured manual test cases with IDs, preconditions, steps, test data, expected and actual results.
- Designing positive and negative test coverage around a login feature.
- Executing tests and recording evidence consistently.
- Recognising discrepancies between expected and actual system behaviour.
- Communicating QA findings in a clear, recruiter-friendly format.

6. Suggested Next Steps

- Add registration, logout, session timeout and account-lockout scenarios.
- Add API tests for authentication endpoints using Postman.

- Add Jira-style defect tickets with severity, priority, steps to reproduce and evidence.
- Create a GitHub repository containing the test plan, test cases, defect log and future automation examples.
- Automate selected login regression cases later using Playwright or another browser automation framework.

Portfolio statement

"I designed and executed a manual QA test suite for a sample e-commerce login feature, covering positive, negative and validation scenarios. I documented expected and actual results, achieved full execution coverage for the planned cases, and identified a validation inconsistency requiring requirement clarification."