



StoreBrid + ReveNew como un único espacio de decisión

Propuesta de integración UX. Arquitectura de información, flujos y pantallas del Project Workspace.

• **StoreBrid**

Motor técnico



• **Sunveon Suite**

Capa de decisión



• **ReveNew**

Motor financiero

Por qué esta integración importa



El problema que resuelve

Hoy la decisión vive entre dos aplicaciones. StoreBrid sabe qué puede hacer el activo; ReveNew sabe qué produce económicamente. Nadie ve las dos cosas a la vez, y decidir obliga a saltar, exportar y reconciliar a mano.



Para quién

Para quien decide la configuración de un proyecto: ingeniería que necesita saber qué vale técnicamente una decisión, y negocio que necesita saber qué activo hay detrás de un NPV.




Qué lo diferencia

No es un dashboard que junta métricas de ambos. Introduce un objeto propio — el analysis case, una simulación técnica emparejada con un caso financiero — y compara esas parejas completas mostrando qué cambió técnicamente, cuánto costó y qué retorno produjo.

La regla de producto: si algo solo sirve para configurar en profundidad uno de los dos motores, se queda en StoreBrid o en ReveNew. Si ayuda a entender el impacto conjunto, comparar alternativas o decidir, vive en la Suite.

Un proyecto, dos motores, un objeto de análisis



QUÉ ES UN ANALYSIS CASE

Una pareja guardada y con nombre: una simulación de StoreBrid y un caso financiero de ReveNew. No es otra simulación ni otro modelo financiero — es la unidad que se entiende y se compara.

Base case	● Base 2 h	● Base market	€8.3M
High storage	● 4 h variant	● Base market	€11.3M
Stress test	● 4 h variant	● Low spread	€1.5M

EL RECORRIDO

- 1

Understand
Qué estoy analizando ahora mismo
- 2

Explore
Qué combinaciones existen y cuáles interesan
- 3

Compare
Qué cambia entre las que me importan
- 4

Decide
Cuál pasa a ser el análisis actual
- 5


Deep edit
Abrir StoreBrid o ReveNew solo si hace falta

END-TO-END

The six journeys


Every screen in this canvas exists to serve one of these. Blue steps happen in a StoreBrid-owned surface, magenta in a ReveNew-owned one, teal in the Suite. The shape of the product is visible in the colour of the chain: the Suite is where the two meet, and the deep work stays where it belongs.

FLOW 1 Review the project *"What is happening with this project right now?"*



One screen, four seconds. The analysis case strip names both sides and the figure they produce together; everything below it is context for that one line.

FLOW 2 Technical analysis *"How did this configuration actually behave?"*



The Suite carries three charts and six KPIs. Daily graphs, heat maps, tables and exports are one link away and stay there — reproducing them would make the Suite a worse StoreBrid.

FLOW 3 Financial analysis *"How does it perform under different market assumptions?"*




Adding a scenario evaluates it against the selected technical case. It creates cases in the Suite and nothing in ReveNew — a genuinely new scenario, with its own curves, is authored there and appears in the list afterwards.

FLOW 4 Quick technical iteration *"What if it were a 4 h battery?"*



The one place the Suite writes to StoreBrid, and it writes a sibling — Base case 2027 is never modified, so the six cases already built on it stay valid and comparable against the three new ones.

FLOW 5 Quick financial iteration *"What if capture prices were 4% higher?"*

The financial mirror of flow 4. Technical results are not affected and are not re-run — the dependency only points one way, and the interface says so rather than re-running everything to be safe.

FLOW 6 Cross-product decision *"Is the extra investment justified?"*

The reason the Suite exists. Neither product can draw this chain alone: StoreBrid knows what the asset does but not what it earns, ReveNew knows what it earns but not what it cost to build. The trade-off only exists where they meet.

THE BOUNDARY, RESTATED

StoreBrid remains the source of truth for technical simulation and engineering configuration. ReveNew remains the source of truth for revenue modelling and forecast configuration. The Suite owns nothing except the pairing of the two, the baseline, and the questions that need both sides to answer. Every time a screen here was tempted to become a more convenient version of an existing product page, it links out instead.



Home

Projects

Analytics

APPLICATIONS

StoreBrid

ReveNew

Friday, 21 August · Sunveon Energy


Good morning, Victor

Compare projects

New project

WORKSPACE

24 Projects 16 with engineering · 19 with financial



INSTALLED CAPACITY

1.84 GW

3.21 GWh storage

Suite

FINANCIAL CASES

21

across 19 projects · 3 in draft

ReveNew

SIMULATIONS

68

StoreBrid

+6 this week

ANALYSIS CASES

54

simulation + financial case pairings

Suite

ENERGY DISCHARGED

512 GWh

StoreBrid

+6.2%

ANNUAL REVENUE

€63.4M

ReveNew

+4.1%

Recent projects

All projects

Portfolio performance

Combined

Last 12 months



Valencia BESS

Spain · BESS · 100 MW / 200 MWh · 3 simulations

StoreBrid

ReveNew

2 hours ago

Open >



Madrid Hybrid

Spain · PV + BESS · 80 MW / 120 MWh · 2 simulations

StoreBrid

ReveNew

Yesterday

Open >



Porto PV

Portugal · PV · 45 MW · financial model only

StoreBrid

ReveNew

2 days ago

Open >

Energy discharged and revenue, both indexed to January. They track each other until spring — then April and May move more energy for less money.

Energy discharged Revenue



Recent activity

[View all](#)

Simulation "Base case 2027" com...	Valencia BESS	StoreBrid	2h ago
Financial scenario "High spread" ...	Valencia BESS	ReveNew	4h ago
Financial model recalculated	Madrid Hybrid	ReveNew	Yesterday
PPA contract "Iberdrola 2026–31" ...	Valencia BESS	ReveNew	Yesterday
Plant configuration changed	Sevilla Storage	StoreBrid	2d ago
Simulation "Low RTE 85%" ended ...	Madrid Hybrid	StoreBrid	2d ago

Portfolio insights

[View all](#)

High utilisation · low return

Combined

Almería BESS cycles hardest in the portfolio at 81% utilisation, while its 9.4% IRR stays below median.

[Review project](#) >

Contracted share falling

ReveNew

Across the portfolio, contracted revenue drops from 58% to 34% by 2031 as three PPAs reach their end date.

[Review contracts](#) >

Strong performance

ReveNew

Porto PV sits above the portfolio median on both revenue and IRR for a third consecutive quarter.

[View details](#) >

Home

Projects

Analytics

APPLICATIONS

StoreBrid

ReveNew

Administration

Victor Andújar

Sunveon Energy

24 Suite projects · 11 with both engineering and financial capabilities

Projects

Filters

+ New project

Search projects...

All 24

Both products 11

StoreBrid 16

ReveNew 19

Sorted by last activity

Project	Location	Technology	Capacity	Capabilities	Status	Last activity
Valencia BESS Merchant + PPA · COD 2027	Spain	BESS	100 MW / 200 MWh	StoreBridReveNew	Active	2h ago
Madrid Hybrid PV + storage · COD 2027	Spain	PV + BESS	80 MW / 120 MWh	StoreBridReveNew	Active	Yesterday
Sevilla Storage Stand-alone BESS · COD 2028	Spain	BESS	50 MW / 100 MWh	StoreBridReveNew	Active	2d ago
Porto PV Merchant solar · COD 2027	Portugal	PV	45 MW	StoreBridReveNew	Active	2d ago
Helios II Late-stage development	Spain	PV	45 MW	StoreBridReveNew	Development	3d ago
Almería BESS Two-hour duration · COD 2028	Spain	BESS	60 MW / 120 MWh	StoreBridReveNew	Active	4d ago
Zaragoza Wind + BESS Co-located wind · COD 2029	Spain	Wind + BESS	120 MW / 90 MWh	StoreBridReveNew	Development	1w ago
Lisboa Storage Awaiting grid connection	Portugal	BESS	30 MW / 60 MWh	StoreBridReveNew	Draft	2w ago

Showing 8 of 24 projects

< Previous

1

2

3

Next >



Home

Projects

Analytics

APPLICATIONS

StoreBrid

ReveNew

Home > Projects > New project

Shared project context · used across your Sunveon products

Create project

Cancel

✓ Create project

PROJECT DETAILS

• Suite

Name, type and currency. Entered once — no product asks for them again.

Project name *

Andalucía Solar + BESS

Must be unique across your company

Type *

Hybrid

Hybrid combines generation and storage

Currency *

EUR — Euro

Used across every product in this project

PROJECT LOCATION

• Suite

Coordinates of the site. Type the values or drag the pin.

Latitude *

37.3891

Degrees north of the equator

Longitude *

-5.9845

Degrees east of Greenwich

Get location

Reset

Shared across the Suite

The location belongs to the project, so product-specific calculations and market context read the same coordinates.

- In Engineering it selects the meteorological series every simulation in this project runs on.



Available capabilities

What this project will be able to use once it exists. Nothing to choose — your licences already decide it.



Engineering

• StoreBrid

• Available

Plant configuration, dispatch simulations, technical results — configured inside the project after it is created.



Financial

• ReveNew

• Available

Market assumptions, contracts, revenue cases and the financial model — configured inside the project after it is created.

Creating this takes you straight to the project overview. There is no second project to make, and nothing to join together afterwards.



Home

Projects

Analytics

APPLICATIONS

StoreBrid

ReveNew

Home > Analytics

11 projects with both capabilities · 1.24 GW · 2.48 GWh

Analytics

Export

Iberia Core

2026

Both products 11

All projects 24

11 of 24 projects carry both technical and financial data

BATTERY UTILISATION

72%

StoreBrid +3 pt

ENERGY DISCHARGED

512 GWh

StoreBrid +6.2%

ANNUAL REVENUE

€63.4M

ReveNew +4.1%

PORTFOLIO IRR

11.4%

ReveNew -0.2 pt

REVENUE / MWH DISCHARGED

€123.8

€63.4M revenue ÷ 512 GWh discharged
Combined

TECHNICAL VS FINANCIAL

Utilisation against return

One bubble per Suite project. Neither product can draw this — each owns one axis.



↑ IRR · ReveNew Bubble = installed power, 35-110 MW · Suite → Battery utilisation · StoreBrid

PERFORMANCE INSIGHTS

Where the two disagree

Each reads one StoreBrid number against one ReveNew number.

Almería BESS

High utilisation · low return

81%

9.4%

utilisation · StoreBrid IRR · ReveNew

Cycles hardest in the portfolio while its return sits second from bottom. Degradation is 2.6%/yr against a 2.1% median — check the ReCapEx assumptions.

Cádiz Storage

Low utilisation · low return

52%

7.8%

utilisation · StoreBrid IRR · ReveNew

Least-used asset in the portfolio. The export limit in its plant configuration is below the grid offer on file.

Toledo Hybrid

Below the co-located median

57%

8.9%

utilisation · StoreBrid IRR · ReveNew

Both figures trail Madrid Hybrid, the closest comparable, on a similar capacity and market.

OVER TIME

When moving energy actually earns

Revenue per MWh discharged, month by month, over the volume it was earned on. April and May move the most energy in the year and are worth the least per MWh — spreads collapse when solar floods the middle of the day.



Project comparison

Add a column

Project	Cycles / yr	Utilisation	Degradation	Annual revenue	IRR	Revenue / MWh
Suite StoreBrid	StoreBrid	StoreBrid	StoreBrid	ReveNew	ReveNew	Combined
Murcia BESS	348	78%	2.3%/yr	€9.80M	13.4%	€128.0
Valencia BESS	326	74%	2.1%/yr	€8.42M	12.8%	€129.1
Girona BESS	331	76%	2.2%/yr	€7.10M	12.6%	€126.2
Madrid Hybrid	298	68%	1.9%/yr	€4.55M	11.9%	€127.2
Almería BESS	356	81%	2.6%/yr	€4.34M	9.4%	€101.6
Sevilla Storage	312	71%	2.0%/yr	—	—	—
No financial data						

Sevilla Storage has no financial data yet, so its financial columns stay in place and stay empty rather than the project dropping out of the comparison.



← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS •

Overview

Case matrix 9

Compare 3

OPEN IN

StoreBrid ↗

ReveNew ↗

PROJECT

Files

Activity

Settings

Victor Andújar
Sunveon Energy

Home > Projects > Valencia BESS > Files

Project library • Suite

Files

Datasets, templates and documents used across this project. Both products read from here.

+ Upload file

24 files | 148 MB stored | 2h ago last updated

Search files... All 24 Prices 6 Production 5 Technical 4 Contracts 3 Templates 2 Last updated

Name and what reads it		Type	Used by	Uploaded by	Updated	Size	Status		
€	iberia_prices_2027.csv Related to Base market · High spread · Low spread	Prices	ReveNew	Victor Andújar	2h ago	4.2 MB	Ready	Replace	⋮
⚡	generator_profile_v2.csv Related to Base case 2027 and its 2 variants	Generator	StoreBrid	Ana Ruiz	Yesterday	12.4 MB	Ready	Replace	⋮
⚙️	production_profile_2026.csv Related to the whole project	Production	Both	System	4d ago	8.1 MB	Ready		⋮
📄	ppa_iberdrola_2026_31.pdf Related to Base market · High spread	Contract	ReveNew	Victor Andújar	1w ago	1.8 MB	Ready		⋮
📄	capex_template.xlsx Related to the financial model	Template	ReveNew	Marta Gil	1w ago	860 KB	Ready		⋮
📊	bess_losses_curve.csv Related to Base case 2027	Technical	StoreBrid	Ana Ruiz	2w ago	320 KB	Ready		⋮
📈	demand_profile_draft.csv Checking columns and time-step	Demand	StoreBrid	Diego Sanz	Just now	6.7 MB	Processing		⋮
€	prices_2028_draft.csv Missing timestamp column · row 1	Prices	ReveNew	Victor Andújar	3d ago	3.9 MB	Could not process	Replace file	⋮

“Used by” records which product reads a file — it does not move or copy anything. A file marked Both is read by each product from the same place. Replacing a file keeps its type, its project and everything that already points at it.



← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS ●

Overview

Case matrix 9

Compare 3

OPEN IN

StoreBrid ↗

ReveNew ↗

PROJECT

Files

Activity

Settings

Home > Projects > Valencia BESS > Activity

Project timeline ● Suite

Activity

The history of the project, not of the applications. Every event keeps the product that produced it.

All 38 ● StoreBrid 14 ● ReveNew 16 ● Suite 8

TODAY

● Analysis case "Stress test" created — 4 h variant + Low spread	Victor Andújar	● Suite	1h ago
● Financial results became outdated — technical simulation changed after the last calculation	System	● Combined	1h ago
● Simulation "Base case 2027" completed	Ana Ruiz	● StoreBrid	2h ago
● Price curve uploaded — iberia_prices_2027.csv	Victor Andújar	● Suite	2h ago
● Financial scenario "High spread" updated	Victor Andújar	● ReveNew	4h ago
● Technical variant "Base case 2027 — 4 h duration" completed	Ana Ruiz	● StoreBrid	5h ago
● Analysis case "High storage" created — 4 h variant + Base market	Victor Andújar	● Suite	6h ago
● Current analysis case changed — Base case → High storage	Victor Andújar	● Suite	6h ago
● Comparison saved — "4 h storage investment decision"	Victor Andújar	● Suite	7h ago

YESTERDAY

● PPA contract "Iberdrola 2026–31" changed	Victor Andújar	● ReveNew	16:20
● Financial model recalculated	System	● ReveNew	16:22
● 3 cases recalculated — Base case 2027 × Base market, High spread, Low spread	System	● Suite	16:22

19 AUGUST 2026

- Plant configuration changed — round-trip efficiency 87% → 88%
- Ana Ruiz
 - StoreBrid11:04
- Project settings updated — COD moved to 2027
- Victor Andújar
 - Suite09:41
- Generator profile replaced — generator_profile_v2.csv
- Ana Ruiz
 - Suite09:12

Suite events are the shared ones — files, settings, membership. Product events keep their own provenance and open in the product that produced them.

← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS

Overview

Case matrix9

Compare3

OPEN IN

StoreBrid

ReveNew

PROJECT

Files

Activity

Settings

Home > Projects > Valencia BESS

Project

Valencia BESS

Spain · Stand-alone BESS · 100 MW / 200 MWh · COD 2027

Active

Project details

Compare

CURRENT ANALYSIS

The pairing every figure on this page is read from.

ANALYSIS CASE

Base case

Switch

TECHNICAL SIMULATION

Base case 2027

100 MW / 200 MWh · 2.0 h · 65.2 GWh/yr

Change simulation

FINANCIAL CASE

Base market

Capture €118.4/MWh · €8.42M/yr

Change financial case

RESULT

€8.3M

NPV · 12.8% IRR

Combined

Technical data · StoreBrid, updated 2h ago · Financial data · ReveNew, updated 4h ago · in step

TECHNICAL PERFORMANCE

StoreBrid

What the asset does

Installed power

200 MWh · 2.0 h duration

100 MW

Energy discharged

326 full cycles

65.2 GWh/yr

Utilisation

74%

Round-trip efficiency

88%

Capacity at year 15

2.1%/yr degradation

73%

View technical details

FINANCIAL PERFORMANCE

ReveNew

What it earns

NPV

at 9.5% cost of capital

€8.3M

IRR

12.8%

CAPEX

costed in StoreBrid, consumed by the financial model

€42.1M

Revenue

capture €118.4/MWh

€8.42M/yr

Payback

undiscounted, from COD

6.3 years

View financial breakdown

WHAT THE COMBINATION PRODUCES Combined


What each case invests, and what it returns

Both bars are euros on the same scale. Cost comes from StoreBrid, value from ReveNew — neither product can draw this alone.

Revenue / MWh discharged
€129.1

CAPEX / MW installed
€421k

NPV / MW installed
€83k



■ CAPEX — what it costs to build • StoreBrid ■ NPV — value created over 15 years • ReveNew

The right-hand figure divides one by the other Combined

What this project has to combine Suite

What this project already has on each side. Choosing one changes the current analysis.

+ Create analysis case

TECHNICAL SIMULATIONS 3 in this project

Change simulation →

● Base case 2027 In use

200 MWh · 2.0 h · 326 cycles/yr

65.2 GWh

● Base case 2027 — 4 h duration

400 MWh · 4.0 h · 231 cycles/yr

92.4 GWh

● Base case 2027 — 85% round-trip

200 MWh · 2.0 h · 318 cycles/yr

63.6 GWh

FINANCIAL CASES 3 in this project

Change financial case →

● Base market In use

Capture €118.4/MWh · 12.8% IRR

€8.3M

● High spread

Capture €138.0/MWh · 13.4% IRR

€9.9M

● Low spread

Capture €97.2/MWh · 9.6% IRR

€0.2M

Saved analysis cases Suite

Named pairings of a technical simulation and a financial case. Nothing is modelled here — each one reads from both products.

+ Create analysis case

Compare all

Analysis case	Technical simulation	Financial case	CAPEX	NPV	IRR	
Base case Current	● Base 2 h	● Base market	€42.1M	€8.3M	12.8%	>
High storage	● 4 h variant	● Base market	€50.7M	€11.3M	13.2%	>
Stress test	● 4 h variant	● Low spread	€50.7M	€1.5M	10.0%	>

Long duration · strong market produces the highest NPV on €8.6M more CAPEX. Compare puts the technical change beside the financial one. Changing a simulation or a financial model happens in StoreBrid or ReveNew — the Suite reads the result.

Change technical simulation



Base case · Valencia BESS · **StoreBrid**

Base case 2027

In use

StoreBrid · 2h ago

100 MW / 200 MWh · 2.0 h · 88% RTE

65.2 GWh

discharged

326

cycles/yr

€42.1M

CAPEX

Base case 2027 — 4 h duration

StoreBrid · 1d ago

100 MW / 400 MWh · 4.0 h · 88% RTE

92.4 GWh

discharged

231

cycles/yr

€50.7M

CAPEX

Base case 2027 — 85% round-trip

StoreBrid · 3d ago

100 MW / 200 MWh · 2.0 h · 85% RTE

63.6 GWh

discharged

318

cycles/yr

€41.2M

CAPEX

Creating or editing a simulation happens in StoreBrid.

Open in StoreBrid ↗

Change financial case



Base case · Valencia BESS · ReveNew

Base market In use

ReveNew · updated 4h ago

Capture €118.4/MWh · €8.42M/yr

€8.3M

NPV

12.8%

IRR

6.3y

payback

High spread

ReveNew · updated 1d ago

Capture €138.0/MWh · €9.80M/yr

€9.9M

NPV

13.4%

IRR

6.1y

payback

Low spread

ReveNew · updated 2w ago

Capture €97.2/MWh · €6.91M/yr

€0.2M

NPV

9.6%

IRR

7.6y

payback

Building or editing a financial case happens in ReveNew.

Open in ReveNew ↗

Technical details

Base case 2027 · hourly · 15-year horizon · StoreBrid

CONFIGURATION

Installed power	100 MW
Storage capacity	200 MWh
Duration	2.0 h
Round-trip efficiency	88%
Max export power	100 MW


OPERATION

Energy discharged	65.2 GWh/yr
Full cycles	326
Utilisation	74%
Peak discharge	70 MW

DEGRADATION

Capacity at year 15	73%
Annual degradation	2.1%/yr
80% threshold	year 10.5

POWER AND STATE OF CHARGE



Read-only. Daily graphs, heat maps and exports are in StoreBrid.

Open in StoreBrid

Financial details

Base market · Valencia BESS · ReveNew

FORECAST

Average price

€71.4/MWh

Volatility

€41.4/MWh

Market

OMIE — Spain

ENERGY

Annual production

65.2 GWh

Full cycles

326

Round-trip efficiency

88%

REVENUE

Annual revenue

€8.42M

Capture price

€118.4/MWh

Capture rate

166%

Contracted share

62%

COSTS

DevEx

€1.4M

CapEx

€42.1M

OpEx

€1.7M/yr

ReCapEx

not modelled

FINANCIAL MODEL

NPV

€8.3M

IRR

12.8%

Payback

6.3 years

Cost of capital

9.5%

Read-only. Every value is modelled in ReveNew.

Open in ReveNew

Sunveon
SUITE

← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS

Overview

Case matrix9

Compare3

OPEN IN

StoreBrid↗

ReveNew↗

PROJECT

Files

Activity

Settings

Home > Projects > Valencia BESS

Project

Valencia BESS

Spain · Stand-alone BESS · 100 MW / 200 MWh · COD 2027

Active

Project details

Compare

Financial results may be outdated

Base case 2027 was re-run 12 minutes ago; Base market was last calculated 4 hours ago. The figures below still show the earlier calculation.

Recalculate in ReveNew

CURRENT ANALYSIS

The pairing every figure on this page is read from.

ANALYSIS CASE

Base case

Switch

TECHNICAL SIMULATION

Base case 2027

100 MW / 200 MWh · 2.0 h · 65.2 GWh/yr

Change simulation

FINANCIAL CASE

Base market

Capture €118.4/MWh · €8.42M/yr

Change financial case

RESULT

€8.3M

NPV · 12.8% IRR

Technical data · StoreBrid, updated 2h ago · Financial data · ReveNew, updated 4h ago · in step

Combined

TECHNICAL PERFORMANCE

StoreBrid

What the asset does

Installed power

200 MWh · 2.0 h duration

100 MW

Energy discharged

326 full cycles

65.2 GWh/yr

Utilisation

74%

Round-trip efficiency

88%

Capacity at year 15

2.1%/yr degradation

73%

View technical details

FINANCIAL PERFORMANCE

ReveNew

What it earns

NPV

at 9.5% cost of capital

€8.3M

IRR

12.8%

CAPEX

costed in StoreBrid, consumed by the financial model

€42.1M

Revenue

capture €118.4/MWh

€8.42M/yr

Payback

undiscounted, from COD

6.3 years

View financial breakdown

WHAT THE COMBINATION PRODUCES Combined

What each case invests, and what it returns

Both bars are euros on the same scale. Cost comes from StoreBrid, value from ReveNew — neither product can draw this alone.

Revenue / MWh discharged
€129.1

CAPEX / MW installed
€421k

NPV / MW installed
€83k



■ CAPEX — what it costs to build • StoreBrid ■ NPV — value created over 15 years • ReveNew

The right-hand figure divides one by the other Combined

What this project has to combine Suite

What this project already has on each side. Choosing one changes the current analysis.

+ Create analysis case

TECHNICAL SIMULATIONS 3 in this project

Change simulation →

● Base case 2027 In use

200 MWh · 2.0 h · 326 cycles/yr

65.2 GWh

● Base case 2027 — 4 h duration

400 MWh · 4.0 h · 231 cycles/yr

92.4 GWh

● Base case 2027 — 85% round-trip

200 MWh · 2.0 h · 318 cycles/yr

63.6 GWh

FINANCIAL CASES 3 in this project

Change financial case →

● Base market In use

Capture €118.4/MWh · 12.8% IRR

€8.3M

● High spread

Capture €138.0/MWh · 13.4% IRR

€9.9M

● Low spread

Capture €97.2/MWh · 9.6% IRR

€0.2M

Saved analysis cases Suite

Named pairings of a technical simulation and a financial case. Nothing is modelled here — each one reads from both products.

+ Create analysis case

Compare all

Analysis case	Technical simulation	Financial case	CAPEX	NPV	IRR	
Base case In use	● Base 2 h	● Base market	€42.1M	€8.3M	12.8%	>
High storage	● 4 h variant	● Base market	€50.7M	€11.3M	13.2%	>
Stress test	● 4 h variant	● Low spread	€50.7M	€1.5M	10.0%	>

Long duration · strong market produces the highest NPV on €8.6M more CAPEX. Compare puts the technical change beside the financial one. Changing a simulation or a financial model happens in StoreBrid or ReveNew — the Suite reads the result.



← All projects

Valencia BESS
Spain · BESS · 100 MW / 200 MWh

ANALYSIS •

Overview

Case matrix 9

Compare 3

OPEN IN

• StoreBrid ↗

• ReveNew ↗

PROJECT

Files

Activity

Settings

Home > Projects > Valencia BESS > Case matrix

Analysis • Suite

Case matrix

Every technical simulation × financial case combination in this project. Nine possible, three saved as analysis cases.

+ New analysis case

Open Compare

Analysis baseline

• Base 2 h + • Base market ▾

Every delta on this page is measured against it.



3 technical simulations × 3 financial cases = **9 possible combinations**. 3 are saved as analysis cases — a combination becomes one only when it is named.

Open a cell to save or compare it

SHOWING

IRR per cent

Which combination of asset and market produces the strongest return on the money invested?

IRR

Annual revenue

Revenue / MWh

Revenue / cycle

Energy discharged

CAPEX

this metric comes from • Combined

HIGHEST RETURN

• Combined

14.1%

• 4 h variant + • High spread

€50.7M invested · +1.3 pt vs baseline. The most return, and also the most capital at risk.

BEST RETURN ON THE BASELINE INVESTMENT

• Combined

13.4%

• Base 2 h + • High spread

+0.6 pt for no additional CAPEX — the whole gain comes from the market, not from the asset.

WEAKEST RETURN

• Combined

8.4%

• Low RTE + • Low spread

-4.4 pt vs baseline. A 3-point round-trip loss and the softest market compound.

Technical simulation ▾ · Financial case →

Base market

capture €118.4/MWh · ReveNew

High spread

capture €138.0/MWh · ReveNew

Low spread

capture €97.2/MWh · ReveNew

Base 2 h

100 MW · 200 MWh · 2.0 h · 88% RTE

• StoreBrid

12.8%

€8.42M revenue · €42.1M CAPEX

• Baseline

• Base case

13.4%

€9.80M revenue · €42.1M CAPEX

+0.6 pt vs baseline

Not saved

9.6%

€6.91M revenue · €42.1M CAPEX

-3.2 pt vs baseline

Not saved

4 h variant

New

100 MW · 400 MWh · 4.0 h · 88% RTE

• StoreBrid

13.2%

€10.35M revenue · €50.7M CAPEX

+0.4 pt vs baseline

• High storage

Selected

14.1%

€12.05M revenue · €50.7M CAPEX

+1.3 pt vs baseline

Not saved

Outdated

10.0%

€8.50M revenue · €50.7M CAPEX

-2.8 pt vs baseline

• Stress test

Low RTE

100 MW · 200 MWh · 2.0 h · 85% RTE

- StoreBrid

11.5%

€7.96M revenue · €41.2M CAPEX

-1.3 pt vs baseline

Not saved

12.2%

€9.27M revenue · €41.2M CAPEX

-0.6 pt vs baseline

Not saved

Weakest

8.4%

€6.54M revenue · €41.2M CAPEX

-4.4 pt vs baseline

Not saved

SELECTED CASE • **4 h variant** × • **High spread**

Unsaved combination

• Technical and financial vs baseline

+ Save as analysis case

+ Add to comparison

 Explain difference >

IRR

On the matrix

14.1%

+1.3 pt • Combined

Annual revenue

€12.05M

+43.1% • ReveNew

Revenue / MWh

€130.4

+1.0% • Combined

Energy discharged

92.4 GWh

+41.7% • StoreBrid

CAPEX

€50.7M

+20.4% • StoreBrid

Both dimensions differ from the baseline. Explaining the split needs two controlled steps — Compare builds them. **Explain difference** opens it with Base 2 h + High spread and 4 h variant + Base market already in place — the two cells that isolate one dimension each.

- Combined Return rises with duration and with spread, but not by the same mechanism. The 4 h variant reaches 14.1% only by committing €8.6M more; Base 2 h under High spread reaches 13.4% on the money already committed. Whether the extra 0.7 pt is worth €8.6M is the decision — Compare puts that increment on its own.

THE TRADE-OFF BEHIND IRR

Return against investment

Within a cluster only the market moved, so the vertical spread is what a financial scenario is worth at fixed investment. Moving right costs capital.



Create analysis case

Valencia BESS • Suite

Analysis cases ↗

✕

Name *

Long duration · strong market

Technical simulation *

Base case 2027 — 4 h duration ▾

StoreBrid · completed 1d ago

Financial case *

High spread ▾

ReveNew · updated 1d ago

SUMMARY

Capacity

100 MW / 400 MWh

• StoreBrid

CAPEX

€50.7M

• StoreBrid

NPV

€14.2M

• ReveNew

IRR

14.1%

• • Combined

Nothing is created in StoreBrid or ReveNew — this is a named pairing of what already exists.

Cancel

✓ Create analysis case



← All projects

Valencia BESS
Spain · BESS · 100 MW / 200 MWh

ANALYSIS •

🔄 Overview

📄 Case matrix 9

📊 Compare 3

OPEN IN

• StoreBrid ↗

• ReveNew ↗

PROJECT

📁 Files

🕒 Activity

⚙️ Settings

[Home](#) > [Projects](#) > [Valencia BESS](#) > [Compare](#)

Compare • Suite

Compare

Analysis cases side by side — the technical configuration and the financial result it produces.

+ New analysis case

Analysis cases 3 All combinations 9

4 h storage investment decision saved 2 days ago · Victor Andújar

🕒 Saved comparisons ▾

📄 Export brief

✓ Save

Base case • Current • Base 2 h + • Base market ✕

High storage • 4 h variant + • Base market ✕

Stress test • Outdated • 4 h variant + • Low spread ✕

+ Add case

BEST NPV

€11.3M

High storage

BEST IRR

13.2%

High storage

LOWEST CAPEX

€42.1M

Base case

SHORTEST PAYBACK

6.2 yrs

High storage

⚠️ 1 analysis case is excluded from these conclusions — its financial result was calculated before the technical simulation changed.

• Recalculate in ReveNew ↗

🔄 **High storage** is selected. Making it the current analysis takes it back to Overview, where every figure then reads from it.


🔄 Use as current analysis

Four objectives, three analysis cases, no single winner. The Suite names the trade-off; the choice is yours.

DIFFERENCE FROM BASE CASE • Combined

What each analysis case changes

Every bar is read from the base case and oriented by what it means: an improvement points right, a worse result points left. The number keeps its real sign, so +€8.6M of CAPEX still reads as +€8.6M while sitting on the worse side.



What the design change buys • Combined

Each step below moves one dimension, so the financial consequence can be read against the technical one.

High storage vs Base case • Technical only

TECHNICAL CHANGE				• StoreBrid
Storage capacity	200 MWh	>	400 MWh	+200 MWh
Duration	2.0 h	>	4.0 h	+2.0 h
Energy discharged	65.2 GWh	>	92.4 GWh	+27.2 GWh

FINANCIAL IMPACT				• ReveNew
CAPEX	€42.1M	>	€50.7M	+€8.6M
Revenue	€8.42M	>	€10.35M	+€1.93M/yr
NPV	€8.3M	>	€11.3M	+€3.0M
IRR	12.8%	>	13.2%	+0.4 pp
Payback	6.3 y	>	6.2 y	-0.1 y

Stress test vs High storage • Financial only

TECHNICAL CHANGE		• StoreBrid
None		
Same StoreBrid simulation — 100 MW / 400 MWh, 92.4 GWh discharged. Nothing was rebuilt to earn the difference.		

FINANCIAL IMPACT				• ReveNew
CAPEX	€50.7M	>	€50.7M	+€0.0M
Revenue	€10.35M	>	€8.50M	-€1.85M/yr
NPV	€11.3M	>	€1.5M	-€9.8M
IRR	13.2%	>	10.0%	-3.2 pp
Payback	6.2 y	>	7.4 y	+1.2 y

Doubling storage costs €8.6M and returns €1.93M a year, lifting NPV by €3.0M. The stress test then holds that asset and drops the market to Low spread: nothing is rebuilt, and €9.8M of NPV disappears. That is the risk the extra storage carries.

Analysis case	Base case Base 2 h + Base market	High storage 4 h variant + Base market	Stress test 4 h variant + Low spread
TECHNICAL — STOREBRID • StoreBrid			
Installed power • StoreBrid	100 MW	100 MW	100 MW
Storage capacity • StoreBrid	200 MWh	400 MWh	400 MWh
Duration • StoreBrid	2.0 h	4.0 h	4.0 h
Round-trip efficiency • StoreBrid	88%	88%	88%
Energy discharged • StoreBrid	65.2 GWh	92.4 GWh	92.4 GWh
Full cycles / year • StoreBrid	326	231	231
FINANCIAL — REVENUE • ReveNew			
CAPEX • StoreBrid → • ReveNew	€42.1M	€50.7M	€50.7M
Revenue / year • ReveNew	€8.42M	€10.35M	€8.50M
NPV • ReveNew	€8.3M	€11.3M	€1.5M
IRR • Combined	12.8%	13.2%	10.0%
Payback • ReveNew	6.3 yrs	6.2 yrs	7.4 yrs
COMBINED — SUITE • Combined			
Revenue / MWh discharged • Combined	€129.1	€112.0	€92.0
NPV / MW installed • Combined	€83k	€113k	€15k



← All projects

Valencia BESS
Spain · BESS · 100 MW / 200 MWh

ANALYSIS •

🔄 Overview

📊 Case matrix 9

📊 Compare 3

OPEN IN

• StoreBrid ↗

• ReveNew ↗

PROJECT

📁 Files

🕒 Activity

⚙️ Settings

[Home](#) > [Projects](#) > [Valencia BESS](#) > Compare

Analysis • Suite

Compare cases

📄 Export decision brief

✓ Save comparison

Why these 4 cases differ, what each change contributed, and what the better outcome costs. Exploring the full set is [Cases](#).

Explaining 4 h variant + High spread against the baseline

Both dimensions moved, so the two cases that isolate one change each were added from the matrix. Nothing was calculated to do it — all four already existed.

• Baseline • **Base 2 h** + • **Base market** ▾

compared with

• **Base 2 h** + • **High spread** ✕

• **4 h variant** + • **Base market** ✕

• **4 h variant** + • **High spread** ✕

+ Add case

Chips add and remove cases · the baseline chip changes the reference

DECISION SUMMARY

• • Combined

High spread adds €1.38M of annual revenue and 0.6 pt of IRR on the same asset — same 65.2 GWh, same €42.1M. 4 h variant discharges 27.2 GWh more on the same market for €8.6M of additional CAPEX, worth €1.93M a year. 4 h variant + High spread moves both dimensions at once: €3.63M more revenue and 1.3 pt of IRR, on €8.6M more CAPEX. 4 h variant + High spread gives the highest return at 14.1%, while Base 2 h + High spread earns the most per MWh discharged at €150.3. Extra duration buys volume, not price.

Key changes vs baseline

Each selected case against Base 2 h + Base market, split the way the domain splits it: what changed in the StoreBrid simulation, what changed in the ReveNew scenario, and what came out.

• Base 2 h × • High spread • financial only change vs baseline

TECHNICAL CHANGE

• StoreBrid

None

Same StoreBrid simulation as the baseline — 100 MW / 200 MWh, 88% round-trip, 65.2 GWh discharged.

FINANCIAL CHANGE

• ReveNew

Base market > High spread

Capture price €118.4 → €138.0/MWh against a €71.4/MWh spot average.

OUTCOME	value	vs baseline
Energy discharged • StoreBrid	65.2 GWh	unchanged
Annual revenue • ReveNew	€9.80M	+€1.38M
Revenue / MWh discharged • Combined	€150.3	+€21.2
CAPEX • StoreBrid	€42.1M	unchanged
IRR • Combined	13.4%	+0.6 pt

• 4 h variant × • Base market • technical only change vs baseline

TECHNICAL CHANGE

• StoreBrid

200 MWh · 2.0 h > 400 MWh · 4.0 h

88% round-trip, 100 MW installed. A separate StoreBrid simulation; the baseline's is untouched.

FINANCIAL CHANGE

• ReveNew

None

Same ReveNew scenario as the baseline — capture price €118.4/MWh.

OUTCOME	value	vs baseline
Energy discharged • StoreBrid	92.4 GWh	+27.2 GWh
Annual revenue • ReveNew	€10.35M	+€1.93M
Revenue / MWh discharged • Combined	€112.0	-€17.1
CAPEX • StoreBrid	€50.7M	+€8.60M
IRR • Combined	13.2%	+0.4 pt

4 h variant × High spread • technical and financial change vs baseline

TECHNICAL CHANGE

• StoreBrid

200 MWh · 2.0 h > 400 MWh · 4.0 h

88% round-trip, 100 MW installed. A separate StoreBrid simulation; the baseline's is untouched.

FINANCIAL CHANGE

• ReveNew

Base market > High spread

Capture price €118.4 → €138.0/MWh against a €71.4/MWh spot average.

OUTCOME	value	vs baseline
Energy discharged • StoreBrid	92.4 GWh	+27.2 GWh
Annual revenue • ReveNew	€12.05M	+€3.63M
Revenue / MWh discharged • Combined	€130.4	+€1.3
CAPEX • StoreBrid	€50.7M	+€8.60M
IRR • Combined	14.1%	+1.3 pt

CONTRIBUTION ALONG THE COMPARISON PATH • Combined

IRR — both dimensions moved

Each step below holds one dimension while the other moves, using cases that already exist in the matrix. Both orders reach 14.1%, but they do not split it the same way.

Financial first

12.8% baseline > • Financial +0.6 pt > 13.4% Base 2 h + High spread > • Technical +0.7 pt > 14.1% selected

Technical first

12.8% baseline > • Technical +0.4 pt > 13.2% 4 h variant + Base market > • Financial +0.9 pt > 14.1% selected

🔗 Total +1.3 pt either way · the split moves by 0.3 pt

A wider spread is worth more on the larger battery, so the financial step depends on which asset it is applied to. Neither order is the true decomposition — the Suite shows both rather than picking one.

INCREMENTAL ECONOMICS • Combined

What the extra duration costs and returns

The 2.0 h → 4.0 h step, on Base market on both sides.

Additional storage • StoreBrid	+200 MWh
Additional discharged energy • StoreBrid	+27.2 GWh
Additional CAPEX • StoreBrid	+€8.6M
Additional annual revenue • ReveNew	+€1.93M
IRR impact • Combined	+0.4 pt
Simple payback on the increment • Combined	4.5 years


Payback is €8.6M of extra CAPEX divided by €1.93M of extra annual revenue — undiscounted, before operating cost.

TECHNICAL VS FINANCIAL

Does working the asset harder pay for itself?

Utilisation against return. Bubble size is storage capacity; the dashed ring marks the baseline.

Combined



METRIC COMPARISON

IRR

IRR comes from the project financial model — ReveNew revenue cash flows against StoreBrid CAPEX. Cases with no financial model show no IRR at all.

Compare by

	IRR	Annual revenue	Revenue / MWh	Revenue / cycle	Energy discharged	CAPEX
Base 2 h + Base market						12.8% baseline
Base 2 h + High spread						13.4% +0.6 pt
4 h variant + Base market						13.2% +0.4 pt
4 h variant + High spread						14.1% +1.3 pt

Hide data

All metrics

Base 2 h + Base market

Base 2 h + High spread

4 h variant + Base market

4 h variant + High spread

TECHNICAL — STOREBRID • StoreBrid				
Storage capacity	200 MWh	200 MWh	400 MWh	400 MWh
Duration	2.0 h	2.0 h	4.0 h	4.0 h
Round-trip efficiency	88%	88%	88%	88%
Full cycles / year	326 baseline	326 —	231 -29.1%	231 -29.1%
Utilisation	74% baseline	74% —	79% +5.0 pt	79% +5.0 pt
Energy discharged	65.2 GWh baseline	65.2 GWh —	92.4 GWh +41.7%	92.4 GWh +41.7%
CAPEX	€42.1M baseline	€42.1M —	€50.7M +20.4%	€50.7M +20.4%
FINANCIAL — REVENUE • ReveNew				
Annual revenue	€8.42M baseline	€9.80M +16.4%	€10.35M +22.9%	€12.05M +43.1%
Capture price	€118.4/MWh	€138.0/MWh	€118.4/MWh	€138.0/MWh
Spot average	€71.4/MWh	€71.4/MWh	€71.4/MWh	€71.4/MWh
Capture rate	166%	193%	166%	193%
COMBINED — SUITE • Combined				
Revenue / MWh discharged	€129.1 baseline	€150.3 +16.4%	€112.0 -13.3%	€130.4 +1.0%
Revenue / cycle	€25,828 baseline	€30,061 +16.4%	€44,805 +73.5%	€52,165 +102.0%
Revenue / MW installed	€84k	€98k	€104k	€121k
Revenue / CAPEX	20.0%	23.3%	20.4%	23.8%
IRR	12.8% baseline	13.4% +0.6 pt	13.2% +0.4 pt	14.1% +1.3 pt
IRR comes from the project financial model — ReveNew revenue cash flows against StoreBrid CAPEX. Cases with no financial model show no IRR at all.				

← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS

Overview

Case matrix9

Compare3

OPEN IN

StoreBrid↗

ReveNew↗

PROJECT

Files

Activity

Settings

Project Suite

Settings

Edit project details

The context both products read, and the defaults this project opens with.

Project details Suite

Shared context. Both StoreBrid and ReveNew read these values, so they are edited once, here.

Project name	Valencia BESS	Edit
Technology	Stand-alone BESS · 100 MW / 200 MWh	Edit
Location	Valencia, Spain · 39.4699°, -0.3763°	Edit
Commercial operation date	2027	Edit

Units, currency and financial basis Suite

The first two apply to everything the Suite displays; figures imported from either product are converted for display, never rewritten at the source. The third is what makes a return figure possible at all.

Currency Revenue, CAPEX and every combined figure.	EUR — Euro	Change ▾
Energy units Power in MW, capacity in MWh.	MWh · GWh for annual totals	Change ▾
Financial model Without it, cases show no IRR and no payback.	Configured · 15-year horizon, 9.5% discount rate Combined	Open in ReveNew ↗

Analysis defaults Suite

What the project opens with. Changing a default re-reads existing results — it never re-runs a simulation or edits a financial case.

Default analysis case

What Overview opens with. The two rows below are what it is made of.

● **Base case** ● Suite

Change ▾

— Technical simulation

● **Base case 2027** ● StoreBrid

— Financial case

● **Base market** ● ReveNew

Comparison baseline

The analysis case every delta on Compare is measured against.

● **Base case** ● Suite

Change ▾

Default comparison metric

What Compare opens with. Any of the six can be selected on the page.

Revenue / MWh discharged ● Combined

Change ▾

Where the rest is configured

The Suite deliberately owns none of this. Each product keeps its own configuration and its own access rules.

● StoreBrid

Plant layout, BESS losses, degradation and augmentation, dispatch strategy, cost build-up, grid files.

[Open StoreBrid settings ↗](#)

● ReveNew

Price curves and markets, contract structures, escalation, tax and financing assumptions.

[Open ReveNew settings ↗](#)

● Suite

Project membership and licences are managed once for the organisation, not per project.

[Administration & licences >](#)

Edit project details

Valencia BESS • Suite

PROJECT DETAILS

Project name *

Valencia BESS

Technology *

Stand-alone BESS

Installed power

100

MW

Storage capacity

200

MWh

Currency *

EUR — Euro

Commercial operation date

2027

LOCATION

Latitude *

39.4699

°

Longitude *

-0.3763

°

Sevilla

Valencia, Spain

Schematic coordinates are authoritative

Shared across the Suite — both products read these values.

Cancel

✓ Save changes

Sunveon

SUITE

← All projects

Andalucía Solar + BESS

Spain · Hybrid · not configured

ANALYSIS

Overview

Case matrix9

Compare3

OPEN IN

StoreBrid↗

ReveNew↗

PROJECT

Files

Activity

Settings

VA Victor Andújar

Sunveon Energy

Home > Projects > Andalucía Solar + BESS

Suite project · created 2 minutes ago

Andalucía Solar + BESS

Spain · Hybrid · Sevilla · EUR

New project

StoreBrid

ReveNew

Start configuring your project

The project exists and both products can already see it. What each domain needs next is its own — the shared details are done.

Engineering

Not configured yet

Plant layout, BESS sizing, losses and cycling limits — then the first dispatch simulation.

Configure plant

Financial

Not configured yet

Price curves, market assumptions and contracts — then the first revenue case and the financial model.

Configure market assumptions

Shared project context

Owned by the Suite. Both products read these values; neither asks for them again.

Project name

Andalucía Solar + BESS

Type

Hybrid — generation and storage

Currency

EUR — Euro

Country

Spain

Coordinates

37.3891, −5.9845 · Sevilla

Created by

Victor Andújar · 21 August 2026

Project activity

Project created Victor Andújar

Once Engineering runs its first simulation and Finance builds its first revenue case, this timeline carries both — and the overview gains the combined figures that need one of each.



← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS •

Overview

OPEN IN

StoreBrid

PROJECT

Files

Activity

Settings

VA Victor Andújar
Sunveon Energy

Home > Projects > Valencia BESS

Suite project

Valencia BESS

Spain · BESS · 100 MW / 200 MWh · COD 2027

Active

Open in StoreBrid

⋮

CYCLES / YEAR

326

StoreBrid

+12

ENERGY DISCHARGED

65.2 GWh

StoreBrid

+4.1%

UTILISATION

74%

StoreBrid

+2 pt

ROUND-TRIP EFFICIENCY

88%

StoreBrid


+1 pt

TECHNICAL PERFORMANCE

What the asset does • StoreBrid

Highest-spread day this month. The state of charge below is derived from the same schedule.

Charging Discharging --- State of charge



Energy discharged 65.2 GWh / yr

Full cycles 326 / yr

Peak discharge 70 MW

State of charge range 2 – 98 %

Project activity

View all

Simulation "Base case 2027" completed

Ana Ruiz

StoreBrid

2h ago

Technical variant "4 h duration" started

Ana Ruiz

StoreBrid

4h ago

Plant configuration changed — round-trip 87% → 88%

Ana Ruiz

StoreBrid

2d ago

Dispatch results exported

Victor Andújar

StoreBrid

3d ago

Project created

Victor Andújar

Suite

8mo ago

← All projects

Valencia BESS

Spain · BESS · 100 MW / 200 MWh

ANALYSIS

Overview

OPEN IN

ReveNew

PROJECT

Files

Activity

Settings

VA

Victor Andújar

Sunveon Energy

Suite project

Valencia BESS

Spain · BESS · 100 MW / 200 MWh · COD 2027

Active

Open in ReveNew

IRR

12.8%

ReveNew

+0.4 pt

ANNUAL REVENUE

€8.42M

ReveNew

+3.1%

CAPEX

€42.1M

ReveNew

CAPTURE PRICE

€118.4

ReveNew


+2.6%

FINANCIAL PERFORMANCE

What it earns

Base case. The dashed line is the same asset with no PPA, recomputed hour by hour at market price.

Contracted (PPA) Merchant Without PPA



Contracted (PPA)	€5.2 M / yr
Merchant	€3.2 M / yr
Capture price	118.4 €/MWh
Spot average	71.4 €/MWh
Capture rate	166 %

Project activity

View all

PPA contract "Iberdrola 2026–31" changed

Victor Andújar

ReveNew

3h ago

Financial scenario "High spread" updated

Victor Andújar

ReveNew

5h ago

Financial model recalculated

System

ReveNew

Yesterday

Financial scenario "Merchant upside" created

Marta Gil

ReveNew

4d ago

Project created

Victor Andújar

Suite

8mo ago

RESILIENCE

Empty, partial and unavailable

Every state names what is missing and the one thing that changes it. None of them is a dead end. None of them describes a project as incomplete — the project is always whole; only the work inside a domain, or the viewer's licence, varies.



No projects yet

• Suite

Everything hangs off a project — the portfolio, the analytics, both product workspaces. Create the first one and it exists for every product you hold.

New organisation

[Create project >](#)



Engineering not configured

• StoreBrid

The project exists and StoreBrid can see it, but the plant has not been laid out yet. Nothing is missing from the project itself.

Andalucía Solar + BESS

[Configure plant >](#)



Financial model not configured

• Revenew

Price curves and market assumptions have not been set. Revenue, IRR and the financial model appear once they are.

Andalucía Solar + BESS

[Configure assumptions >](#)



No simulation yet

• StoreBrid

Plant configuration is complete but nothing has been dispatched, so there is no throughput, no cycle count and nothing for the financial side to read.

Zaragoza Wind + BESS

[Run first simulation >](#)



Combined metric does not apply

• Combined

Revenue per MWh discharged needs a discharge. A solar project without storage has none — so the metric is withheld rather than shown as zero.

Porto PV

[About combined metrics >](#)



Awaiting recalculation

• Revenew

A technical input moved and the revenue case has not been re-run since. The figure shown is the last trustworthy one, dated — not a fresh one.

Valencia BESS · 2 days

[Review impact >](#)



Revenew is unavailable

• Revenew

The financial editor did not load. Nothing was changed, and the work is still reachable directly in Revenew while the Suite retries. The rest of the project is unaffected.

Forecast editor

[Open in Revenew >](#)




Capability not licensed

• Suite

Financial capabilities are simply absent for that member — no padlocked navigation, no empty dashboards, and no combined metric that would leak revenue they cannot access. Their project pages are complete, not partial. The Applications list is the one place an unlicensed product is named at all.

A member without Revenew

[Request access >](#)



Home

Projects

Analytics

APPLICATIONS

StoreBrid

ReveNew

Administration

Victor Andújar
Sunveon Energy

Home > Administration

Sunveon Energy · 14 members

Administration

+ Invite member

Organisation

Products & licences

Members 14

Projects 24

Products & licences

What the organisation holds today. Seats are per product — a member can hold one, both, or neither.

StoreBrid

Active

12 of 15 seats in use



Engineering · renews 1 March 2027

Manage access

ReveNew

Active

8 of 10 seats in use



Financial · renews 1 March 2027

Manage access

Suite

Active

14 of 15 seats in use



Included with either product

Manage access

Member access

Holding both products as an organisation does not give every member both. The shell adapts per person.

Member	Role	Engineering	Financial	Last active
Victor Andújar victor@sunveon.com	Administrator			Now
Ana Ruiz ana@sunveon.com	Engineer		No access	2h ago
Marta Gil marta@sunveon.com	Analyst	No access		Yesterday
Diego Sanz diego@sunveon.com	Engineer		No access	Yesterday
Laura Peña laura@sunveon.com	Portfolio manager			2d ago
Felix Serrano felix@sunveon.com	Analyst	No access		3d ago

Ana and Diego see the engineering Suite; Marta and Felix see the financial one. Combined metrics only appear for members who hold both — a member without ReveNew is never shown revenue through a combined figure.

Project capabilities

Every project belongs to the Suite. What varies is which product capabilities are enabled on it.

24

Suite projects

Suite

11

Both capabilities

Combined

5

Engineering only

StoreBrid

8

Financial only

ReveNew

SUITE · PATTERNS

Source and relationship

Two patterns carry the whole Suite argument: where a number came from, and what depends on it. Both stay quiet — 10.5 px, slate 400, a 4 px dot. Metadata, never a badge.

The four sources

• Suite	Neutral metadata the Suite owns — name, country, technology, capacity, status. On click → stays in the Suite
• StoreBrid	Technical results — simulations, dispatch, state of charge, cycles, throughput. On click → deep-links into the StoreBrid workflow
• ReveNew	Financial results — forecasts, capture price, revenue, costs, IRR, NPV. On click → deep-links into the ReveNew workflow
•• Combined	Exists only because the Suite understands both domains. Always shows how it is derived. On click → opens the combined metric in Analytics

Cross-product context

How a Suite screen says that one product's numbers rest on the other's, without pretending to own either calculation.

 Financial figures are based on simulation **Base case 2027**, last calculated 5 days ago — the plant configuration changed after that. [Review →](#)

It appears only on Suite-owned screens — overview, analytics, comparison. A specialist screen stays inside its own product: the simulations list carries no revenue cases, and a revenue case carries no dispatch settings. The Suite states the relationship; each product still owns its own recalculation.

Product accents

Lifted from each product. The Suite is the parent brand; it does not flatten them.

		
StoreBrid #2563EB Engineering · technical	ReveNew #AF47B2 Financial	Suite #0E9DA8 Neutral · combined

Two badge families — never mixed

Product capabilities

• StoreBrid • ReveNew

Which product capabilities are enabled on this **project**. There is one project — this is never two records joined together.


Status

• Active • Development • Draft

What **state** the thing is in. Always with a dot, so state never rests on hue alone.

EN UNA FRASE

StoreBrid explica qué puede hacer técnicamente el activo. ReveNew explica qué resultado económico produce. La Suite conecta ambas perspectivas para explorar alternativas, comparar trade-offs y decidir con contexto.



Los valores numéricos del prototipo son ilustrativos y deben validarse contra los datos reales de StoreBrid y ReveNew.