

Reflex (Prefixed) CSS Framework

A lightweight, builder-safe CSS grid and utility framework designed to work cleanly with **Elementor, Divi, and WordPress themes**. All layout classes are **prefixed with** `rf-` to prevent conflicts. Spacing utilities are global for convenience.

Features

- 📐 **12-column Flexbox grid** (responsive, mobile-first)
 - 🏠 **Safe prefixed classes** (`rf-*`) for layout
 - 📏 **Offsets & ordering** for layout control
 - 🛠️ **Flex helpers** (align, justify, wrap, direction)
 - 📊 **Bootstrap-style tables (prefixed)**
 - 📏 **Global spacing utilities** (`m-*`, `p-*`, etc.)
-

Installation

Include the CSS file in your theme, child theme, or sitewide stylesheet.

```
<link rel="stylesheet" href="reflex.css">
```

No JavaScript required.

Core Concepts

Layouts are built using three main building blocks:

- **Containers** → `.rf-container`, `.rf-container-full`
- **Rows (Grids)** → `.rf-grid`
- **Columns** → `.rf-col-*` and responsive variants

All layout-related classes are prefixed with `rf-` to avoid conflicts with themes, plugins, and page builders.

Containers

Fixed-width Container

Centers content and applies responsive max-widths.

```
<div class="rf-container">
  ...
</div>
```

Full-width Container

Spans full width but keeps left/right padding.

```
<div class="rf-container-full">
  ...
</div>
```

Grid System

Basic Layout

```
<div class="rf-container">
  <div class="rf-grid">
    <div class="rf-col-6">Left</div>
    <div class="rf-col-6">Right</div>
  </div>
</div>
```

Responsive Columns

Stack on mobile, split on desktop:

```
<div class="rf-grid">
  <div class="rf-col-12 rf-col-md-6">Left</div>
  <div class="rf-col-12 rf-col-md-6">Right</div>
</div>
```

Column Sizes

Class	Width
rf-col-1	8.33%
rf-col-2	16.66%
rf-col-3	25%

Class	Width
<code>rf-col-4</code>	33.33%
<code>rf-col-6</code>	50%
<code>rf-col-12</code>	100%

Breakpoints

Prefix	Min Width
<code>xs</code>	$\geq 576\text{px}$
<code>sm</code>	$\geq 768\text{px}$
<code>md</code>	$\geq 992\text{px}$
<code>lg</code>	$\geq 1200\text{px}$
<code>xlg</code>	$\geq 1600\text{px}$

Example

```
<div class="rf-col-12 rf-col-sm-6 rf-col-lg-4">Card</div>
```

Auto Columns

Let a column grow to fill available space:

```
<div class="rf-grid">
  <div class="rf-col-3">Sidebar</div>
  <div class="rf-col-auto">Flexible Content</div>
</div>
```

Responsive versions are also available:

- `rf-col-sm-auto`
- `rf-col-md-auto`
- `rf-col-lg-auto`
- `rf-col-xlg-auto`

Offsets

Push a column to the right by column width.

```
<div class="rf-grid">
  <div class="rf-col-4 rf-offset-4">Centered</div>
</div>
```

Responsive:

```
<div class="rf-col-6 rf-offset-md-3">Centered on desktop</div>
```

Ordering

Reorder columns visually using Flexbox.

```
<div class="rf-grid">
  <div class="rf-col-6 rf-order-2 rf-order-md-1">Text</div>
  <div class="rf-col-6 rf-order-1 rf-order-md-2">Image</div>
</div>
```

Flex Helpers

Apply these to `.rf-grid`:

Wrapping

- `rf-wrap`
- `rf-no-wrap`
- `rf-wrap-reverse`

Direction

- `rf-direction-row`
- `rf-direction-column`
- `rf-direction-row-reverse`
- `rf-direction-column-reverse`

Alignment

- `rf-align-start`
- `rf-align-center`
- `rf-align-end`
- `rf-align-baseline`

Justification

- `rf-justify-start`
- `rf-justify-center`
- `rf-justify-end`
- `rf-justify-space-between`
- `rf-justify-space-around`

Example

```
<div class="rf-grid rf-align-center rf-justify-space-between">  
  ...  
</div>
```

Gutter Control (Bleed)

Remove column padding when needed.

Remove gutters for entire grid

```
<div class="rf-grid rf-grid-bleed">  
  <div class="rf-col-6">No padding</div>  
  <div class="rf-col-6">No padding</div>  
</div>
```

Per-column

- `rf-col-bleed` → no padding
- `rf-col-bleed-x` → vertical padding only
- `rf-col-bleed-y` → horizontal padding only

Tables (Prefixed)

Tables are Bootstrap-style but **use** `rf-` **prefixes** to avoid conflicts.

```
<div class="rf-table-responsive">
  <table class="rf-table rf-table-striped rf-table-hover">
    ...
  </table>
</div>
```

Options

- rf-table-striped
- rf-table-hover
- rf-table-bordered
- rf-table-borderless
- rf-table-sm

Contextual Colors

- rf-table-primary
- rf-table-secondary
- rf-table-success
- rf-table-info
- rf-table-warning
- rf-table-danger
- rf-table-light
- rf-table-dark

Spacing Utilities (Global)

These classes work **anywhere on the site**.

Margin

- m-0 → m-5
- mt-*, mb-*, ml-*, mr-*
- mx-* (left/right)
- my-* (top/bottom)

Padding

- p-0 → p-5
- pt-*, pb-*
- px-* (left/right)
- py-* (top/bottom)

Example

```
<div class="p-4 mb-3">  
  Spaced content  
</div>
```

Responsive Spacing

- `sm-*` → ≥576px
- `md-*` → ≥768px
- `lg-*` → ≥992px
- `xl-*` → ≥1200px

Example:

```
<div class="p-2 lg-p-5">Responsive padding</div>
```

Best Practices

- Always use `rf-` **prefixed classes for layout**
- Use global spacing utilities for fast spacing control
- Avoid mixing `.rf-grid` with other grid systems in the same section
- Use `rf-col-auto` for flexible layouts

Example Layout

```
<div class="rf-container">  
  <div class="rf-grid rf-align-center">  
    <div class="rf-col-12 rf-col-md-6">  
      <h2>Content</h2>  
      <p>This stacks on mobile and splits on desktop.</p>  
    </div>  
    <div class="rf-col-12 rf-col-md-6">  
        
    </div>  
  </div>  
</div>
```

License

Free to use in personal and commercial projects.

Notes

This framework is designed to coexist safely with:

- Elementor
- Divi
- Most WordPress themes and plugins

By keeping all layout classes prefixed, it avoids common class-name collisions while still giving you fast, utility-style development.