
Estimates from public data for planning a conversation, not a survey and not an approval.

Tamarin, Mauritius · practice plot

Boundary drawn by you; not a cadastral survey.

Offline practice sample. The location is real; this outline and its levels are invented for learning.



Boundary & orientation

Area

500.00 m²

drawn

Mauritius measure

11.846 perches · 0.1185 arpents

drawn

Approximate conversion: 1 perche = 42.21 m²; 1 arpent = 4,221 m². Confirm the title's unit definition.

Perimeter

90.00 m

drawn

Shortest / longest side

20.00 / 25.00 m

drawn

First corner (WGS84)

-20.329216, 57.377679

drawn

North is up. Plan x = east; plan y = south. Dimensions use WGS84 local tangent metres, not map pixels.

Plan anchor

x -5.00 m · y -5.00 m

drawn

Applying a site does not move any existing room.

Estimates from public data for planning a conversation, not a survey and not an approval.

Levels & terrain

Lowest / highest input level

100.00 / 102.00 m

typed what-if

Fictional local datum 100 m; not a surveyed or sea-level elevation

Best-fit slope

8.00% · 4.57°

typed what-if

Least-squares plane; residual RMS 0.000 m. Local breaks may be steeper.

Downhill aspect

270.0° from north

typed what-if

Public terrain

Unavailable

unavailable

Public terrain, about 30 m grid; not a survey. Native data can be coarser; neighbouring corners can share a cell. Never used for cut/fill or foundation depth.

▼ **Input levels & declared source**

What-if levels typed by you · Fictional local datum 100 m; not a surveyed or sea-level elevation

Point	Plan x / y (m)	Level (m)	Source
1	-5.00 / -5.00	100.00	typed what-if
2	20.00 / -5.00	102.00	typed what-if
3	20.00 / 15.00	102.00	typed what-if
4	-5.00 / 15.00	100.00	typed what-if

Platform scenario

Platform level

101.00 m

typed what-if

Cut / fill

125.00 m³ cut · 125.00 m³ fill

typed what-if

Piecewise linear terrain, clipped to the boundary. 2 clipped triangles; 500.00 m² covered. In-situ geometry only; no bulking, compaction, retaining wall, soil or disposal allowance.

Existing foundation scenario

Existing / scenario concrete

Unavailable

unavailable

Run an explicit datum-shift scenario below. Terrain never supplies a founding depth.

Sun & mapped surroundings

PVGIS annual solar yield

Unavailable

unavailable

1 kWp crystalline-silicon system; 14% losses, optimal orientation. Model estimate, not a roof shading or output guarantee.

PVGIS optimal tilt

Unavailable

unavailable

Within 100 m of the boundary

Unavailable

unavailable

OpenStreetMap mapped ways, not addresses or a complete census. A road can consist of several ways. Missing data is not evidence of absence.

Waterways / power features

Unavailable

unavailable

Mapped public features only; buried services and connection capacity require utility confirmation.

Mapped land use nearby

Unavailable

unavailable

Planning conversation

Setback envelope

Unavailable

unavailable

No plot-specific planning rules verified. No buildable area or approval is inferred.

Illustrative buildable footprint

Unavailable

unavailable

No plot-specific planning rules verified. No buildable area or approval is inferred.

Sources & unresolved checks

Sources accompany every number. Boundaries and survey-plan transcription have not been checked against the cadastre. Confirm boundaries, datum, services, ground conditions and current planning rules with the relevant professionals.

Report assembled: 2026-10-27T00:00:00.000Z. Each provider's original acquisition time is retained below; cached results are not relabelled as fresh.

Unavailable — Offline practice sample. Solar, public terrain and mapped neighbours have not been fetched.

Estimates from public data for planning a conversation, not a survey and not an approval.

Estimates from public data for planning a conversation, not a survey and not an approval.