SW7:

interface range fa0/1, fa0/2

channel-group 1 mode desirable

exit

interface port-channel 1

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

interface range fa0/3, fa0/4

channel-group 2 mode desirable

exit

interface port-channel 2

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

SW4:

interface range fa0/1, fa0/2

channel-group 1 mode desirable

exit

interface port-channel 1

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

interface range fa0/3, fa0/4

channel-group 3 mode desirable

exit

interface port-channel 3

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

interface range fa0/5, fa0/6

channel-group 4 mode desirable

exit

interface port-channel 4

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

SW5:

interface range fa0/5, fa0/6

channel-group 4 mode desirable

exit

interface port-channel 4

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit

interface range fa0/3, fa0/4

channel-group 2 mode desirable

exit

interface port-channel 2

```
switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit


interface range fa0/1, fa0/2

channel-group 5 mode desirable

exit

interface port-channel 5

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit
```

SW6:

```
interface range fa0/3, fa0/4

channel-group 3 mode desirable

exit

interface port-channel 3

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99

exit


interface range fa0/1, fa0/2

channel-group 5 mode desirable

exit

interface port-channel 5

switchport trunk encapsulation dot1q

switchport mode trunk

switchport trunk allowed vlan 10,20,30,40,99
```

exit