```
GET
  FILE='C:\Users\Temp\Desktop\Reproducibility\Data\across notation automatic numerical processi
DATASET NAME DataSet7 WINDOW=FRONT.
DATASET ACTIVATE DataSet7.
GLM Arabic1 Arabic2 Indian1 Indian2 Mixed1 Mixed2 BY Order
  /WSFACTOR=Notation 3 Polynomial NumerDiffere 2 Polynomial
  /METHOD=SSTYPE(3)
  /EMMEANS=TABLES(OVERALL)
  /EMMEANS=TABLES(Order)
  /EMMEANS=TABLES(Notation)
  /EMMEANS=TABLES(NumerDiffere)
  /EMMEANS=TABLES(Order*Notation)
  /EMMEANS=TABLES(Order*NumerDiffere)
  /EMMEANS=TABLES(Notation*NumerDiffere)
  /EMMEANS=TABLES(Order*Notation*NumerDiffere)
  /PRINT=DESCRIPTIVE
  /CRITERIA=ALPHA(.05)
  /WSDESIGN=Notation NumerDiffere Notation*NumerDiffere
  /DESIGN=Order.
```

General Linear Model

Notes

Output Created		28-Dec-2014 08:35:19
Comments		
Input	Data	C:\Users\Temp\Desktop\Reproducibility\Data\across notation automatic numerical processing\Analysis\Ready to Analysis\SDV_RTs_Final.sav
	Active Dataset	DataSet7
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	31
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.
Syntax		GLM Arabic1 Arabic2 Indian1 Indian2 Mixed1 Mixed2 BY Order /WSFACTOR=Notation 3 Polynomial NumerDiffere 2 Polynomial /METHOD=SSTYPE(3) /EMMEANS=TABLES(OVERALL) /EMMEANS=TABLES(Order) /EMMEANS=TABLES(Notation) /EMMEANS=TABLES (NumerDiffere) /EMMEANS=TABLES (Order*Notation) /EMMEANS=TABLES (Order*NumerDiffere) /EMMEANS=TABLES (Notation*NumerDiffere) /EMMEANS=TABLES (Order*Notation*NumerDiffere) /PRINT=DESCRIPTIVE /CRITERIA=ALPHA(.05) /WSDESIGN=Notation NumerDiffere Notation*NumerDiffere /DESIGN=Order.
Resources	Processor Time	00 00:00:00.032
	Elapsed Time	00 00:00:00.051

[DataSet7] C:\Users\Temp\Desktop\Reproducibility\Data\across notation automatic numerical processing\Analysis\Ready to Analysis\SDV_RTs_Final.sav

Within-Subjects Factors

Measure:MEASURE_1

Notation	NumerDiffere	Dependent Variable
1	1	Arabic1
	2	Arabic2
2	1	Indian1
	2	Indian2
3	1	Mixed1
	2	Mixed2

Between-Subjects Factors

		Value Label	N
Order	1.00	SDP first	16
	2.00	2.00	15

Descriptive Statistics

	Order	Mean	Std. Deviation	N
Arabic1	SDP first	688.7995	94.51321	16
	2.00	879.0539	185.25840	15
	Total	780.8581	172.69563	31
Arabic2	SDP first	651.7869	100.78569	16
	2.00	824.7639	178.07456	15
	Total	735.4854	166.12855	31
Indian1	SDP first	739.2060	101.68248	16
	2.00	873.4545	203.99861	15
	Total	804.1650	171.00061	31
Indian2	SDP first	652.7172	82.86114	16
	2.00	834.2390	183.55554	15
	Total	740.5503	166.31141	31
Mixed1	SDP first	751.6362	113.61687	16
	2.00	913.1807	171.98638	15
	Total	829.8029	164.29451	31
Mixed2	SDP first	681.8806	111.71695	16
	2.00	845.7759	176.74887	15
	Total	761.1848	166.58670	31

Multivariate Tests[b]

Effect		Value	F	Hypothesis df
Notation	Pillai's Trace	.467	12.258[a]	2.000
	Wilks' Lambda	.533	12.258[a]	2.000
	Hotelling's Trace	.876	12.258[a]	2.000
	Roy's Largest Root	.876	12.258[a]	2.000
Notation * Order	Pillai's Trace	.067	1.000[a]	2.000
	Wilks' Lambda	.933	1.000[a]	2.000
	Hotelling's Trace	.071	1.000[a]	2.000
	Roy's Largest Root	.071	1.000[a]	2.000
NumerDiffere	Pillai's Trace	.610	45.274[a]	1.000
	Wilks' Lambda	.390	45.274[a]	1.000
	Hotelling's Trace	1.561	45.274[a]	1.000
	Roy's Largest Root	1.561	45.274[a]	1.000
NumerDiffere * Order	Pillai's Trace	.013	.378[a]	1.000
	Wilks' Lambda	.987	.378[a]	1.000
	Hotelling's Trace	.013	.378[a]	1.000
	Roy's Largest Root	.013	.378[a]	1.000
Notation * NumerDiffere	Pillai's Trace	.034	.494[a]	2.000
	Wilks' Lambda	.966	.494[a]	2.000
	Hotelling's Trace	.035	.494[a]	2.000
	Roy's Largest Root	.035	.494[a]	2.000
Notation * NumerDiffere * Order	Pillai's Trace	.116	1.844[a]	2.000
	Wilks' Lambda	.884	1.844[a]	2.000
	Hotelling's Trace	.132	1.844[a]	2.000
	Roy's Largest Root	.132	1.844[a]	2.000

Multivariate Tests[b]

Effect		Error df	Sig.
Notation	Pillai's Trace	28.000	.000
	Wilks' Lambda	28.000	.000
	Hotelling's Trace	28.000	.000
	Roy's Largest Root	28.000	.000
Notation * Order	Pillai's Trace	28.000	.381
	Wilks' Lambda	28.000	.381
	Hotelling's Trace	28.000	.381
	Roy's Largest Root	28.000	.381
NumerDiffere	Pillai's Trace	29.000	.000
	Wilks' Lambda	29.000	.000
	Hotelling's Trace	29.000	.000
	Roy's Largest Root	29.000	.000
NumerDiffere * Order	Pillai's Trace	29.000	.544
	Wilks' Lambda	29.000	.544
	Hotelling's Trace	29.000	.544
	Roy's Largest Root	29.000	.544
Notation * NumerDiffere	Pillai's Trace	28.000	.615
	Wilks' Lambda	28.000	.615
	Hotelling's Trace	28.000	.615
	Roy's Largest Root	28.000	.615
Notation * NumerDiffere * Order	Pillai's Trace	28.000	.177
	Wilks' Lambda	28.000	.177
	Hotelling's Trace	28.000	.177
	Roy's Largest Root	28.000	.177

a. Exact statistic
b. Design: Intercept + Order
Within Subjects Design: Notation + NumerDiffere + Notation * NumerDiffere

Mauchly's Test of Sphericity[b]

Measure:MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.
Notation	.934	1.908	2	.385
NumerDiffere	1.000	.000	0	.
Notation * NumerDiffere	.742	8.356	2	.015

Mauchly's Test of Sphericity[b]

Measure:MEASURE_1

Within Subjects Effect	Epsilon[a]		
	Greenhouse-Geisser	Huynh-Feldt	Lower-bound
Notation	.938	1.000	.500
NumerDiffere	1.000	1.000	1.000
Notation * NumerDiffere	.795	.863	.500

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.
b. Design: Intercept + Order
Within Subjects Design: Notation + NumerDiffere + Notation * NumerDiffere

Tests of Within-Subjects Effects

Measure:MEASURE_1

Source		Type III Sum of Squares	df	Mean Square
Notation	Sphericity Assumed	43348.771	2	21674.386
	Greenhouse-Geisser	43348.771	1.876	23102.181
	Huynh-Feldt	43348.771	2.000	21674.386
	Lower-bound	43348.771	1.000	43348.771
Notation * Order	Sphericity Assumed	4870.009	2	2435.005
	Greenhouse-Geisser	4870.009	1.876	2595.410
	Huynh-Feldt	4870.009	2.000	2435.005
	Lower-bound	4870.009	1.000	4870.009
Error(Notation)	Sphericity Assumed	132614.966	58	2286.465
	Greenhouse-Geisser	132614.966	54.415	2437.085
	Huynh-Feldt	132614.966	58.000	2286.465
	Lower-bound	132614.966	29.000	4572.930
NumerDiffere	Sphericity Assumed	161851.015	1	161851.015
	Greenhouse-Geisser	161851.015	1.000	161851.015
	Huynh-Feldt	161851.015	1.000	161851.015
	Lower-bound	161851.015	1.000	161851.015
NumerDiffere * Order	Sphericity Assumed	1350.090	1	1350.090
	Greenhouse-Geisser	1350.090	1.000	1350.090
	Huynh-Feldt	1350.090	1.000	1350.090
	Lower-bound	1350.090	1.000	1350.090
Error(NumerDiffere)	Sphericity Assumed	103671.947	29	3574.895
	Greenhouse-Geisser	103671.947	29.000	3574.895
	Huynh-Feldt	103671.947	29.000	3574.895
	Lower-bound	103671.947	29.000	3574.895
Notation * NumerDiffere	Sphericity Assumed	4409.862	2	2204.931
	Greenhouse-Geisser	4409.862	1.590	2773.844
	Huynh-Feldt	4409.862	1.725	2556.373
	Lower-bound	4409.862	1.000	4409.862
Notation * NumerDiffere * Order	Sphericity Assumed	8477.530	2	4238.765
	Greenhouse-Geisser	8477.530	1.590	5332.444
	Huynh-Feldt	8477.530	1.725	4914.378
	Lower-bound	8477.530	1.000	8477.530

Tests of Within-Subjects Effects

Measure:MEASURE_1

Source		F	Sig.
Notation	Sphericity Assumed	9.479	.000
	Greenhouse-Geisser	9.479	.000
	Huynh-Feldt	9.479	.000
	Lower-bound	9.479	.005
Notation * Order	Sphericity Assumed	1.065	.351
	Greenhouse-Geisser	1.065	.348
	Huynh-Feldt	1.065	.351
	Lower-bound	1.065	.311
NumerDiffere	Sphericity Assumed	45.274	.000
	Greenhouse-Geisser	45.274	.000
	Huynh-Feldt	45.274	.000
	Lower-bound	45.274	.000
NumerDiffere * Order	Sphericity Assumed	.378	.544
	Greenhouse-Geisser	.378	.544
	Huynh-Feldt	.378	.544
	Lower-bound	.378	.544
Notation * NumerDiffere	Sphericity Assumed	.723	.490
	Greenhouse-Geisser	.723	.461
	Huynh-Feldt	.723	.471
	Lower-bound	.723	.402
Notation * NumerDiffere * Order	Sphericity Assumed	1.389	.257
	Greenhouse-Geisser	1.389	.257
	Huynh-Feldt	1.389	.257
	Lower-bound	1.389	.248

Tests of Within-Subjects Effects

Measure:MEASURE_1

Source		Type III Sum of Squares	df	Mean Square
Error (Notation*NumerDiffere)	Sphericity Assumed	176969.740	58	3051.202
	Greenhouse-Geisser	176969.740	46.104	3838.469
	Huynh-Feldt	176969.740	50.026	3537.531
	Lower-bound	176969.740	29.000	6102.405

Tests of Within-Subjects Effects

Measure:0

Tests of Within-Subjects Contrasts

Measure:MEASURE_1

Source		NumerDiffere	Type III Sum of Squares	df	Mean Square
Notation	Linear		42434.523	1	42434.523
	Quadratic		914.248	1	914.248
Notation * Order	Linear		2764.269	1	2764.269
	Quadratic		2105.740	1	2105.740
Error(Notation)	Linear		51380.512	29	1771.742
	Quadratic		81234.454	29	2801.188
NumerDiffere		Linear	161851.015	1	161851.015
NumerDiffere * Order		Linear	1350.090	1	1350.090
Error(NumerDiffere)		Linear	103671.947	29	3574.895
Notation * NumerDiffere	Linear	Linear	4070.177	1	4070.177
	Quadratic	Linear	339.685	1	339.685
Notation * NumerDiffere * Order	Linear	Linear	745.678	1	745.678
	Quadratic	Linear	7731.852	1	7731.852
Error (Notation*NumerDiffere)	Linear	Linear	115404.823	29	3979.477
	Quadratic	Linear	61564.917	29	2122.928

Tests of Within-Subjects Contrasts

Measure:MEASURE_1

Source		NumerDiffere	F	Sig.
Notation	Linear		23.951	.000
	Quadratic		.326	.572
Notation * Order	Linear		1.560	.222
	Quadratic		.752	.393
NumerDiffere		Linear	45.274	.000
NumerDiffere * Order		Linear	.378	.544
Notation * NumerDiffere	Linear	Linear	1.023	.320
	Quadratic	Linear	.160	.692
Notation * NumerDiffere * Order	Linear	Linear	.187	.668
	Quadratic	Linear	3.642	.066

Tests of Between-Subjects Effects

Measure:MEASURE_1
Transformed Variable:Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	1.125E8	1	1.125E8	975.946	.000
Order	1301810.042	1	1301810.042	11.296	.002
Error	3342245.162	29	115249.833		

Estimated Marginal Means

1. Grand Mean

Measure:MEASURE_1

Mean	Std. Error	95% Confidence Interval	
		Lower Bound	Upper Bound
778.041	24.905	727.104	828.978

2. Order

Measure:MEASURE_1

Order	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
SDP first	694.338	34.649	623.474	765.202
2.00	861.745	35.785	788.556	934.933

3. Notation

Measure:MEASURE_1

Notation	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	761.101	24.121	711.768	810.434
2	774.904	26.327	721.060	828.748
3	798.118	25.685	745.587	850.650

4. NumerDiffere

Measure:MEASURE_1

NumerDiffere	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	807.555	25.659	755.077	860.033
2	748.527	24.913	697.575	799.479

5. Order * Notation

Measure:MEASURE_1

Order	Notation	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
SDP first	1	670.293	33.558	601.660	738.926
	2	695.962	36.626	621.053	770.871
	3	716.758	35.733	643.676	789.841
2.00	1	851.909	34.658	781.025	922.793
	2	853.847	37.827	776.481	931.212
	3	879.478	36.905	803.999	954.958

6. Order * NumerDiffere

Measure:MEASURE_1

Order	NumerDiffere	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
SDP first	1	726.547	35.697	653.539	799.556
	2	662.128	34.659	591.243	733.014
2.00	1	888.563	36.868	813.160	963.966
	2	834.926	35.796	761.716	908.137

7. Notation * NumerDiffere

Measure:MEASURE_1

Notation	NumerDiffere	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
1	1	783.927	26.158	730.428	837.425
	2	738.275	25.768	685.574	790.977
2	1	806.330	28.661	747.712	864.948
	2	743.478	25.297	691.741	795.215
3	1	832.408	26.014	779.204	885.613
	2	763.828	26.372	709.892	817.764

8. Order * Notation * NumerDiffere

Measure:MEASURE_1

Order	Notation	NumerDiffere	Mean	Std. Error	95% Confidence Interval	
					Lower Bound	Upper Bound
SDP first	1	1	688.800	36.391	614.371	763.228
		2	651.787	35.849	578.467	725.107
	2	1	739.206	39.873	657.656	820.756
		2	652.717	35.193	580.739	724.695
	3	1	751.636	36.191	677.617	825.655
		2	681.881	36.689	606.844	756.917
2.00	1	1	879.054	37.585	802.185	955.923
		2	824.764	37.025	749.040	900.488
	2	1	873.455	41.181	789.230	957.679
		2	834.239	36.347	759.901	908.577
	3	1	913.181	37.378	836.734	989.627
		2	845.776	37.892	768.278	923.274