SIRH Backend API

Veuillez noter que toutes les routes suivantes ont besoin d'un token Bearer pour vous identifier.

URL : /api/auth/signin `POST`

Header

```
{
"id" : "your@user.fr",
"password" : "test"
}
```

Revues de sécurité

URL : /revues-securite `GET`

Format de réponse

```
[
    {
        "id": 1,
        "client_id": 1,
        "mission_id": 1,
        "redacteur_id": 1,
        "status_id": 100,
```

```
            "has_rectification_imm": 0,
            "presence_non_conformite": 0,
            "mission_stopped": 0,
            "date_visite": "2019-06-04",
            "validated_manager_at": "2019-06-04 00:00:00",
            "validated_personnel_at": "2019-06-04 00:00:00",
            "diffused_hse_at": "2019-06-04 00:00:00",
            "diffused_hse_id": 2,
            "participants_autres": "test",
            "destinataires": "test",
            "commentaires": "test",
            "creator_id": null,
            "created_at": "2019-06-04 00:00:00",
            "can_be_diffused": false,
            "score": {
                "A": 0,
                "B": 0,
                "SO": 0
            },
            "is_from_mission": 1,
            "mission": {...},
        }
        ...
]
```

URL : /revues-securite/{id} `GET`

URL : /revues-securite/add `POST`

Header

```
{
    "mission": {
        "id" : 1
    },
    "redacteur": {
        "id" : 1,
    },
    "status" : {
```

```json
        "id" : 1,
    },
    "presence_non_conformite" : 0,
    "mission_stopped" : 0,
    "validated_manager_at" : "01-01-2000"
}
```

URL : /revues-securite/{id}/update `POST`

```php
public function parseRevueSecuriteRequest($request)
{
    $this->mission_id = $request->get('mission')['id'];
    $this->redacteur_id = $request->get('redacteur')['id'];
    $this->personnel_id = $request->get('personnel')['id'];
    $this->status_id = $request->get('status')['id'];
    $this->has_rectification_imm = $request->get('has_rectification_imm', 0);
    $this->presence_non_conformite = $request->get('presence_non_conformite', 0);
    $this->mission_stopped = $request->get('mission_stopped', 0);
    $this->validated_manager_at = $request->get('validated_manager_at');
    $this->validated_personnel_at = $request->get('validated_personnel_at');
    $this->diffused_hse_at = $request->get('diffused_hse_at');
    $this->diffused_hse_id = $request->get('diffused_hse_id');
    $this->date_visite = $request->get('date_visite');
    $this->participants_autres = $request->get('participants_autres');
    $this->destinataires = $request->get('destinataires');
    $this->commentaires = $request->get('commentaires');

    $this->lieu = $request->get('lieu');
    $this->has_env_bureau = $request->get('has_env_bureau');
    $this->has_env_chantier = $request->get('has_env_chantier');
    $this->has_env_production = $request->get('has_env_production');
    $this->has_env_atelier = $request->get('has_env_atelier');
    $this->env_autre = $request->get('env_autre');
}
```

URL : /revues-securite/{id}/delete `POST`

URL : /revues-securite/{id}/validate `POST`

URL : /revues-securite/{id}/diffuser `POST`

URL : /revues-securite/search `POST`

URL : /revues-securite/{id}/export `GET`

Questions des revues de sécurité

URL : /question-hse `GET`

URL : /question-hse/{id} `GET`

URL : /question-hse/grouped `GET`

URL : /question-hse `GET`

URL : /question-hse/add `POST`

```php
public function parseQuestionHSERequest($request)
{
    $this->libelle = $request->get('libelle');
    $this->code = $request->get('code');
    $this->categorie_id = $request->get('categorie')['id'];
}
```

URL : **/question-hse/{id}/update** `POST`

URL : **/question-hse/{id}/delete** `POST`

Fiche d'analyse de risque

URL : **/mission/{id}/ar** `GET`

URL : **/ar/{id}** `GET`

URL : **/ar/search** `POST`

URL : **/ar/{id}/update** `POST`

```php
public function parseArRequest($request, $mission)
{
    $this->mission_id =            $mission->id;
    if (!$this->date_analyse) {
        $this->date_analyse =           $request->get('date_analyse');
```

```php
    }
    $this->has_env_bureau =         $request->get('has_env_bureau', 0);
    $this->has_env_chantier =       $request->get('has_env_chantier', 0);
    $this->has_env_production =     $request->get('has_env_production', 0);
    $this->has_env_atelier =        $request->get('has_env_atelier', 0);
    $this->env_autre =              $request->get('env_autre');
    $this->autre_detail =           $request->get('autre_detail');
    $this->hab_cond_caces_type =    $request->get('hab_cond_caces_type');
    $this->hab_cond_spec_type =     $request->get('hab_cond_spec_type');
    $this->hab_autre_autre_type =   $request->get('hab_autre_autre_type');
    $this->epi_vet_prec =           $request->get('epi_vet_prec');
    $this->epi_chauss_prec =        $request->get('epi_chauss_prec');
    $this->epi_autre_autres =       $request->get('epi_autre_autres');
    $this->epi_autre_autres_type =  $request->get('epi_autre_autres_type');
    $this->commentaires =           $request->get('commentaires');
}
```