

Trainings ▾

Specifications

Fleetguard is a subsidiary of Cummins Inc. Fleetguard® filters are developed through joint testing at Cummins Inc. and Fleetguard. Fleetguard® filters are standard on new Cummins® engines. Cummins Inc. recommends their use.

Fleetguard® products meet all Cummins Inc. Source Approval Test standards to provide the quality filtration necessary to achieve the engine's design life. If other brands are substituted, the purchaser **must** insist on products the supplier has tested to meet Cummins Inc. high-quality standards.

Cummins Inc. can **not** be responsible for problems caused by non-genuine filters that do not meet Cummins Inc. performance or durability requirements.

When a lubricating oil filter (full flow) is used, a lubricating oil filter (bypass) **must** also be used.

Filters for Engines with Mechanical Fuel Injectors

Cummins® Part Number	Fleetguard® Part Number	Filter Style
3889310	LF670	Lubricating Oil Filter (full flow)
3889311	LF777	Lubricating Oil Filter (bypass)
3318853	LF3000	Lubricating Oil Filter (combination)
3161407	FS1000	Fuel Filter (Industrial applications)(10 micron, water separation)
3100308	WF2075	Coolant Filter
331673	FS1009	Fuel Filter (Marine applications)(10 micron, water separation with metal drain valve)

Filters for Engines with Electronic Fuel Injectors

Cummins® Part Number	Fleetguard® Part Number	Filter Style
3101869	LF9001	Lubricating Oil Filter (Venturi Combo)
3100308	WF2075	Coolant Filter

Filters for Engines with Electronic Fuel Injectors		
Cummins® Part Number	Fleetguard® Part Number	Filter Style
2881458 ⁽¹⁾	FF5782 ⁽¹⁾	Fuel Filter, Stage 2 (NanoNet™ media)
-	FS19763	Fuel and Water Separator, Stage 1 (FH234 Series Industrial Pro, StratoPore™ media)
4328040	FS53015	Fuel and Water Separator, Stage 1 (FH239 Series Industrial Pro, NanoNet™ media)
-	FS1984100	Fuel Filter, Spin-on (Marine Application)(7 micron)
(1) - An equivalent Stage 2 fuel filter can be used, but it must meet or exceed the following characteristics: Beta Ratio (filtration efficiency) rating of $\beta_{4@} = 1000$.		

Fleetguard® DCA4 Service Filters and Liquid Precharge			
Install service filter(s) and/or liquid containing the number of supplemental coolant additive (SCA) units below:			
DCA4 Service Filters SCA Units		DCA (Fleetcool) Service Filters	
Part Number	SCA Units	Part Number	SCA Units
WF2070	2	WF2050	2
WF2071	4	WF2051	4
WF2072	6	WF2052	6
WF2073	8	WF2053	8
WF2074	12	Not available	12
WF2075	15	WF2054	15
WF2076	23	WF2055	23
WF2077	(blank filter without SCA)	WF2077	(blank filter without SCA)

DCA4 Liquid			DCA (Fleetcool) Liquid		
Part Number	Size	SCA Units	Part Number	Size	SCA Units
DCA60L	0.47 liter [1 pt]	5	DCA30L	0.47 liter [1 pt]	5
DCA65L	1.89 liter [2 qt]	20	DCA35L	1.89 liter [2 qt]	20
DCA70L	3.78 liter [1 gal]	40	DCA40L	3.78 liter [1 gal]	40
DCA75L	18.9 liter [5 gal]	200	DCA45L	18.9 liter [5 gal]	200
DCA80L	208 liter [55 gal]	2200	DCA50L	208 liter [55 gal]	2200

Last Modified: 06-Aug-2013
