

Trainings ▾

Engine Testing


Tool Number

ST-1111-3

Manometer

Used with blowby orifice for measuring engine crankcase pressure.

©Cummins Inc




st-1111-3

Tool Number

3822571

Blowby Check Tool (10.3 mm [0.406 inch] Orifice)

Used with manometer Part Number ST-1111-3 to measure engine crankcase pressure.




Tool Number

3375150

Bottle Stopper Blowby Tool (0.302 inch Orifice)

Used with manometer Part Number ST-1111-3 to measure engine crankcase pressure.




Tool Number

3400157

Filter Wench

Used to remove spin on filters.

©Cummins Inc

**3375049**

Tool Number

3400158

Filter Wrench Strap Type up to 152 mm [6 inch]

Used to remove spin on filters.

©Cummins Inc



3376807


Tool Number

3163264

Engine Lift Fixture Kit

Used to lift the engine during installation or removal.

©Cummins Inc



00600041


Tool Number

3375109

Engine Lift Fixture Kit

Used to lift the engine during installation or removal.

©Cummins Inc



3375109


Tool Number

ST-1273

Pressure Gauge [0 to 75 in-Hg]

Used to measure intake manifold pressure turbo boost.

©Cummins Inc



eg8togi


Tool Number

3375275

Pressure Gauge [0 to 100 psi]

Used to measure lubricating oil pressure.

©Cummins Inc



3375275

Tool Number

3375932

Pressure Gauge [0 to 600 psi]

Used to measure fuel pressure. Includes necessary hoses and hardware attached to a fuel pump.

©Cummins Inc



eg8togh


Tool Number

3376375

Fuel Flow Measuring Instrument

Used to measure the fuel rate consumption of a Cummins® diesel engine.

©Cummins Inc



3376375


Tool Number

3377462

Digital Optical Tachometer

Used to measure engine speed (rpm).

©Cummins Inc



3377462,


Tool Number

ST-434

Vacuum Gauge

Used to check fuel filter or intake air restriction.

©Cummins Inc



eg8togc


Tool Number

3163890

Engine Control

Used to operator the engine out-of-chassis on the QSK50 engines. Used with the Engine Control Harness, Part Number 4918643.

©Cummins Inc



22400184


Tool Number

4918643

Engine Control Harness

Used to operate the engine out-of-chassis on the QSK50 with electronically actuated injectors.

©Cummins Inc




22400185

Tool Number

4918416

INLINE™ 5 Adapter Kit

Used with the Engine Control, Part Number 3163890 and the Engine Control harness, Part Number 4918643. Used with the SAE J1939 standard protocol. Used with INSITE™ electronic service tool 6.3 or later versions.




Tool Number

5394335

Cylinder Diagnostic Tool

Used to perform compression and leak down tests.

©Cummins Inc



22v00008

Last Modified: 03-Feb-2020
