

Trainings ▾

General Information

Tap Size		Drill Size
80%	75%	
		46
		1.95mm
		5/64
	3-48	47
		2.00mm
	M2.5x.45	2.05mm
		46
3-48	3056	45
		2.10mm
M2.5x.45	M2.6x.45	2.15mm
3-56	4-36	44
		2.20mm
M2.6x.45		2.25mm
4-36	4-40	43
		2.30mm
		2.35mm
4-40	4-48	42
		3/32
	M3x.6	2.40mm
4-48		41
		2.45mm
M3x.6	M3x.5	40
		2.50mm
	5-40	39
M3x.5		38
5-40	5-44	2.60mm
		37
		2.70mm
5-44	6-32	36
		2.75mm
		7/64
		35
		2.80mm
6-32	6-40	34
		33

M3.5x6	M3.5x6	2.90mm
6-40		32
		3.00mm
		31
		3.10mm
		1/8
		3.20mm
	M4x.75	3.25mm
		30
	M4x.7	3.30mm
M4x.75		3.40mm
M4x.7	8-32	29
		3.50mm
8-32	8-36	28
		9/64
8-36		3.60mm
		27
		3.70mm
	M4.5x.75	26
	10-24	3.75mm
		25
		3.80mm
M4.5x.75		24
		3.90mm
		23
		5/32
10-24		22
	M5x1	4.00mm
	10-32	21
		20
	M5x.9	4.10mm
M5x1	M5x.8	4.20mm
10-32		19
M5x.9		4.25mm
M5x.8		4.30mm
		18
		11/64
		17

00r01842

Tap Size		Drill Size
80%	75%	
	12-24	4.40mm
		16
		4.50mm
		15
12-24	M5.5x.9	4.60mm
	12-28	14
		13
		4.70mm
M5.5x.9		4.75mm
12-28		3/16
		12
		4.80mm
		11
		4.90mm
		10
		9
	M6x1	5.00mm
		8
		5.10mm
	1/4-20	7
		13/64
		6
M6x1		5.20mm
		5
	M6x.75	5.25mm
		5.30mm
1/4-20		4
M6x.75	1/4-28	5.40mm
		3
		5.50mm
		7/32
		5.60mm
1/4-28		2
		5.70mm
		5.75mm

	M7x1	1
		5.80mm
		5.90mm
		A
		15/64
	M7x1	6.00mm
		B
		6.10mm
		C
		6.20mm
	M7x.75	D
		6.25mm
		6.30mm
		E
		1/4
		6.40mm
		6.50mm
	5/16-18	F
		6.60mm
		G
		6.70mm
		6.70mm
5/16-18	M8x1.25	17/64
		6.75mm
		H
		6.80mm
		6.90mm
		I
M8x1.25	5.16-24	7.00mm
	M8x1	J
		7.10mm
5/16-24		K
		9/32
M8x1		7.20mm
		7.25mm
		7.30mm
		L
		7.40mm
		M

00r01843

Tap Size		Drill Size			
60%	75%				
		7.50mm 19/64 7.60mm N 7.70mm 7.75mm 7.80mm 7.90mm 5/16 8.00mm O 8.10mm 8.20mm P 8.25mm 8.30mm 21/64 8.40mm Q 8.50mm 8.60mm R 8.70mm 11/32 8.75mm 8.80mm S 8.90mm 9.00mm T 9.10mm 23/64 9.20mm 9.30mm U			9.40mm 9.50mm 3/8 V 9.60mm 9.70mm 9.75mm 9.80mm W 9.90mm 25/64 10.00mm X 10.20mm Y 13/32 Z 10.50mm 27/64 10.75mm 11.00mm 7/16 11.25mm 11.50mm 29/64 11.75mm 11.90mm 29/64 15/32 12.00mm 12.25mm 31/64 12.50mm 1/2 12.75mm 13.00mm 33/64
M9x1.25	M9x1.25 3/8-16 M9x1		M11x1.5 7/16-14	M11x1.5 7/16-20	
M9x1			7/16-20	M12x1.75	
3/8-16	1/8-27NPT 3/8-24 M10x1.5		M12x1.75 M12x1.5 M12x1.25 1/2-13 1/4-18NPT	M12x1.5 M12x1.25	
3/8-24 1/8-27NPT	M10x1.25			1/2-20 9/16-12 M14x2	
M10x1.5	M10x1		9/16-12 M14x2	M14x1.5 9/16-18 M14x1.25	
M10x1.25			M14x1.5 M14x1.25 9/16-18		
M10x1	7/16-14				

00r01844

Tap Size		Drill Size			
60%	75%				
		13.25mm 17/32 13.50mm 13.75mm 35/64 14.00mm 14.25mm 9/16 14.50mm 37/64 14.75mm 15.00mm 19.32 15.25mm 39/64 15.50mm 15.75mm 5/8 16.00mm 16.25mm 41/64 16.50mm 21/32 16.75mm 17.00mm 43/64 17.25mm 11/16 17.50mm 17.75mm 45/64 18.00mm 18.25mm 23/32			18.50mm 47/64 18.75mm 19.00mm 3/4 19.25mm 49/64 19.50mm 25/32 19.75mm 20.00mm 51/64 20.25mm 20.50mm 13/16 20.75mm 21.00mm 53/64 21.25mm 27/32 21.50mm 21.75mm 55/64 22.00mm 7/8 22.25mm 22.50mm 57/64 22.75mm 23.00mm 29/32 23.25mm 59/64 23.50mm 23.75mm 15/16
M15x1.5 5/8-11	5/8-11 M15x1.5 M16x2		M20x1.5	M20x1.5 7/8-9 M22x2.5	
M16x2 5/8-18	5/8-18 M16x1.5		7/8-9	M22x2.5	
M16x1.5			M22x2.5 M22x2 7/8-14 M22x1.5 7/8-14	M22x2 M22x1.5	
M17x1.5	M17x1.5 M18x2.5		M22x1.5	M24x3	
M18x2.5 M18x2	M18x2 3/4-10 M18x1.5 M19x2.5		M24x3	M24x2 1"-8 M24x1.5	
3/4-10 M18x1.5 M19x2.5	3/4-16 M20x2.5		M24x2 1"-8 M24x1.5	M25x2 1"-12 M25x1.5	
M20x2.5 M20x2	M20x2		M25x2 1"x12 M20x1.5 1"-14		

00r01845

The tap drill sizes shown on these cards give the theoretical tap drill size for approximately 60% and 75% of full thread depth. Generally, drill sizes in the 60% range are recommended as these sizes will provide about 90% of the potential holding power. Drill sizes in the 75% range are recommended for shallow hole tapping (less than 1 1/2 times the hole diameter) in soft metals and mild steel.

