

Trainings ▾

General Information

For your convenience, listed below are the section numbers that contain specific instructions for performing the maintenance checks.

Perform maintenance at whichever interval occurs first. At each scheduled maintenance interval, perform all previous maintenance checks that are due for scheduled maintenance.

Maintenance Procedures at Daily Interval⁽⁴⁾ (Section 3)

- Air Intake Piping - Inspect
- Air Tank and Reservoirs - Drain
- Cooling Fan - Check
- Crankcase Breather Tube - Inspect
- Drive Belts - Check
- Engine Coolant Level - Check
- Engine Lubricating Oil Level - Check
- Fuel-Water Separator - Drain

Maintenance Procedures at 250 Hours or 3 Months^(1, 4) (Section 4)

- Air Cleaner Restriction - Check
- Air Compressor Mounting Hardware - Check
- Charge Air Cooler - Check
- Charge Air Piping - Check
- Fuel Injection Pump Mounting Hardware - Check
- Lubricating Oil and Filters - Change
- Radiator Hoses - Check
- Radiator Pressure Cap - Check

Maintenance Procedures at 500 Hours or 6 Months^(2, 3, 4) (Section 5)

- Engine Coolant - Check
- Fuel Filter, Canister Type - Change
- Fuel Filter, Spin-On Type - Change
- Lubricating Oil and Filters - Change

Maintenance Procedures at 1000 Hours or 1 Year⁽⁴⁾ (Section 6)

- Cooling Fan Belt Tensioner - Check
- Fan Hub, Belt-Driven - Check
- Overhead Set - Adjust

Maintenance Procedures at 2000 Hours or 2 Years^(3, 4) (Section 7)

- Air Compressor Discharge Line - Check
- Cooling System - Flush⁵
- Vibration Damper, Rubber - Check
- Vibration Damper, Viscous - Check

1. The lubricating oil and lubricating oil filter interval can be adjusted based on application, fuel consumption, gross vehicle weight, and idle time. For engines whose aspiration is jacket water-cooled, turbocharged **only**, or natural, refer to Table 1 in the Oil Drain Intervals section.
2. The lubricating oil and lubricating oil filter interval can be adjusted based on application, fuel consumption, gross vehicle weight, and idle time. For engines whose aspiration is charge air cooled, refer to Table 2 in the Oil Drain Intervals section.
3. Antifreeze check interval is every oil change or 500 hours or 6 months, whichever occurs first. The operator **must** use a heavy-duty year-round antifreeze that meets the chemical composition of ASTM D6210. The antifreeze change interval is 2 years, 2000 hours, or whichever occurs first. Antifreeze is essential for freeze, overheat, and corrosion protection.
4. Follow the manufacturer's recommended maintenance procedures for the starter, alternator, generator, batteries, electrical components, charge air cooler, radiator, air compressor, air cleaner, refrigerant compressor, and fan clutch.
5. The cooling system requirement to Flush at this scheduled maintenance includes: Drain, Flush. and Fill.

Oil Drain Intervals

Generator and Industry application

Refer to Table 1 to determine the maximum recommended oil change and filter change intervals engine operating in hours or months, whichever comes first.

Table 1: Generator and Industry application

Cummins® Engine Standard Classification	American Petroleum Institute Classification	International Classifications	All Engine Ratings
(CES)	(API)		
CES 20088, CES-20078, CES-20077, CES-20076, CES-20072, CES-20071	API CI-4/SK, API CI-4, API CH-4, API CH-4/SJ	ACEA E-5, Global DHD-1	250 Hours or 3 Months
CES 20081	CJ-4	ACEA E9 JAMA DH-2	
CES 20086	CK-4		

Other applications

Refer to Table 2 or Table 3 to determine the maximum recommended oil change and filter change intervals engine operating in hours or months, whichever comes first.

Table 2: Jacket Water Cooled, Turbocharged Only, or Naturally Aspirated Engines			
Cummins® Engine Standard Classification	American Petroleum Institute Classification	International Classifications	All Engine Ratings
(CES)	(API)		
CES-20078, CES-20077, CES-20076, CES-20072, CES-20071	API CI-4/SK, API CI-4, API CH-4, API CH-4/SJ	ACEA E-5, Global DHD-1	250 Hours or 3 Months
CES-20075	API CF-4/SG	ACEA E-3, ACEA E-2, JAMA DH-1	150 Hours or 6 Weeks
	API CG-4/SH, API CD, API CE	ACEA E-1	Obsolete. Do not use.

Table 3: Charge Air Cooled Engines			
Cummins® Engine Standard Classification	American Petroleum Institute Classification	International Classifications	All Engine Ratings
(CES)	(API)		
CES-20078, CES-20077, CES-20076, CES-20072, CES-20071	API CI-4/SK, API CI-4, API CH-4, API CH-4/SJ	ACEA E-5, Global DHD-1	500 Hours or 6 Months
CES-20075	API CF-4/SG	ACEA E-3, ACEA E-2, JAMA DH-1	250 Hours or 3 Months
Months	API CG-4/SH, API CD, API CE	ACEA E-1	Obsolete. Do not use.