

Trainings ▾


Tool Number

3375273

Portable Pressure Kit

Used to measure the engine oil pressure 1103.2 kPa [0 to 160 psi].

©Cummins Inc



eg8togi


Tool Number

3375049

Oil Filter Wrench

Used to remove spin-on filter.

©Cummins Inc



3375049

Tool Number

3375182

Valve Spring Tester

Used to check the high-pressure relief valve spring.

©Cummins Inc



kn8togs


Tool Number

3376579

Tube Cutter

Used to open spin-on oil filters for troubleshooting and analysis.

©Cummins Inc



lf8togd

Tool Number

3376891

Fluorescent Tracer Dye

Added to oil. Used with black light, Part Numbers 3824754 and 3824524, to find oil leaks.

©Cummins Inc



3376891


Tool Number

3824754

Battery Black Light/Lamp

Used in conjunction with fluorescent tracer dye, Part Number 3376891, to check for oil.

©Cummins Inc



3377394

Tool Number

3824524

High-Intensity Black Light

Used in conjunction with fluorescent tracer dye, Part Number 3376891, to check for oil.

©Cummins Inc



3377253

Tool Number

3375958

Nylon Lift Sling (2 in x 6 ft)

Aids in the removal and installation of heavy components.

©Cummins Inc



ks8toge

Tool Number

3375957

Nylon Lift Sling (1 in x 6 ft)

Aids in the removal and installation of heavy components.

©Cummins Inc



ks8toge


Tool Number

3377399

Magnetic Base Indicator Holder

Used in conjunction with dial indicator assembly, Part Number 3376050, to check lubricating oil pump idler gear end clearance.

©Cummins Inc



22600063


Tool Number

3376050

Dial Indicator Assembly

Used in conjunction with magnetic base indicator holder, Part Number 3377399, to check lubricating oil pump idler gear end clearance.

©Cummins Inc



22600064