

Trainings ▾


Tool Number

ST-1111-3

Manometer

Used to measure air inlet restriction.

©Cummins Inc



eg100ja


Tool Number

ST-537

Dial Depth Gauge

This gauge is used to check for proper nozzle ring crush or end clearance checks on turbochargers.

©Cummins Inc

**ST-537**

Tool Number

3824524

Black Light Assembly High Intensity

Used to help find the source for leaks in the lubricating and/or cooling system.

©Cummins Inc



3377253

Tool Number

3376891

Fluorescent Tracer

Used to help determine the source of oil leaks. It must be used with a black light.

©Cummins Inc



3376891

Tool Number

3824879

Anti-Seize Compound

Used to speed assembly and disassembly of studs, bolts, capscrews, flanges, and fittings.

©Cummins Inc


**3377132****Tool Number**

3375957

Nylon Lifting Sling (1 in x 6 ft)

Aid in the removal and installation of heavy components.

©Cummins Inc

**ks8toge**

Tool Number

3375958

Nylon Lifting Sling (2 in x 6 ft)

Aid in the removal and installation of heavy components.

©Cummins Inc



ks8toge


Tool Number

4918234

Exhaust Manifold Leak Tester Kit

Used to pressure test turbocharger gasket, exhaust bellows, exhaust manifold gaskets, and exhaust manifold adapter gasket sealing areas for leaks.

©Gummine Inc



22600325

Tool Number

4918187

Exhaust Manifold Leak Test Kit

Used to pressure test exhaust bellows, exhaust manifold gaskets, and exhaust manifold adapter gasket sealing areas for leaks.

©Cummins Inc



22600327


Tool Number

3164231

Air Pressure Regulator

Used with the exhaust manifold leak tester.

©Cummins Inc



22600326

Last Modified: 17-Nov-2005
